PRICE

1895-6

A Catalogue of

NEW, RARE & BEAUTIFUL PLANTS AND ORCHIDS

OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S. F.Z.S. F.R.H.S. M.A.I. F.R.B.S. & M.S.A.

Socc. Hort. Berol. Bruxell. St Petersburgh et Par.

et Soc. Agric. et Bot. Gandav. Socius.

NEW PLANT MERCHANT

536, KING'S ROAD,

(and Ashburnham Park)

CHELSEA,

LONDON,

S.W.

SHOUT
SHARE
IT

MR. WILLIAM BULL'S
ESTABLISHMENT FOR NEW AND RARE PLANTS

Has been favoured with the distinguished Patronage of

HER MOST GRACIOUS MAJESTY THE QUEEN
HIS ROYAL HIGHNESS THE PRINCE OF WALES
HIS ROYAL HIGHNESS THE DUKE OF EDINBURGH
HIS ROYAL HIGHNESS PRINCE CHRISTIAN
HIS SERENE HIGHNESS THE DUKE OF TECK
HER ROYAL HIGHNESS THE DUCHESS OF ALBANY
HIS MAJESTY THE EMPEROR OF GERMANY
HIS MAJESTY THE EMPEROR OF RUSSIA
HIS MAJESTY THE EMPEROR OF AUSTRIA
HIS MAJESTY THE KING OF THE BELGIANS
HIS MAJESTY THE KING OF SWEDEN
HIS MAJESTY THE KING OF SIAM
HIS EXCELLENCY THE LORD LIEUTENANT OF IRELAND
HIS IMPERIAL HIGHNESS THE GRAND DUKE CONSTANTINE
HIS HIGHNESS PRINCE LIECHTENSTEIN
HIS HIGHNESS PRINCE WITTGENSTEIN
SON ALTESSE LE PRINCE SALM SALM

HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR ENGLAND
HER MAJESTY'S COMMISSIONERS OF BOARD OF WORKS AND PUBLIC BUILDINGS FOR IRELAND

His Grace the DUKE OF NORFOLK
His Grace the DUKE OF RICHMOND
His Grace the DUKE OF ST. ALBANS
His Grace the DUKE OF BEDFORD
His Grace the DUKE OF DEVONSHIRE
His Grace the DUKE OF RUTLAND
His Grace the DUKE OF HAMILTON
His Grace the DUKE OF BUCCLEUCH
His Grace the DUKE OF ARGYLL
His Grace the DUKE OF ROXBURGHE
His Grace the DUKE OF PORTLAND
His Grace the DUKE OF NEWCASTLE
His Grace the DUKE OF NORTHUMBERLAND
His Grace the DUKE OF WELLINGTON
His Grace the DUKE OF SUTHERLAND
His Grace the DUKE OF CLEVELAND
His Grace the DUKE OF WESTMINSTER
His Grace the DUKE OF LEINSTER
His Grace the DUKE OF ABERCORN
His Grace the DUKE OF FIFE
The Most Hon. the MARQUESS OF LORNE
The Most Hon. the MARQUESS OF HUNTLY
The Most Hon. the MARQUESS OF LOTHIAN
The Most Hon. the MARQUESS OF LANSDOWNE
The Most Hon. the MARQUESS OF SALISBURY
The Most Hon. the MARQUESS OF HERTFORD
The Most Hon. the MARQUESS OF BUTE
The Most Hon. the MARQUESS OF WATERFORD
The Most Hon. the MARQUESS OF DOWNSHIRE
The Most Hon. the MARQUESS OF DROGHEDA
The Most Hon. the MARQUESS OF ELY
The Most Hon. the MARQUESS OF HEADFORT
The Most Hon. the MARQUESS OF EXETER
The Most Hon. the MARQUESS OF BREADALBANE
The Most Hon. the MARQUESS OF NORTHAMPTON
The Most Hon. the MARQUESS OF CAMDEN
The Most Hon. the MARQUESS OF ANGLESEY
The Most Hon. the MARQUESS OF CONYNGHAM
The Most Hon. the MARQUESS OF LONDONDERRY
The Most Hon. the MARQUESS OF AILESBURY
The Most Hon. the MARQUESS OF BRISTOL
The Most Hon. the MARQUESS OF ABERGAVENNY
The Most Hon. the MARQUESS OF TAVISTOCK
The Most Hon. the MARQUESS OF RIPON
The Most Hon. the MARQUESS OF ZETLAND
The Right Hon. the EARL PERCY
The Right Hon. the EARL OF SHREWSBURY AND TALBOT
The Right Hon. the EARL OF DERBY
The Right Hon. the EARL OF PEMBROKE
The Right Hon. the EARL OF DEVON
The Right Hon. the EARL OF DENBIGH
The Right Hon. the EARL OF WESTMORLAND
The Right Hon. the EARL OF LINDSEY
The Right Hon. the EARL OF SANDWICH
The Right Hon. the EARL OF ESSEX
The Right Hon. the EARL OF JERSEY
The Right Hon. the EARL POULETT
The Right Hon. the EARL OF CRAWFORD AND BALCARRES
The Right Hon. the EARL OF MORTON
The Right Hon. the EARL OF EGLINTON
The Right Hon. the EARL OF HADDINGTON
The Right Hon. the EARL OF STRATHMORE
The Right Hon. the EARL OF MAR AND KELLIE
The Right Hon. the EARL OF GALLOWAY
The Right Hon. the EARL OF LAUDERDALE
The Right Hon. the EARL OF WEMYSS AND MARCH
The Right Hon. the EARL OF SOUTHESK
The Right Hon. the EARL OF KINNOULL
The Right Hon. the EARL OF DALHOUSIE
The Right Hon. the EARL OF DYSART
The Right Hon. the EARL OF KINTORE
The Right Hon. the EARL OF SEAFIELD
The Right Hon. the EARL OF ROSEBERY
The Right Hon. the EARL OF STAIR
The Right Hon. the EARL OF HOPETOUN
The Right Hon. the EARL OF DARTMOUTH
The Right Hon. the EARL FERRERS
The Right Hon. the EARL OF AYLESFORD
The Right Hon. the EARL COWPER
The Right Hon. the EARL OF MACCLESFIELD
The Right Hon. the EARL OF ASHBURNHAM
The Right Hon. the EARL OF BUCKINGHAM
The Right Hon. the EARL OF ILCHESTER
The Right Hon. the EARL OF RADNOR
The Right Hon. the EARL SPENCER
The Right Hon. the EARL BATHURST
The Right Hon the EARL OF CLARENDON
The Right Hon. the EARL OF MANSFIELD
The Right Hon. the EARL OF MEATH
The Right Hon. the EARL FITZWILLIAM
The Right Hon. the EARL OF DARNLEY
The Right Hon. the EARL OF WARWICK
The Right Hon the EARL OF CORK AND ORRERY
The Right Hon. the EARL OF SEFTON
The Right Hon. the EARL OF LISBURNE
The Right Hon. the EARL OF ANTRIM
The Right Hon. the EARL OF ANNESLEY
The Right Hon. the EARL OF ERNE
The Right Hon. the EARL OF CARNARVON
The Right Hon. the EARL OF CLONMELL
The Right Hon. the EARL OF LEITRIM
The Right Hon. the EARL OF BANDON
The Right Hon. the EARL OF CASTLE-STUART
The Right Hon. the EARL OF CALEDON
The Right Hon. the EARL OF WILTON
The Right Hon. the EARL OF ROSSLYN
The Right Hon. the EARL OF CLANCARTY
The Right Hon. the EARL OF POWIS

LIST OF PATRONS—Continued.

The Right Hon. the EARL GREY
The Right Hon. the EARL MANVERS
The Right Hon. the EARL OF NORMANTON
The Right Hon. the EARL CADOGAN
The Right Hon. the EARL NELSON
The Right Hon. the EARL OF HAREWOOD
The Right Hon. the EARL BEAUCHAMP
The Right Hon. the EARL BROWNLOW
The Right Hon. the EARL OF MORLEY
The Right Hon. the EARL OF ST. GERMANS
The Right Hon. the EARL HOWE
The Right Hon. the EARL OF STRADBROKE
The Right Hon. the EARL OF DUNRAVEN
The Right Hon. the EARL OF LISTOWEL
The Right Hon. the EARL AMHERST
The Right Hon. the EARL CAWDOR
The Right Hon. the EARL OF CAMPERDOWN
The Right Hon. the EARL OF LICHFIELD
The Right Hon. the EARL OF DURHAM
The Right Hon. the EARL OF EFFINGHAM
The Right Hon. the EARL OF YARBOROUGH
The Right Hon. the EARL OF DUCIE
The Right Hon. the EARL OF LEICESTER
The Right Hon. the EARL OF ELLESMERE
The Right Hon. the EARL OF STRAFFORD
The Right Hon. the EARL OF COTTENHAM
The Right Hon. the EARL OF DARTREY
The Right Hon. the EARL OF FEVERSHAM
The Right Hon. the EARL OF RAVENSWORTH
The Right Hon. the EARL OF NORTHBROOK
The Right Hon. the EARL OF WHARNCLIFFE
The Right Hon. the EARL OF LATHOM
The Right Hon. the EARL SONDES
The Right Hon. the EARL OF SELBORNE
The Right Hon. the EARL OF BECTIVE
The Right Hon. VISCOUNT FALMOUTH
The Right Hon. VISCOUNT DILLON
The Right Hon. VISCOUNT VALENTIA
The Right Hon. VISCOUNT DOWNE
The Right Hon. VISCOUNT BOYNE
The Right Hon. VISCOUNT GAGE
The Right Hon. VISCOUNT GALWAY
The Right Hon. VISCOUNT POWERSCOURT
The Right Hon. VISCOUNT ASHBROOK
The Right Hon. VISCOUNT BANGOR
The Right Hon. VISCOUNT CLIFDEN
The Right Hon. VISCOUNT DONERAILE
The Right Hon. VISCOUNT MONCK
The Right Hon. VISCOUNT MELVILLE
The Right Hon. VISCOUNT TEMPLETOWN
The Right Hon. VISCOUNT GOUGH
The Right Hon. VISCOUNT EVERSLEY
The Right Hon. VISCOUNT HALIFAX
The Right Hon. VISCOUNT BRIDPORT
The Right Hon. VISCOUNT PORTMAN
The Right Hon. VISCOUNT CRANBROOK
The Right Hon. VISCOUNT SHERBROOKE
The Right Hon. VISCOUNT NEWPORT
The Right Hon. VISCOUNT HOLMESDALE
The Right Hon. VISCOUNT STORMONT
The Right Hon. VISCOUNT EMLYN
The Right Hon. LORD BROOKE
The Right Hon. LORD ESME GORDON
The Right Hon. LORD KILMARNOCK
The Right Hon. LORD JAMES W. BUTLER
The Right Hon. LORD HASTINGS
The Right Hon. LORD CLINTON
The Right Hon. LORD BARNARD
The Right Hon. LORD WINDSOR
The Right Hon. LORD STAFFORD
The Right Hon. LORD HERRIES
The Right Hon LORD ELPHINSTONE
The Right Hon. LORD WINDSOR
The Right Hon. LORD ST. JOHN OF BLETSOE
The Right Hon. LORD BALFOUR OF BURLEIGH
The Right Hon. LORD REAY
The Right Hon. LORD KINNAIRD
The Right Hon. LORD MIDDLETON
The Right Hon. LORD SCARSDALE
The Right Hon. LORD BOSTON
The Right Hon. LORD FOLEY
The Right Hon. LORD BAGOT
The Right Hon. LORD DYNEVOR
The Right Hon. LORD WALSINGHAM
The Right Hon. LORD SHERBORNE.
The Right Hon. LORD SUFFIELD
The Right Hon. LORD KENYON
The Right Hon. LORD BRAYBROOKE
The Right Hon. LORD AUCKLAND
The Right Hon. LORD CALTHORPE
The Right Hon. LORD BOLTON
The Right Hon. LORD DUNSANY

The Right Hon. LORD CLONBROCK
The Right Hon. LORD HENNIKER
The Right Hon. LORD CLARINA
The Right Hon. LORD VENTRY
The Right Hon. LORD SANDYS
The Right Hon. LORD ELLENBOROUGH
The Right Hon. LORD CREWE
The Right Hon. LORD RENDLESHAM
The Right Hon. LORD DELAMERE
The Right Hon. LORD RAVLEIGH
The Right Hon. LORD POLTIMORE
The Right Hon. LORD CLONCURRY
The Right Hon. LORD DE L'ISLE & DUDLEY
The Right Hon. LORD ASHBURTON
The Right Hon. LORD CAREW
The Right Hon. LORD WENLOCK
The Right Hon. LORD SEATON
The Right Hon. LORD WROTTESLEY
The Right Hon. LORD STANLEY OF ALDERLEY
The Right Hon. LORD LEIGH
The Right Hon. LORD LONDESBOROUGH
The Right Hon. LORD TRURO
The Right Hon. LORD AVELAND
The Right Hon. LORD BELPER
The Right Hon. LORD FERMOY
The Right Hon. LORD EBURY
The Right Hon. LORD CHESHAM
The Right Hon. LORD ELPHINSTONE
The Right Hon. LORD LECONFIELD
The Right Hon. LORD EGERTON OF TATTON
The Right Hon. LORD TREDEGAR
The Right Hon. LORD WESTBURY
The Right Hon. LORD FITZHARDINGE
The Right Hon. LORD ANNALY
The Right Hon. LORD ATHLUMNEY
The Right Hon. LORD HYLTON
The Right Hon. LORD PENRHYN
The Right Hon. LORD O'NEILL
The Right Hon. LORD HOWARD OF GLOSSOP
The Right Hon. LORD LAWRENCE
The Right Hon. LORD WOLVERTON
The Right Hon. LORD HARLECH
The Right Hon. LORD SACKVILLE
The Right Hon. LORD ALINGTON
The Right Hon. LORD WIMBORNE
The Right Hon. LORD ARDILAUN
The Right Hon. LORD TREVOR
The Right Hon. LORD LAMINGTON
The Right Hon. LORD DERWENT
The Right Hon. LORD HOTHFIELD
The Right Hon. LORD NORTHBOURNE
The Right Hon. LORD MONKSWELL
The Right Hon. LORD HILLINGDON
The Right Hon. LORD ROTHSCHILD
The Right Hon. LORD ST. OSWALD
The Right Hon. LORD WANTAGE
The Right Hon. LORD ESHER
The Right Hon. LORD BURTON
The Right Hon. LORD BRASSEY
The Right Hon. LORD HAMILTON OF DALZELL
The Right Hon. LORD HINDLIP
The Right Hon. LORD ARMSTRONG
The Right Hon. LORD CHEYLESMORE
The Right Hon. LORD IVEAGH.
The Right Hon. LORD MASHAM
The Right Hon. LORD BATTERSEA
The Right Hon. LORD BATTERSEA & OVERSTONE
PRINCE DORIA
PRINCE OF FURSTENBURG
M. LE DUC DE MASSA
M. LE COMTE DE PARIS
M. LE COMTE DE GERMINY
M. LE COMTE DE JAUCOURT
The BARON DE ROTHSCHILD
The BARON ADOLPHE DE ROTHSCHILD
The BARON ALPHONSE DE ROTHSCHILD
The ROYAL HORTICULTURAL SOCIETY
The ROYAL BOTANIC GARDENS, KEW, REGENT'S PARK, EDINBURGH, DUBLIN AND BELFAST
The ROYAL GARDENS AT HYDE & BATTERSEA PARKS
The BOTANIC GARDENS, OXFORD, MANCHESTER, LIVERPOOL AND HULL
The IMPERIAL GARDENS, ST. PETERSBURG
The ROYAL BOTANIC GARDENS, CALCUTTA AND CEYLON
The BOTANIC GARDENS, ADELAIDE, NATAL, BUITENZORG AND ZURICH
The ROYAL HORTICULTURAL SOCIETY OF SOUTH AUSTRALIA
The AGRI-HORTICULTURAL SOCIETIES, BOMBAY, CALCUTTA, LAHORE AND MYSORE

AND MOST MEMBERS OF THE ARISTOCRACY IN THE UNITED KINGDOM INTERESTED IN HORTICULTURE.

WILLIAM BULL, F.L.S.,

BEGS TO ANNOUNCE THAT HE IS NOW OFFERING SEVERAL

BEAUTIFUL PLANTS,

WHICH ARE

PERFECTLY NEW TO THIS COUNTRY,

An Inspection of which is invited.

THE PRINCE CONSORT'S GOLD MEDAL,

THE LINDLEY MEDAL,

MANY GOLD MEDALS,

UPWARDS OF ONE THOUSAND PRIZES AND AWARDS

HAVE BEEN MADE TO

WILLIAM BULL, F.L.S.,

FOR NEW AND RARE PLANTS ALONE,

AT THE PRINCIPAL LONDON AND INTERNATIONAL FLOWER SHOWS.

Mr. W. BULL mentions this as conveying some idea of the importance of his collection.

NOTICE.

The Illustrations in Mr. W. B.'s Catalogues have been carefully drawn and engraved by eminent artists, from plants introduced at great expense from their native habitats; the Catalogue has, therefore, been registered and the copyright is reserved, and any infringement will be proceeded against.



PTERIS SERRULATA VOLUTA. For description and price *vide* page 7.

GRAPTOPHYLLUM PICTURATUM. For description and price *vide* page 7.

CRINUM MOOREI VARIEGATUM. For description and price *vide* page 6.

NEW PLANTS

ANNOUNCED FOR THE FIRST TIME

BY

WILLIAM BULL, F.L.S.

ANTHURIUM ANDREANUM ALBUM.

This charming white-flowered variety of the well-known *Anthurium Andreanum* has been imported from Brazil. In growth and shape of flower it is a counterpart of the type, but the spathes are of a shining ivory white, lasting a long time in perfection. A very chaste and desirable addition to our flowering stove plants. 2 guineas.

ANTHURIUM ANDREANUM SALMONEUM.

Another very pleasing variation of *Anthurium Andreanum* will be found in this plant, which produces large cordate-shaped spathes of a clear salmon colour, the corrugations in the spathe being well marked. The basal half of the spadix is white, the apical portion yellow. This forms a charming companion to the brilliant crimson scarlet flowered typical species. 31*s.* 6*d.* and 42*s.*

CRINUM MOOREI VARIEGATUM.

A beautifully variegated variety of this free-flowering hardy bulbous plant, the leaves being ornamented with longitudinal stripes of creamy yellow of varying width, making it a most attractive and desirable addition to decorative plants for the greenhouse and conservatory. Similar to the typical species in habit, it freely produces on erect scapes, large and handsome white flowers, faintly tinged with blush. *Vide* illustration, page 5. 10*s.* 6*d.*, 15*s.* and 21*s.*

CYPRIPEDIUM, "CICERO."

A pretty hybrid raised from *C. barbatum Warnerianum*, fertilised with the pollen of *C.* "*Argus*," partaking largely of the characters of both parents. The dorsal sepal, which is large and pointed, is white with central green veins, the sides being stained with bright rose purple, veined with dark purple; petals deflexed, ciliate at the margins, the tips bright rose purple; the superior half of the basal portion is light greenish yellow with dark veins, heavily spotted with the eye-like markings peculiar to *C.* "*Argus*." The lip is rich purple brown, staminode horse-shoe shape, light green with darker markings. Leaves bright green, with cloudy maculations of dark green. Price on application.

CYPRIPEDIUM, "EMPRESS."

A most handsome free-flowering hybrid, the result of a cross between *C. cardinale* and *C. Sedeni porphyreum*. The flowers are of large size, the dorsal sepal white, petals white suffused and tinted with rose, speckled on the basal half with crimson. The pouch is bright carmine, shaded with scarlet, the infolding surface of the lobes being stained and spotted with crimson. This is one of the finest hybrids of this group, the bright colour of the lip being in charming contrast to the light sepals and petals. Price on application.

CYPRIPEDIUM, "PLACIDA."

This has been raised between *C. insigne aureum* and *C. Ashburtoniæ*. The upper sepal is large and spreading, pure white, the basal half stained with light green and veined with a darker tint, spotted along the course of the veins with purple brown; petals spathulate, tawny yellow at the tip, the basal portion vinous purple on the upper half with a few spots; the lower basal half apple green. Lip tawny brown, the staminode being greenish with central green spot. Lower sepal pale green veined with dark green. The leaves are dull green with a faint tesselation of dark green. Price on application.

CYPRIPEDIUM SIGNATUM.

A beautiful hybrid variety between *C. Spicerianum magnificum* and *C. villosum aureum*. The dorsal sepal is of large size ornamented with a median stripe of rich crimson purple, the basal portion bright green speckled with brownish crimson, the upper portion pure white, heavily suffused and veined in the centre with rich purple. Petals spathulate with undulate margins, the superior half brownish yellow, the lower half ochreous yellow veined with brown. Pouch brownish yellow; staminode tawny yellow with green marking in the centre. Leaves light green. Price on application.

GRAPTOPHYLLUM PICTURATUM.

A very striking and effective stove plant of free growth, furnished with opposite lanceolate leaves, having a central variegation of rich golden yellow, maturing with age into creamy yellow. The colouring is irregularly disposed on each side of the midrib, the dark green margin having blotches of lighter green, bordering the central variegation. *Vide* illustration, page 4. 10*s*. 6*d*.

PTERIS SERRULATA VOLUTA.

This desirable plant is one of the most distinct varieties of *P. serrulata* yet introduced, the volute or curled appearance of the pinnæ being very noticeable, not only in mature plants, but in the young state. Its elegant appearance being also further enhanced by the tips of the incurved pinnæ being prettily crested. *Vide* illustration, page 3. 10*s*. 6*d*.

NEW GREENHOUSE RHODODENDRONS.

ATLAS, a very beautiful greenhouse hybrid, producing trusses of long tubular flowers of a delicate blush colour. 10*s*. 6*d*.

BRENDA, a pretty variety with pure white flowers, the petals beautifully crisped and undulated. 10*s*. 6*d*.

CLIO, salmon-pink flowers shaded with rose; large trusses, the individual blossoms of good shape. 10*s*. 6*d*.

HERA, fine trusses of yellowish buff flowers, shaded with salmon-pink, the individual blooms being of large size and good shape. 15*s*.

IONE, a very charming variety with clear rose-coloured petals, the throat and tube being pure white. 10*s*. 6*d*.

ISIS, very free flowering variety, producing good trusses of milk-white flowers suffused with rose. 10*s*. 6*d*.

MENTO, large trusses of very soft rosy salmon flowers suffused with pink. 10*s*. 6*d*.

ORION, this handsome hybrid produces large trusses of rich magenta-pink flowers, very bright and attractive. 10*s*. 6*d*.

PERA, flowers of fine shape, sepals bright cerise pink, tube French white, a pretty and cheerful looking colour. 15*s*.

PRIAM, very large creamy buff flowers, suffused and shaded with carmine pink. 10*s*. 6*d*.

SYLVIA, soft pink-coloured flowers, well made and borne in large trusses; tube nearly white. 10*s*. 6*d*.

ZAMPA, magnificent trusses of rich buff yellow flowers; very handsome. 15*s*.

NEW CALADIUMS.

ACQUISITION, a most beautiful variety with gauze-like transparent leaves, overspread with a delicate pinkish purple sheen. 42*s*.

CONQUEROR, magenta red ground radiating from the centre, mottled with green between the veins; green margin; extra fine. 42*s*.

DAMON, an extra fine variety with large crimson red leaves, narrow margins, mottled with green. 31*s*. 6*d*.

GARNET, magnificent rosy-crimson leaves, margined with green; very striking. 31*s*. 6*d*.

GENERAL, a splendid variety, with magnificent fiery red leaves with undulating margins; green border; very extra. 31*s*. 6*d*.

ICARUS, very fine large red leaves with narrow green edging; a magnificent and most striking variety. 31*s*. 6*d*.

JULIUS, red centre, with crimson veins and greenish yellow margin; extra fine. 42*s*.

PASHA, leaves greenish yellow with rosy purple spots, very distinct and striking. 21*s*.

RONURA, very distinct and of dwarf habit; cordate leaves, greyish white reticulated and veined with green. 31*s*. 6*d*.

THERESA, leaves delicate rose pink, creamy yellow edging; very pretty. 31*s*. 6*d*.

VERONA, large bright red leaves with dark crimson veins and green margin. 31*s*. 6*d*.

NEW FUCHSIAS.

CHAMPION, bright red tube and sepals, the latter completely reflexed; reddish violet corolla. Flower of immense size. 10*s*. 6*d*.

COUNTESS OF WARWICK, short tube with short broad rosy crimson sepals; very double corolla, blush white tinged with pink, deeper at the base of petals. 7*s*. 6*d*.

EXCELSIOR, bright crimson sepals completely reflexed; well formed double corolla of a light blue colour. 7*s*. 6*d*.

FAVOURITE, deep carmine tube and sepals completely reflexed, blush white double corolla, marked with rose at base. 7*s*. 6*d*.

The set of four, 30*s*.

For General Collection *vide* page 119.

NEW SPOTTED PELARGONIUMS.

ECLAT, flowers blush shaded with violet, upper petals blotched with maroon surrounded with intense purple; lower petals spotted with maroon on a purple ground. 10*s*. 6*d*.

HEBE, soft salmon pink flowers, upper petals heavily blotched with black maroon surrounded with bright crimson; lower petals spotted with bright crimson. 10*s*. 6*d*.

For General Collection *vide* page 91.

NEW SINGLE-FLOWERED IVY-LEAF PELARGONIUMS.

CYRUS, a large and finely shaped flower of a rich rosy magenta colour, the upper petals ornamented with a crimson blotch; large truss. 7*s*. 6*d*.

URANUS, large trusses of salmon scarlet flowers, the upper petals lined with crimson; a novel shade of colour. 7*s*. 6*d*.

See also page 93.

NEW COLEUS.

The following will be found very handsome and effective varieties, the colours and markings being exceptionally bright and distinct:—

Ariadne	Figaro	Jupiter
Calypso	Gerard	Niobe
Celia	Horace	Perseus
Elsa	Janus	Seraph

5*s*. each. The Set of 12 for 42*s*.

For General Collection *vide* page 120.

LICUALA GRANDIS.

This was discovered in the South Sea Islands by one of Mr. W. B.'s Plant Collectors, and takes rank amongst the most distinct and attractive Palms ever introduced. It is of robust, compact habit, producing large, handsome leaves, which are nearly orbicular in general outline, with a wedge-shaped, somewhat truncate base; the margin for the greater part of the circumference is divided into narrow oblong lobes, each of which is slightly notched. The leaves are originally flat, but become convex above as they grow older; they are of a dark shining green colour above, paler beneath, and the surface is quite destitute of pubescence. This striking Palm was originally introduced as *Pritchardia grandis*, and hitherto has been very scarce and expensive; now, however, having a good stock, Mr. W. B. can offer it in nice plants at 5*s*., 7*s*. 6*d*., 10*s*. 6*d*. to 1½ guinea each.

AGLAONEMA VERSICOLOR.

An attractive ornamental foliage stove plant, belonging to the Aroid family, introduced from the East Indies. It is of neat growth and bears on an erect stem beautifully mottled shortly stalked spreading leaves, the petioles sheathing with membraneous edges. The leaf blades obliquely oblong, rounded at the base, acute at the apex, irregularly blotched with patches of dark velvety green interspersed among patches of lighter green, and some of milky white. 15*s*.

NEW, RARE AND DESIRABLE STOVE PLANTS.

ABROMA SINUOSA.

An interesting plant from Madagascar. The leaves, which grow on slender petioles, are broadly ovate, with oblong obtuse lobes and broad open sinuses, and from their peculiar and remarkable character, the plant is very pleasing and attractive. *5s.*

ACALYPHA ILLUSTRATA, 2*s.* 6*d.* and 3*s.* 6*d.*
MACROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
OBOVATA, 3*s.* 6*d.*
ACALYPHA TRIUMPHANS, 3*s.* 6*d.*
ACANTHOPANAX, *vide* page 33.
ACANTHUS MONTANUS, 3*s.* 6*d.*

ADANSONIA DIGITATA.

This is the celebrated African Baobab Tree. 10*s.* 6*d.*

ÆCHMEA AMAZONICA, 5*s.* and 7*s.* 6*d.*
FULGENS, *vide* Lamprococcus fulgens.
MINIATA, *vide* Lamprococcus miniata.
MARIÆ REGINÆ, 10*s.* 6*d.*
PANICULIGERA, 10*s.* 6*d.*
ÆCHMEA VEITCHII, *vide* Chevalliera Veitchii.
WEILBACHII, *vide* Lamprococcus Weilbachii.
ÆSCHYNANTHUS GRANDIFLORUS, 3*s.* 6*d.*
LOBBIANUS, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

AGLAONEMA PICTUM COMPACTUM.

An ornamental and interesting stove plant, with very short erect green stems and stalked leaves, the petioles of which are sheathing, green with a membraneous whitish margin. The leaf-blades are short, oblong-ovate, acuminate, unequal-sided, of a dark sap green, sparingly blotched with grey, and of a pale green beneath. This plant is a native of Java. *5s.*

AGLAONEMA COSTATUM, 3*s.* 6*d.*
MARANTÆFOLIUM (oblongifolium), 5*s.*
PICTUM GRACILE, 5*s.*
VERSICOLOR, *vide* page 10.
ALLAMANDA CHELSONI, 3*s.* 6*d.*
HENDERSONI, 3*s.* 6*d.*
MAONIFICA, 10*s.* 6*d.*
NERIIFOLIA, 3*s.* 6*d.*
NOBILIS, 3*s.* 6*d.*
WILLIAMSII, 5*s.* and 7*s.* 6*d.*
ALOCASIA CHANTRIERI, 21*s.*
EDULIS, 3*s.* 6*d.*
GIGANTEA (LONGILOBA), 3*s.* 6*d.* and 5*s.*
GRANDIS, 5*s.*
HYBRIDA, 7*s.* 6*d.*
INTERMEDIA, 7*s.* 6*d.*
JENNINOSII, 2*s.* 6*d.*
MARGINATA, 7*s.* 6*d.*
MARSHALLII, 2*s.* 6*d.*
METALLICA, 3*s.* 6*d.* and 5*s.*
PRINCEPS, 1 & 1½ guinea.
(SCHISTOCASIA) PORTEI, 10*s.* 6*d.* and 15*s.*
SANDERIANA, *vide* page 12.
THIBAUTIANA, 5*s.* and 7*s.* 6*d.*
ZEBRINA, 7*s.* 6*d.* and 10*s.* 6*d.*
ALPINIA MUTICA, 7*s.* 6*d.*
VITTATA, 3*s.* 6*d.* and 5*s.*
AMARYLLIS ACHIEVEMENT, 7*s.* 6*d.*
ACHILLES, 10*s.* 6*d.*
AGRAMANNI PULCHERRIMA, 15*s.*
AMAZON, 10*s.* 6*d.*
AMBASSADOR, 7*s.* 6*d.*
ARIADNE, 10*s.* 6*d.*
ASPASIA, 5*s.*
AULICA, 3*s.* 6*d.*
—— SUPERBA, 5*s.* and 7*s.* 6*d.*
BARON, 5*s.*
BRILLIANT, 7*s.* 6*d.*
CERBERUS, 10*s.* 6*d.*
COMMANDER, 7*s.* 6*d.*
COQUETTE, 5*s.*
CORSAIR, 10*s.* 6*d.*

AMARYLLIS.

AMARYLLIS COUNTESS, 10*s.* 6*d.*
CYRUS, 10*s.* 6*d.*
DIADEM, 15*s.*
DR. MASTERS, 10*s.* 6*d.*
ELECTRA, 10*s.* 6*d.*
EMMELINE, 7*s.* 6*d.*
EMPRESS OF INDIA, 7*s.* 6*d.*
EUROPA, 21*s.*
EUTERPE, 15*s.*
FIOARO, 7*s.* 6*d.*
FORMOSISSIMA (*Jacobæa Lily*), 6*d.*
GENERAL, 21*s.*
HEROINE, 10*s.* 6*d.*
IONESCENS, 2*s.* 6*d.* and 3*s.* 6*d.*
IMPERIALIS, 21*s.*
JOHNSONII, 5*s.*
JUPITER, 7*s.* 6*d.*

ALOCASIA SANDERIANA.

A remarkably handsome and truly grand Arad, from the Eastern Archipelago, forming one of the finest of variegated-leaved stove plants. The colour of the young leaves is bright glossy green, and on the older leaves the surface has a metallic blue reflection. The leaf-blade is arrow-shaped, the front portion with about three triangular lobes on each side, the basal portion with one or two smaller lobes; the thick costa and the stout cross veins are white, conspicuously bordered with ivory-white, the margins also being white. This is certainly the most beautiful of all the Alocasias, and a most magnificent foliage plant. *5s.* and *7s. 6d.*

AMARYLLIS MABEL, 10*s.* 6*d.*
METEOR, 10*s.* 6*d.*
NEPTUNE, 10*s.* 6*d.*
NIMROD, 5*s.*
OBERON, 21*s.*
ONDINE, 10*s.* 6*d.*
OPTIMA, 10*s.* 6*d.*
OSCAR, 10*s.* 6*d.*
PAULINE, 15*s.*
PORTIA, 5*s.*
PRINCEPS, 1½ guinea
REGALIS, 21*s.*
REGINA, 7*s.* 6*d.*
RETICULATA, 5*s.*

AMARYLLIS ROMEO, 7*s.* 6*d.*
ROSALIND, 5*s.*
SAPPHO, 7*s.* 6*d.*
SOUVENIR, 7*s.* 6*d.*
STELLA, 7*s.* 6*d.*
SULTANA, 10*s.* 6*d.*
SYLVIA, 7*s.* 6*d.*
THOMAS SPEED, 10*s.* 6*d.*
TITANIA, 7*s.* 6*d.*
TROJAN, 10*s.* 6*d.*
URANIE, 7*s.* 6*d.*
VERONA, 15*s.*
VESTA, 10*s.* 6*d.*
VESUVIUS, 7*s.* 6*d.*
VICTORIA, 10*s.* 6*d.*

AMARYLLIS, choice selections of good sorts, 3, 4 and 5 guineas per dozen.

AMOMUM VITTATUM.

A very remarkable plant, on account of its striking resemblance to a Maranta. It is of dwarf habit, and produces from a creeping rootstock tufts of lanceolate coriaceous green leaves, having whitish bars or stripes between the nerves, of which there are six or eight principal pairs. The flowers are rosy-red, borne in dense spikes at the foot of the leafstalks. It has been figured in the *Botanical Magazine*, Tab. 6832. 5*s.*

AMASONIA CALYCINA, 3*s.* 6*d.* and 5*s.*
AMORPHOPHALLUS CAMPANULATUS, 5*s.* & 7*s.* 6*d.*
GIGANTEUS, 5*s.*
VIROSUS, a remarkable Aroid, a good illustration of which is given in the *Botanical Magazine* for February, 1888. 3 guineas.
ANONA CHERIMOLIA (*Cherimoyer*), 5*s.*
MURICATA (*Sour Sop*), 15*s.*
RETICULATA (*Netted-leaf Custard Apple*), 15*s.*
SQUAMOSA (*Sweet Sop*), 10*s.* 6*d.*
ANANASSA PENANGENSIS VARIEGATA, 21*s.*
ANCHOMANES DUBIUS, 10*s.* 6*d.*
ANCYLOGYNE LONGIFLORA, 3*s.* 6*d.*
ANTHURIUM ANDREANUM, 5*s.* and 7*s.* 6*d.*
ANDREANUM ALBUM, *vide* page 6.
—— SALMONEUM, *vide* page 6.

ANTHURIUM BAKERI, 10*s.* 6*d.*
CARNEUM, 5*s.* and 7*s.* 6*d.*
CANDIDUM, 3*s.* 6*d.*
CHANTRIERI, 10*s.* 6*d.* and 15*s.*
CHELSEIENSE, *vide* page 14.
CRUENTUM, 15*s.* and 21*s.*
CRYSTALLINUM, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
—— SUPERBUM, 10*s.* 6*d.*
DECHARDI, 3*s.* 6*d.* and 5*s.*
FERRIERENSE, 3*s.* 6*d.* and 5*s.*
FLORIBUNDUM, 3*s.* 6*d.*
GALEOTTIANUM, 5*s.*
HARRISII PULCHRUM, 7*s.* 6*d.* and 10*s.* 6*d.*
HYBRIDUM, 7*s.* 6*d.* and 10*s.* 6*d.*
INTERMEDIUM, 7*s.* 6*d.* and 10*s.* 6*d.*

ANTHURIUM INSIGNE.

A noble and striking Aroid imported from the United States of Colombia. The leaf-blade is three-lobed, the middle lobe lanceolate, and the two lateral lobes semi-ovate. The young leaves have a bronzy tinge before taking on the full green of the mature foliage. This distinct plant has been frequently shown in Mr. W. B.'s winning collections of New Plants. 7*s.* 6*d.* and 10*s.* 6*d.*

ANTHURIUM LIEVENSII, 15*s.* and 21*s.*
LEUCONEURUM, 3*s.* 6*d.*
LUCIDUM, 5*s.*
MACROLOBUM, 5*s.* and 7*s.* 6*d.*
MAGNIFICUM—*syn.* **A. grande** and **A. cordifolium**, 3*s.* 6*d.*
MARQUIS DE BEAUVOIR, 2 guineas.
MOOREANUM, 15*s.* and 21*s.*
NYMPHÆFOLIUM, 10*s.* 6*d.*
REGALE, 3*s.* 6*d.* and 5*s.*
REINE DES BELGES, 10*s.* 6*d.*
ROTHSCHILDIANUM.

ANTHURIUM SCHERZERIANUM, 3*s.* 6*d.* and 5*s.*
SCHERZERIANUM ALBUM GRANDIFLORUM, 15*s.* and 21*s.*
—— FORMOSUM, 2 and 3 guineas.
—— GIGANTEUM, 1, 1½ and 2 guineas.
—— MAXIMUM, *vide* page 15.
—— RUBRUM, 1 and 1½ guinea.
—— SPLENDENS, 1, 1½ and 2 guineas.
—— WARDII, 1, 1½ and 2 guineas.
—— WILLIAMSII, 3*s.* 6*d.*
TRIUMPHANS, 10*s.* 6*d.* and 15*s.*

ANTHURIUM SCHERZERIANUM ROSEUM.

An extremely pretty variety of the well-known Flamingo Plant, *Anthurium Scherzerianum*, producing charming rose-coloured spathes flushed with salmon, in striking contrast to the rich scarlet spathes of the type. Owing to the enduring character of the spathes, Anthuriums are most desirable plants for the decoration of Stove-houses and Conservatories. 1 and 1½ guinea.

ANTHURIUM SCHERZERIANUM SANGUINEUM.

A very handsome and distinct variety of the well known *A. Scherzerianum*, differing from the type in the colour of its spathes, which, instead of being bright scarlet, are of a deep blood-red or dark crimson colour. This is a most desirable acquisition for exhibition, or for any decorative purpose, its attractive spathes lasting a long time in perfection. 10*s.* 6*d.*, 15*s.* and 21*s.*

ANTHURIUM CHELSEIENSE.

An extremely handsome hybrid between *A. Veitchii* and *A. Andreanum*, with leaves resembling those of the first named. The spathes are broadly cordate, euspidate at the apex, about 5 inches long by 3½ inches broad, of an intense shining rich crimson colour. The spadix is about two-thirds the length of the spathe, and slightly tapering, the basal part white, the tip tinged with a yellowish shade. The beautiful spathes are freely produced, and last a long time in perfection. 1 and 1½ guinea.

ANTHURIUM SCHERZERIANUM MAXIMUM.

A magnificent variety of this attractive flowering plant, producing gigantic flower spathes, which measure about nine inches in length by four inches in breadth, and are of a most brilliant scarlet colour. As a decorative and exhibition plant, this splendid variety will always occupy a foremost place. 3, 4 and 5 guineas.

ANTHURIUM Veitchii.
Vicomte Amédé de la Combe, 2 guineas.
Warocqueanum, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
Fine Plants, 10*s*. 6*d*. and 15*s*.

ANTIGONON insigne, 7*s*. 6*d*.
speciosum, 7*s*. 6*d*.
APHELANDRA aurantiaca Roezlii, 2*s*. 6*d*. and 3*s*. 6*d*.

APHELANDRA BLANCHETIANA (AMŒNA).

A very pretty ornamental foliaged stove plant, with ovate acuminate leaves of a deep green colour, very attractively variegated with silvery grey on each side of the midrib and primary veins, which curve gracefully forward. It has been introduced from Brazil. 3*s*. 6*d*. and 5*s*.

APHELANDRA Chamissoniana, 3*s*. 6*d*. and 5*s*.
chrysops, 5*s*. and 7*s*. 6*d*.
cristata, 2*s*. 6*d*.
Leopoldii, 2*s*. 6*d*.
ARALIA Chabrieri, *vide* Elæodendron orientale.
elegantissima, 5*s*. and 7*s*. 6*d*.
filicifolia, 3*s*. 6*d*.
Guilfoylei, 5*s*.
leptophylla, 3*s*. 6*d*.
longipes, 10*s*. 6*d*.
reticulata, 3*s*. 6*d*.
rotunda, 7*s*. 6*d*.
Veitchii, 5*s*. and 7*s*. 6*d*.
—— gracillima, 5*s*. and 7*s*. 6*d*.
See also pages 33 and 46.
ARDISIA mamillata, 3*s*. 6*d*.
Oliveri, 3*s*. 6*d*.
polycephala, 5*s*. and 7*s*. 6*d*.
ARDISIAS, of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.

ARISTOLOCHIA ELEGANS.

ARISTOLOCHIA ELEGANS.

A beautiful free-flowering species with handsome and elegant flowers of a rich dark purple colour, ornamented throughout with irregular branched markings of a creamy white, and having a golden yellow eye surrounded by rich velvety purple. Its blossoms are produced in the greatest profusion. 3*s*. 6*d*.

ARISTOLOCHIA RIDICULA.

A very remarkable and interesting species introduced from Brazil. The upper portion of the flower is somewhat conical, widening towards the mouth, which is prolonged into two ascending and backwardly directed lobes, diverging from each other at an obtuse angle. The entire limb is of a tawny colour, with dark purple reticulations on a cream-coloured ground. 3*s*. 6*d*.

ARISTOLOCHIA caudata, 10*s*. 6*d*.
gigantea.
gigas Sturtevanti, 5*s*.
ornithocephala, 5*s*. and 7*s*. 6*d*.
saccata, 5*s*.
tricaudata, 5*s*.
trilobata, 3*s*. 6*d*. and 5*s*.
Westlandi.
ARTOCARPUS Cannoni, *see* Ficus.
eburneus, 5*s*.
integrifolius (The Jack Fruit), 10*s*. 6*d*.
laciniatus metallicus, *see* Ficus.
ASPARAGUS, of sorts, *vide* page 33.
BARLERIA argentea, 5*s*.
BATATAS paniculata, 3*s*. 6*d*. and 5*s*.
BAUHINIAS, of sorts, 5*s*. and 7*s*. 6*d*.
BEGONIA, *vide* Index.
BELOPERONE atropurpurea, 5*s*.
BERTOLONIA albo-punctatissima, 3*s*. 6*d*.
argyroneura, 3*s*. 6*d*.
formosa, 7*s*. 6*d*.
BERTOLONIA Madame Van Geert, 3*s*. 6*d*.
guttata splendens, 15*s*.
margaritacea superba, 7*s*. 6*d*. and 10*s*. 6*d*.
marmorea superba, 3*s*. 6*d*. and 5*s*.
pubescens, 3*s*. 6*d*.
Van Houttei, 3*s*. 6*d*.
velutina, 5*s*.
vittata, 7*s*. 6*d*.
BIGNONIA aurantiaca, 7*s*. 6*d*. and 10*s*. 6*d*.
Chamberlaynii, 3*s*. 6*d*. and 5*s*.
picta, 3*s*. 6*d*. and 5*s*.
reticulata, 5*s*.
Roezliana, 5*s*.
—— villosa, 5*s*.
venusta, 3*s*. 6*d*. and 5*s*.
See also pages 34 and 47.
BILLBERGIA chlorosticta, 10*s*. 6*d*. and 15*s*.
exscapa, 21*s*.
farinosa, 10*s*. 6*d*.
iridifolia, 7*s*. 6*d*.
Leopoldii, 7*s*. 6*d*.
Saundersii, 10*s*. 6*d*.

BOUGAINVILLEA GLABRA, 2*s.* 6*d.* and 3*s.* 6*d.*
LATERITIA, 2*s.* 6*d.* and 3*s.* 6*d.*
REFULGENS, 3*s.* 6*d.* and 5*s.*
SPECIOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
SPECTABILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
BROWNEA COCCINEA, 21*s.*
ERECTA, 1 and 1½ guinea.
GRANDICEPS, 10*s.* 6*d.*
BROWNEA HYBRIDA, 1½ guinea.
BRUNFELSIA AMERICANA, 3*s.* 6*d.*
BURCHELLIA CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
CALADIUM, *vide* Index.
CALLIPHRURIA HARTWEGIANA, 2*s.* 6*d.*
SUBEDENTATA, 2*s.* 6*d.*
CALPICARPUM ORNATUM, 21*s.*

CAMOËNSIA MAXIMA.

One of the most gorgeously beautiful of tropical climbers, a native of West Africa. The splendid bunches of pendulous milk-white flowers, tinged with gold on the edges of the petals, grow in erect racemes from the axils of the leaves; the petals are white, venose, frilled at the margin, where they are tinted with golden-yellow. This plant has been described and illustrated in Vol. XXV. of the Transactions of the Linnean Society, p. 301, t. 36. 2 and 3 guineas.

CAMPYLOBOTRYS, *vide* Hoffmannia.
CAPPARIS FRONDOSA, 5*s.*
CARAGUATA, *vide* Tillandsia.
CAREX ELEOANS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*

CAREX SCAPOSA.

This ornamental species has been introduced from the mountains of Southern China. The flowers are borne in crowded cymes on long scapes, the spikelets being of a deep rose colour, while the anthers and filaments are pure white, affording a most pleasing contrast, the elegant and feathery appearance of the inflorescence being exceedingly charming. 5*s.* and 7*s.* 6*d.*

CARLUDOVICA, *vide* Index.
CENTRADENIA FLORIBUNDA ROSEA, 3*s.* 6*d.*
CENTROSOLENIA BULLATA (EPISCIA TESSELLATA), 5*s.*
CEROPEGIA GARDNERI, 3*s.* 6*d.* and 5*s.*
CHAMÆCLADON RUBENS, 5*s.*
CHAMERANTHEMUM BEYRICHII VARIEGATUM, 3*s.* 6*d.*
CHEVALLIERA (ÆCHMEA) VEITCHII, 7*s.* 6*d.* and 10*s.* 6*d.*
CHIRITA SINENSIS, 3*s.* 6*d.*
CHRYSOPHYLLUM IMPERIALE, 10/6, 15/- & 21/-
CIENKOWSKIA KIRKII, 7*s.* 6*d.*
CINNAMOMUM CASSIA (*Cassia*), 10*s.* 6*d.*
ZEYLANICUM (*Cinnamon*), 7*s.* 6*d.*
CISSUS ALBO-NITENS, 3*s.* 6*d.*
DISCOLOR, 2*s.* 6*d.* and 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.* and 5*s.*
PORPHYROPHYLLA, 3*s.* 6*d.* and 5*s.*
CLERODENDRON BALFOURIANUM, 2*s.* 6*d.* & 3*s.* 6*d.*
DELECTUM, 3*s.* 6*d.* and 5*s.*
FALLAX, 3*s.* 6*d.*
FRAGRANS FLORE PLENO, 2*s.* 6*d.*

CLERODENDRON MACROSIPHON.

A very elegant stove shrub from Zanzibar. The leaves, which are about an inch broad and from two to three inches long, being irregularly toothed along the margins. The pure white flowers have slender tubes, about four and a half inches long, the limb being about one and a half inch in diameter, and five-lobed. The stamens and style are reddish-purple. 3*s.* 6*d.* and 5*s.*

CLERODENDRON NUTANS, 3*s.* 6*d.* and 5*s.*
SPECIOSUM, 3*s.* 6*d.*
SPLENDENS, 3*s.* 6*d.* and 5*s.*
COCHLIOSTEMA JACOBIANUM, 5*s.*, 7*s.* 6*d.* & 10*s.* 6*d.*
COFFEA ARABICA, 3*s.* 6*d.* and 5*s.*
LIBERICA, 3*s.* 6*d.* and 5*s.*
COLA ACUMINATA (KOLA NUT), 10*s.* 6*d.*
COLOCASIA, *vide* Alocasia.
COMBRETUM GRANDIFLORUM, 5*s.*
CORYNOSTYLIS HYBANTHUS ALBIFLORA, 3*s.* 6*d.*
COSSIGNIA BORBONICA, 10*s.* 6*d.*
COSTUS ALBESCENS, 7*s.* 6*d.*
ELEOANS, 5*s.*
CRINUM ASIATICUM, 3*s.* 6*d.*
AUGUSTUM, *vide* page 18.
FIMBRIATULUM, flowers in umbels, very large and showy, striped white and carmine; very fragrant. 3*s.* 6*d.*
GIGANTEUM, 7*s.* 6*d.*
CRINUM LONGIFLORUM, 5*s.*
ORNATUM, 5*s.*
ZEYLANICUM, 3*s.* 6*d.*
See also page 36.
CROTON (CODIÆUM) AIGBURTHENSIS, 3*s.* 6*d.* & 5*s.*
AIGBURTH GEM, 7*s.* 6*d.*
ANDREANUS, 3*s.* 6*d.*
ANEITUMENSIS, 3*s.* 6*d.* and 5*s.*
ANGUSTIFOLIUS, 2*s.* 6*d.*
AUREO-PUNCTATUS, 3*s.* 6*d.*
BARON FRANK SEILLIÈRE, 3*s.* 6*d.*
BARONNE JAMES DE ROTHSCHILD, 3*s.* 6*d.*
BROOMFIELDII, 5*s.*
CERBERUS, 5*s.*
COUNTESS, 3*s.* 6*d.* and 5*s.*
CYRUS, 5*s.*
DISRAELI, 3*s.* 6*d.*

CROTON DELIGHT.

An extremely handsome variety, imported from the Antipodes. It has oblong acute leaves, six to eight inches long by one and a half to two inches wide. In the young state they are of a bright yellow colour, margined with green, the costa and primary veins being cream-coloured; as the leaves attain maturity, the bright central variegation changes to a clear ivory-white, with here and there a few dots of the same colour scattered through the margin of the leaf. 10*s.* 6*d.*

CROTON DROUETTII, 5*s.*
DUKE OF BUCCLEUCH, 3*s.* 6*d.*
EARL OF DERBY, 3*s.* 6*d.*
EBURNEUS, 3*s.* 6*d.* and 5*s.*
CROTON ETNA, 3*s.* 6*d.* and 5*s.*
EVANSIANUS, 3*s.* 6*d.*
EXCURRENS, 10*s.* 6*d.*
FASCIATUS, *vide* C. Hendersoni.

CRINUM AUGUSTUM.

This magnificent and noble species has large and deliciously-scented flowers, borne in immense heads consisting of from twenty to twenty-five blooms, supported on stout erect scapes. The individual flowers consist of six segments, each about six inches long, which contract at the base into a tube four inches in length. The segments inside are purplish white, contrasting in a very pleasing manner with the exterior, which is bright rosy purple. 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*

CROTON FLAMINGO.

This attractive variety has been imported from the Antipodes, and is the most handsome of all the bright red or high-coloured Crotons. It has very dark bronzy green leaves, the costa and a narrow portion of the leaf on each side of it being most strikingly coloured with rich crimson, forming a central band of colour the entire length of the leaf, a few spots of crimson being scattered through the bronzy green portion of the leaf blades. *5s.* and *7s. 6d.*

CROTON FORMOSUS, *5s.* and *7s. 6d.*
OLORIOSUS (Princess of Wales), *5s.*
HASTIFERUS, *2s. 6d.* and *3s. 6d.*
CROTON HAWKERII, *3s. 6d.*
HENDERSONI (FASCIATUS), *3s. 6d.*
HEROICUS, *5s.*

CROTON INSIGNIS.

A fine form with long narrow foliage. The leaves are deep green, with the midrib and veins beautifully picked out with golden-yellow, the margins and midrib rosy-crimson. *5s.* and *7s. 6d.*

CROTON JUNIUS.

A very elegant variety, with long narrow foliage of varying character; in some instances the midrib is excurrently extended and attached to another portion of the leaf-blade, while in others the leaves are entire, with slightly undulate margins. In the young state the lower half of the leaves is bright lemon-yellow, which, as the foliage attains age, becomes suffused with crimson, the remaining portion being rich bronzy green. *7s. 6d.*

CROTON MAGNIFICENT.

A very striking and most handsome variety. In the young state the leaves have a central variegation of rich golden yellow; as the leaves mature, the midrib and primary veins, with a band on each side of the costa, assume a bright carmine tint. In some instances the bright golden colour of the young leaves becomes suffused with bright carmine. *5s.* and *7s. 6d.*

CROTON MAJESTICUS, *3s. 6d.*
CROTON MASSANOEANUS, *3s. 6d.* and *5s.*

CROTON MEMPHIS.

One of the most handsome and ornamental varieties ever imported. It has long acuminate leaves, the rich coloration of which is extremely effective. In the young state the leaves are pale green, irregularly blotched and marmorated with yellow. As the leaves mature, the green becomes deep olive, the yellow variegation changing to rich orange, marked and veined with deep crimson, a colour which eventually suffuses the whole leaf. *10s. 6d.*

CROTON MORTII, *3s. 6d.*
MORTEFONTANENSIS, *3s. 6d.*
CROTON NEPTUNE, *3s. 6d.* and *5s.*
NIMROD, *3s. 6d.* and *5s.*

CROTON NESTOR.

A richly variegated form with large lanceolate leaves freely marked with a most distinctive bright golden yellow and whitish variegation; the costa or midrib is of a bright magenta-crimson and is in striking contrast to the colouring on the other parts of the leaf, the ground colour of which is bright green, interspersed with occasional blotches of bright yellow. This magnificent and attractive variety has been imported from the Antipodes. *5s.* and *7s. 6d.*

CROTON NOBILIS, *3s. 6d.*
CROTON OBERON, *3s. 6d.*

CROTON ORNATUS.

An attractive and distinct variety. The leaves deep green, with a narrow central band of creamy yellow, and long parallel veins of the same colour, the surface being here and there marked by blotches of yellow, the yellow parts becoming tinged with crimson. In some conditions the lines and blotches are rosy-pink, and the midrib of a deeper rosy-crimson. *7s. 6d.* and *10s. 6d.*

CROTON PRINCE OF ORANGE.

One of the most effective of the golden variegated series of Codiæums. It is of free growth, having long lanceolate leaves of a rich deep gold colour, very attractive and varied in its markings, some of the leaves being entirely golden, others having blotches and marmorations of dark olive green, whilst in a few the green colour predominates, sometimes covering the entire leaf blade, with the exception of a few scattered irregular spots or blotches of gold. *15s.*

CROTON PICTURATUS, *2s. 6d.* and *3s. 6d.*
PRINCE OF WALES, *3s. 6d.*
CROTON PRINCESS OF WALES, *vide* C. gloriosus.
QUEEN VICTORIA, *3s. 6d.*

CROTON REIDII.

A magnificent variety, one of the finest of the broad-leaved section. The young foliage is bright green, with golden midrib and veins, the costa and primary veins passing as the leaves attain age into crimson-cerise, a colour eventually extending over the entire surface of the leaf blades, but still further brightened with golden orange, blotched with dark olive green. *5s.* and *7s. 6d.*

CROTON REX, *3s. 6d.*
RUBERRIMUS, *3s. 6d.*
SCEPTRE, *10s. 6d.*
SCHOMBURGKIANUS, *3s. 6d.*
SPECIOSUS, *3s. 6d.* and *5s.*
SPLENDIDUS, *5s.*
CROTON SUNBEAM, *3s. 6d.* & *5s.*
TRICOLOR, *7s. 6d.*
UNDULATUS, *2s. 6d.*
VARIABILIS (FALCATUS), *2s. 6d.*
VARIEGATUS, *2s. 6d.*
VEITCHIANUS, *3s. 6d.*
CROTON VICTORY, *10s. 6d.*
VOLUTUS, *3s. 6d.*
WARRENII, *3s. 6d.* and *5s.*
WEISMANNI, *2s. 6d.* & *3s. 6d.*
WILLIAMSII, *3s. 6d.* and *5s.*

CRYPTANTHUS (Tillandsia) acaulis, 3*s*. 6*d*.
(Tillandsia) acaulis zebrina, 5*s*.
(——) —— —— aurea, 7*s*. 6*d*.

CRYPTANTHUS (Tillandsia) Beuokerii, 10*s*. 6*d*.
(Tillandsia) bivittata, 5*s*. and 7*s*. 6*d*.
CUPANIA filicifolia, *vide* Jacaranda Clausseniana

CUPANIA GRANDIDENS.

An erect shrubby plant, introduced from Zanzibar. It has downy stems, pinnate Aralia-like leaves, having four pairs of leaflets with an odd one, the leaflets three to four inches long, oblong acuminate, and sinuately lobate. It is a handsome ornamental decorative plant. 5*s*. and 7*s*. 6*d*.

CURCULIGO recurvata. 3*s*. 6*d*.
recurvata striata, 7*s*. 6*d*.
—— variegata, 5*s*. and 7*s*. 6*d*.
CURMERIA picturata, 3*s*. 6*d*.
Wallisii, 3*s*. 6*d*.
CYANOPHYLLUM Bowmanni, 5*s*.
magnificum, 3*s*. 6*d*. and 5*s*.
CYANOTIS (Tradescantia) multicolor, 2*s*. 6*d*.
(Tradescantia) zanonia, 3*s*. 6*d*.
(——) zebrina, 2*s*. 6*d*.
(——) —— argentea, 2*s*. 6*d*.
See also Tradescantia, page 32.
CYPERUS alternifolius, 1*s*. 6*d*. and 2*s*. 6*d*.
alternifolius variegatus, 2*s*. 6*d*. and 3*s*. 6*d*.
distans, 2*s*. 6*d*. and 3*s*. 6*d*.
laxus, 1*s*. 6*d*.
—— variegatus, 3*s*. 6*d*. and 5*s*.
CYRTANTHERA chrysostephana, 3*s*. 6*d*.
Pohliana, 3*s*. 6*d*.
CYRTODEIRA chontalensis, 2*s*. 6*d*. and 3*s*. 6*d*.
fulgida, 2*s*. 6*d*. and 3*s*. 6*d*.
metallica, 2*s*. 6*d*. and 3*s*. 6*d*.
DALECHAMPIA Roezliana alba, 2*s*. 6*d*. & 3*s*. 6*d*.
Roezliana carnea, 2*s*. 6*d*. and 3*s*. 6*d*.
—— rosea, 2*s*. 6*d*. and 3*s*. 6*d*.
DESMODIUM gyrans (Telegraph Plant), 3*s*. 6*d*.

DICHORISANDRA Aubletii, 7*s*. 6*d*.
undata, 3*s*. 6*d*. and 5*s*.
DIEFFENBACHIA amazonica, 2*s*. 6*d*., 3*s*. 6*d*. & 5*s*.
Baraquiniana, 2*s*. 6*d*. and 3*s*. 6*d*.
Bausei, 2*s*. 6*d*. and 3*s*. 6*d*.
Bowmannii, 2*s*. 6*d*. and 3*s*. 6*d*.
Carderii, 3*s*. 6*d*. and 5*s*.
costata, 5*s*.
eburnea, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
flavo-virens, 2*s*. 6*d*. and 3*s*. 6*d*.
grandis, 3*s*. 6*d*.
illustris, 5*s*.
insignis, 7*s*. 6*d*.
lanoeola, 5*s*.
Leopoldii, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
Lucinda, 3*s*. 6*d*.
maculosa, 3*s*. 6*d*.
magnifica, 3*s*. 6*d*.
majestica, 10*s*. 6*d*.
Memoria Corsi, 3*s*. 6*d*.
nebulosa, 3*s*. 6*d*.
nobilis, 2*s*. 6*d*. and 3*s*. 6*d*.
picta, 2*s*. 6*d*. and 3*s*. 6*d*.
princeps, 7*s*. 6*d*.
Rex, 5*s*. and 7*s*. 6*d*.
Shuttleworthii, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
splendens, 2*s*. 6*d*. and 3*s*. 6*d*.

DIEFFENBACHIA TRIUMPHANS.

A very desirable ornamental plant, from the United States of Colombia. The leaf-blades are subspreading, ovate-lanceolate, attenuately acuminate, dark green thickly covered with large irregular blotches, of a yellowish-green, the variegation showing on both surfaces of the leaf. 7*s*. 6*d*.

DIEFFENBACHIA velutina, 2*s*. 6*d*. and 3*s*. 6*d*.
Weirii, 2*s*. 6*d*. and 3*s*. 6*d*.
DIOSCOREA Anœctochilus, 5*s*. and 7*s*. 6*d*.
argyreia, 5*s*. and 7*s*. 6*d*.
bulbifera, 5*s*.
chrysophylla, 5*s*.
discolor variegata, 3*s*. 6*d*.
illustrata, 3*s*. 6*d*.
metallica, 5*s*.
speciosa, 5*s*.
DIPLADENIA amabilis, 3*s*. 6*d*.
amœna, 3*s*. 6*d*.
atropurpurea, 7*s*. 6*d*.

DIPLADENIA boliviensis, 3*s*. 6*d*.
Brearleyana, 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
carissima, 5*s*. and 7*s*. 6*d*.
Harrisii, *vide* Odontodenia specciosa.
hybrida, 3*s*. 6*d*.
insignis, 3*s*. 6*d*.
magnifica (acuminata) 3*s*. 6*d*. and 5*s*.
urophylla, 3*s*. 6*d*. and 5*s*.
DIPTERIX odorata (**TONQUIN BEAN**), 21*s*.
DORSTENIA argentea, 5*s*.
Barteri, 7*s*. 6*d*.
caulescens, 7*s*. 6*d*.
Thomsonii, 7*s*. 6*d*.

DRACÆNA ARGENTEO-STRIATA.

An extremely elegant narrow-leaved species, imported from the South Sea Islands. It has linear lanceolate bright green leaves beautifully striated and occasionally margined with creamy-white, the bright green being also relieved with streaks of silvery grey. It is of exceptionally neat habit, and admirably adapted for table decoration and other ordamental purposes. 2 and 3 guineas.

DRACÆNA Albertii, 3*s*. 6*d*. and 5*s*.
albo-maroinata, 3*s*. 6*d*.
amabilis, 2*s*. 6*d*. and 3*s*. 6*d*.
anerleyensis, 3*s*. 6*d*. and 5*s*.
angustata, 5*s*.
angustifolia, 3*s*. 6*d*. and 5*s*.
aurantiaca, 3*s*. 6*d*. and 5*s*.
Barteti, 3*s*. 6*d*. and 5*s*.
Bausei, 3*s*. 6*d*. and 5*s*.
Berkeleyi, 3*s*. 6*d*. and 5*s*.
Cantrellii, 7*s*. 6*d*.
Caustoni, 3*s*. 6*d*. and 5*s*.
congesta, 2*s*. 6*d*. and 3*s*. 6*d*.

DRACÆNA Cooperi, 2*s*. 6*d*. and 3*s*. 6*d*.
cristula, 3*s*. 6*d*.
Elizabethæ, 3*s*. 6*d*.
Ernestii, 3*s*. 6*d*. and 5*s*.
ferrea variegata, 3*s*. 6*d*.
fragrans, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
—— variegata, 7*s*. 6*d*.
Frederioi, 3*s*. 6*d*. and 5*s*.
Gladstonei, 3*s*. 6*d*. and 5*s*.
Goldieana, 7*s*. 6*d*. and 10*s*. 6*d*.
gracilis, 2*s*. 6*d*. and 3*s*. 6*d*.
Guilfoylei, 2*s*. 6*d*. and 3*s*. 6*d*.
ignea, 3*s*. 6*d*.

EURYCLES AUSTRALASICA.

A beautiful bulbous plant introduced from Australia. It is free-flowering, and produces large heads of elegant and charming white flowers, especially useful for all purposes for which cut flowers are required. 3*s.* 6*d.* each; 36*s.* per dozen.

EURYCLES CUNNINGHAMII.

This rare and handsome bulbous plant is a native of Queenslaud, where it has now become very scarce. It produces on short erect scapes, large heads of chaste white flowers, very useful for cutting and other decorative purposes. 3*s.* 6*d.* each; 30*s.* per dozen.

DRACÆNA LINDENI.

In habit this most distinct and striking Dracæna is somewhat similar to the handsome variegated form of *D. fragrans*, but differs from it in the variegation being marginal instead of central. Its elegantly recurved leaves are of a deep green colour, and are traversed their entire length by bands of creamy-white and various shades of yellow; the diverse forms of the variegation render the plant of the highest value for decoration. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

DRACÆNA Laingii, 3*s.* 6*d.* and 5*s.*
Leonardii, 3*s.* 6*d.*
Lord Wolseley, 3*s.* 6*d.* and 5*s.*
Louisa, 3*s.* 6*d.* and 5*s.*
Madame Bergmann, 5*s.*
—— Heine, 5*s.*
majestica, 3*s.* 6*d.* and 5*s.*
Massangeana, *vide* fragrans variegata.
Mrs. Bause, 3*s.* 6*d.* and 5*s.*
Mrs. C. J. Freake, 3*s.* 6*d.*
Mrs. Wills, 3*s.* 6*d.*
Norwoodiensis, 3*s.* 6*d.* and 5*s.*

DRACÆNA pendula, 3*s.* 6*d.* and 5*s.*
phrynioides, 7*s.* 6*d.*
Prince Manouk Bey, 3*s.* 6*d.* and 5*s.*
Regina, 3*s.* 6*d.*
Renardiæ, 5*s.*
Rossii, 3*s.* 6*d.* and 5*s.*
rubra, 2*s.* 6*d.* and 3*s.* 6*d.*
salmonea, 3*s.* 6*d.* and 5*s.*
Sanderiana, 10*s.* 6*d.*, 15*s.* and 21*s.*
Sans Pareil, 5*s.*
Sidneyi, 3*s.* 6*d.*
splendens, 3*s.* 6*d.* and 5*s.*

DRACÆNA STRICTA, 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.* and 5*s.*
SURCULOSA MACULATA, 5*s.*
TERMINALIS, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ALBA, 3*s.* 6*d.* and 5*s.*
THOMSONII, 3*s.* 6*d.* and 5*s.*
VIVICANS, 3*s.* 6*d.* and 5*s.*
WILLSII, 3*s.* 6*d.* and 5*s.*

DRACÆNA WILSONI, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
See also page 38.
DRACONTIUM ASPERUM, 5*s.*
CARDERI, 7*s.* 6*d.*
SCALPTURATUM, 7*s.* 6*d.*
DRYMONIA TURIALVÆ, 5*s.*
DYCKIA BREVIFOLIA, 7*s.* 6*d.*
ECHITES, *vide* Dipladenia.
PICTA, 3*s.* 6*d.* and 5*s.*

ELÆOCARPUS GRANDIS.

A pretty evergreen plant from the district of the Pine River, in Queensland. It is furnished with lanceolate crenulate leaves, affixed by short red petioles. The flowers are charming and larger than in any of the allied species, the petals white, divided into about five deeply fringed lobes, silky pubescent at the margins. 5*s.* and 7*s.* 6*d.*

ELÆODENDRON ORIENTALE (ARALIA CHABRIERII), 5*s.*
ELETTARIA DIEPENHORSTII, 5*s.*
ENCEPHALARTOS, *vide* Index.
ENCHOLIRION CORALLINUM, 7*s.* 6*d.*

EPIPHYLLUMS, of sorts; useful for winter and early spring blooming, and very showy and attractive. 30*s.* and 42*s.* per dozen.
EPIPREMNUM MIRABILE ("TONOA PLANT"), 3*s.* 6*d.* and 5*s.*
EPISCIA TESSELLATA, *vide* Centrosolenia bullata.

ERANTHEMUM MACROPHYLLUM.

A very desirable winter-flowering stove plant introduced from India. Its pretty light blue flowers are borne in terminal and axillary spikes, the two upper petals and the lateral ones being reflexed on the sides of the long whitish tube; the lower petal or lip extends horizontally and is of a deep bright blue colour. It is very free flowering and of good habit. 5*s.*

ERANTHEMUM CINNABARINUM, 5*s.*
PULCHELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
TRICOLOR, 3*s.* 6*d.*
VELUTINUM, 5*s.*
VERBENACEUM, 3*s.* 6*d.*
ERYTHRINA PARCELLII, 10*s.* 6*d.*
See also page 39.
ERYTHROXYLON COCA, 15*s.*
EUADENIA EMINENS, 21*s.*
EUCHARIS AMAZONICA, 1*s.* 6*d.* and 2*s.* 6*d.*; 15*s.* and 24*s.* per dozen.
CANDIDA, 2*s.* 6*d.* each; 24*s.* per dozen.
MASTERSII, 3*s.* 6*d.*
STEVENSII, 5*s.* and 7*s.* 6*d.*
EUCODONIA, *vide* Index.
EUGENIA JAMBOS (*Rose Apple*), 10*s.* 6*d.*
PIMENTA (*Allspice*), 5*s.*
Vide also page 39.
EUPHORBIA JACQUINIÆFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYCLES AUSTRALASICA, *vide* page 21.
CUNNINGHAMII, *vide* page 21.
EXOSTEMMA CHONTALENSIS, 10*s.* 6*d.*
FERNS, *vide* Index.
FICUS BARBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
(ARTOCARPUS) CANNONI, 3*s.* 6*d.*
EBURNEA, 5*s.*

FICUS ELASTICA, 3*s.* 6*d.*
ELASTICA VARIEGATA, 5*s.* and 7*s.* 6*d.*
EXSCULPTA, 3*s.* 6*d.* and 5*s.*
INDICA, 3*s.* 6*d.*
(ARTOCARPUS) LACINIATA METALLICA, 3*s.* 6*d.*
MOOREI, 5*s.*
RADICANS, 3*s.* 6*d.*
RELIGIOSA (*Sacred Indian Fig*), 7*s.* 6*d.*
SYCOMORUS (*Sycamore Tree of Scripture*), 7*s.* 6*d.*
FILICIUM DECIPIENS, 5*s.* and 7*s.* 6*d.*
FITTONIA ARGYRONEURA, 2*s.* 6*d.*
OICANTEA, 2*s.* 6*d.*
PEARCEI, 2*s.* 6*d.*
FRANCISCEA CALYCINA, 3*s.* 6*d.* and 5*s.*
CONFERTIFLORA (LAURIFOLIA), 3*s.* 6*d.*
EXIMIA, 3*s.* 6*d.*
LINDENI, 3*s.* 6*d.*
MAGNIFICA, 3*s.* 6*d.* and 5*s.*
VIOLACEA GRANDIFLORA, 3*s.* 6*d.* and 5*s.*
GARCINIA LIVINGSTONI, 10*s.* 6*d.*
GARDENIA CITRIODORA, 3*s.* 6*d.*
FLORIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
GLOROSA, 5*s.*
RADICANS, 2*s.* 6*d.* and 3*s.* 6*d.*
THUNBERGII, 5*s.*
GEISSOMERIA MARMORATA, 3*s.* 6*d.*

GESNERA CALYPSO.

A pretty hybrid variety raised from *Donkelaari* crossed with *macrantha*, partaking of the characters of both parents. The flowers, which are freely borne in compound terminal heads, are about 2½ inches long, of a soft shade of salmon crimson, much brighter on the lobes; the throat is cream coloured with dark crimson markings showing through the exterior of the flowers. 7*s.* 6*d.*

GESNERA DUVALII, 3*s.* 6*d.*
LEOPOLDII, 3*s.* 6*d.*
—— ALBO-CARMINEA, 3*s.* 6*d.*
—— ROSEO-LILACINA, 3*s.* 6*d.*
MACRANTHA, 2*s.* 6*d.*
Vide Index.

GLORIOSA PLANTII, 2*s.* 6*d.* and 3*s.* 6*d.*
SUPERBA, 3*s.* 6*d.*
GLOXINIA, *vide* Index.
GONOLOBUS CUNDURANGO, *vide* page 39.
GOODYERA, *vide* Orchids.
GRAPTOPHYLLUM PICTURATUM, *vide* page 7.

HELICONIA ILLUSTRIS.

HELICONIA ILLUSTRIS.

This handsome Heliconia is undoubtedly one of the most beautifully coloured foliage plants ever introduced. It comes from the South Sea Islands and is of Musa-like growth, the leaves being arranged in two ranks above and tufted at the base. The stalks are sheathing and of a bright rose-red colour, supporting ovate-lanceolate spreading leaves, the prominent midrib of a beautiful rose-pink colour, the secondary veins, of which many run to the margin and form loops, being of the same brilliant colour. It will form, without question, a most superb adornment to our Stoves. 5 guineas.

GRIFFINIA HYACINTHINA.

An extremely handsome and ornamental free-flowering bulbous plant from Brazil. The flower scape is about a foot high, and bears an umbel of from fifteen to twenty flowers of a beautiful bluish lilac colour, shading off to white at the base of the segments. 5*s*. and 7*s*. 6*d*.

GUZMANNIA PICTA (NIDULARIUM FULGENS), 7*s*. 6*d*. and 10*s*. 6*d*.
HÆMANTHUS CINNABARINUM, a very handsome species, bearing fine heads of bright cinnabar-red flowers, 5*s*. and 7*s*. 6*d*.
KALBREYERI, 5*s*.
KATHERINÆ, 5*s*. and 7*s*. 6*d*.
NATALENSE, 7*s*. 6*d*.
Vide also page 39.
HEVEA BRASILIENSIS (*Para Rubber*) 31*s*. 6*d*.
HEDYCHIUM ACUMINATUM, 5*s*.
GARDNERIANUM, *vide* page 39.
HELICONIA AUREO-STRIATA, 5*s*. and 7*s*. 6*d*.
BREVISPATHA, 10*s*. 6*d*.
ILLUSTRIS, *vide* page 23.
HEMIGRAPHIS COLORATA, 3*s*. 6*d*.
HIBISCUS ROSA SINENSIS ALBO-VARIEGATA, 2*s*. 6*d*. and 3*s*. 6*d*.
HIBISCUS ROSA SINENSIS BRILLIANTISSIMA, 2*s*. 6*d*.
ROSA SINENSIS COLLERI, 2*s*. 6*d*.
—— —— DENNISONI, 2*s*. 6*d*.
—— —— INTERMEDIA, 7*s*. 6*d*.
—— —— LAMBERTII, 2*s*. 6*d*.
—— —— MAGNIFICA, 5*s*.
—— —— MINIATA SEMI-PLENA, 2*s*. 6*d*.
—— —— PUNICEA, 2*s*. 6*d*.
—— —— VIVICANS, 3*s*. 6*d*.
—— —— ZEBRINA, 3*s*. 6*d*.
MOSCHATUS, 7*s*. 6*d*.
SCHIZOPETALUS, 2*s*. 6*d*. and 3*s*. 6*d*.
See also pages 39 and 48.
HIPPEASTRUM, *vide* **AMARYLLIS**.
HOFFMANNIA (HIGGINSIA) GHIESBREGHTII, 2*s*. 6*d*. and 3*s*. 6*d*.
ORTGIESII, 3*s*. 6*d*.
REFULGENS ROBUSTA, 3*s*. 6*d*.
HOMALONEMA PELTATUM, 10*s*. 6*d*.

HOPLOPHYTUM LINEATUM.

A striking variegated Bromeliaceous plant from Brazil with cylindric tufts of leaves, spreading at the apex. The leaves are oblong strap-shaped, concave, abruptly acuminate, finely and remotely toothed, green, with alternating broad stripes of white. 2 and 3 guineas.

HOYA BELLA, 2*s*. 6*d*. and 3*s*. 6*d*.
CAMPANULATA, 3*s*. 6*d*. and 5*s*.
CARNOSA, 2*s*. 6*d*. and 3*s*. 6*d*.
IMPERIALIS, 3*s*. 6*d*. and 5*s*.
PAXTONI, 2*s*. 6*d*. and 3*s*. 6*d*.
HYDROCOTYLE NITIDULA, 3*s*. 6*d*.
HYMENOCALLIS MACROSTEPHANA, 10*s*. 6*d*., 15*s*. and 21*s*.
Vide Pancratium.
HYPOLYTRUM SCHRADERIANUM, *vide* page 25.

HYMENOSPORUM FLAVUM.

A handsome evergreen plant of branching habit, furnished with broadly obovate glabrous leaves. The flowers form a compound terminal corymb, and are yellow marked with orange-red at the mouth of the tube-like portion, and clothed outside with silky hairs. 5*s*. and 7*s*. 6*d*.

IMPATIENS FLACCIDA (PLATYPETALA), 2*s*. 6*d*.
FLACCIDA (PLATYPETALA) ALBA, 1*s*. 6*d*.
HAWKERII, 2*s*. 6*d*. and 3*s*. 6*d*.
SULTANI, 1*s*. 6*d*.
IPOMŒA HORSFALLIÆ, 5*s*. and 7*s*. 6*d*.
LEARII, 2*s*. 6*d*. and 3*s*. 6*d*.
TERNATA (THOMSONIANA), 5*s*.
IXORA AURELIA, 3*s*. 6*d*.

IXORA ARDENS.

The flowers of this handsome variety are of good shape, buff coloured on opening, which when fully expanded change to a rich reddish crimson. A very compact truss, and admirably suited for exhibition purposes, the plant being very free blooming and of good habit. 21*s*.

IXORA COCCINEA SUPERBA, 3*s*. 6*d*.
IXORA DUFFII, *vide* I. macrothyrsa.

IXORA ILLUSTRIS.

A splendid variety, producing immense trusses of flowers of a fine bright orange-salmon colour; extremely showy and ornamental. 10*s*. 6*d*.

IXORA EXIMIA, 7*s*. 6*d*.
LOBBII, 7*s*. 6*d*.
MACROTHYRSA (DUFFII), 3*s*. 6*d*. and 5*s*.
MIRANDA, 7*s*. 6*d*.
MODIOLA, 5*s*.
ORNATA, 7*s*. 6*d*.
IXORA PILGRIMII, 3*s*. 6*d*.
PRINCE OF ORANGE, 3*s*. 6*d*.
PRINCEPS, 3*s*. 6*d*.
REGINA, 3*s*. 6*d*.
SANGUINEA, 3*s*. 6*d*.
VERONA, 3*s*. 6*d*.

IXORA SALMONEA.

This distinct and attractive variety bears large trusses of light buff flowers, marked with bright salmon, the blossoms being of good shape. From its excellent habit, and free-flowering qualities, this variety will be found of great service for exhibition and decorative purposes generally. 15*s*.

IXORA VENUSTA.

A beautiful variety producing fine trusses of very large flowers, which on first opening are of a bright orange colour, changing afterwards to salmon-buff. 7*s*. 6*d*.

IXORA WESTII, 3*s*. 6*d*.
IXORA WILLIAMSII, 3*s*. 6*d*.



HYPOLYTRUM SCHRADERIANUM.

HYPOLYTRUM SCHRADERIANUM.

An ornamental Cyperaceous plant from Brazil. The leaves are crowded in bold triangular tufts; each leaf is about 2 feet 6 inches in length by $2\frac{1}{4}$ inches in breadth, purplish sheathing and folding at the base, expanding above into arching straped leaves of firm texture, green with purplish-red margins, traversed on the upper surface by two ribs running equi-distant from base to apex. The bold triangular tuft of leaves, the colour, and the peculiar venation of the leaves, give to this plant a very distinct appearance. 2 and 3 guineas.

JACARANDA Claussenіana (Cupania filicifolia), 10*s.* 6*d.* and 15*s.*
mimosæfolia, 5*s.*
JASMINUM Duchesse d'Orleans, 3*s.* 6*d.*
oracillimum, 2*s.* 6*d.* and 3*s.* 6*d.*
hirsutum (multiflorum), 2*s.* 6*d.* & 3*s.* 6*d.*
ligustrifolium, 3*s.* 6*d.*
Sambac, 2*s.* 6*d.* and 3*s.* 6*d.*
—— flore pleno, 3*s.* 6*d.*
See also page 10.
JATROPHA multifida, 5*s.*
JONESIA Asoca. 10*s.* 6*d.* and 15*s.*
JUSTICIA flavacoma, 2*s.* 6*d.*
KÆMPFERIA Bensoniæ, 7*s.* 6*d.*
Gilbertii, 3*s.* 6*d.*
moulmeinensis, 7*s.* 6*d.*
Roscoeana, 5*s.*
rotunda, 5*s.*
undulata, 5*s.*
KYLLINGIA monocephala, 3*s.* 6*d.*
LABISIA alata, 7*s.* 6*d.*
LAMPROCOCCUS (Æchmea) fulgens, 3*s.* 6*d.* and 5*s.*
(Æchmea) miniatus, 5*s.*
(——) Weilbachi, 7*s.* 6*d.*

LAMPROCOCCUS SPECIOSUS.

A highly ornamental Brazilian Bromeliad, with spreading tufted leathery leaves, oblong acute and mucronate, finely toothed at the margin and concave above, more or less densely covered with silvery scales, especially on the under surface. On the upper surface the leaves are bright shining green, banded with broad longitudinal stripes of clear yellow. 3 guineas.

LANDOLPHIA Kirkii, 10*s.* 6*d.*
Watsoniana, 7*s.* 6*d.*
LAPORTEA Schomburgkii versicolor, 10*s.* 6*d.*
LASIANDRA, *vide* page 10.
LAURUS Cinnamomum, 5*s.* and 7*s.* 6*d.*
LEDENBERGIA roseo-ænea, 3*s.* 6*d.*
MACROZAMIA, *vide* Index.
MAGNOLIA pumila, 3*s.* 6*d.* and 5*s.*
MANETTIA bicolor, 2*s.* 6*d.* and 3*s.* 6*d.*
cordata, 2*s.* 6*d.* and 3*s.* 6*d.*
MANGIFERA indica (Mango), 21*s.*
MARANTA arundinacea *(The Arrowroot Plant)*, 7*s.* 6*d.*
arundinacea variegata, 3*s.* 6*d.* and 5*s*
bella, 7*s.* 6*d.*
bicolor, 5*s.*
conspicua, 7*s.* 6*d.*
oratiosa, 7*s.* 6*d.*
iconifera, 3*s.* 6*d.*
Kerchoveana, 3*s.* 6*d.* and 5*s.*
Leopoldii, 3*s.* 6*d.*
Lindeni, 3*s.* 6*d.*
Lubbersii, 3*s.* 6*d.*
Makoyana, 3*s.* 6*d.*
Massangeana, 3*s.* 6*d.*
musaica, 10*s.* 6*d.*
nitens, 7*s.* 6*d.*
nitida, 10*s.* 6*d.*
prasina, 7*s.* 6*d.*
roseo-picta, 3*s.* 6*d.*
Veitchii, 3*s.* 6*d.* and 5*s.*
Warscewiczii, 3*s.* 6*d.*
Wiotii, 5*s.*
zebrina, 3*s.* 6*d.*
MARCGRAVIA paradoxa, 3*s.* 6*d.*
MEDINILLA amabilis, 3*s.* 6*d.*
Curtisii, 3*s.* 6*d.*
magnifica, 3*s.* 6*d.*
MELASTOMA malabathrica, 5*s.*
MESUA ferrea, 7*s.* 6*d.* and 10*s.* 6*d.*
METHONICA, *vide* Gloriosa.
MEYENIA erecta, 2*s.* 6*d.* and 3*s.* 6*d.*
MICANIA pulverulenta, 3*s.* 6*d.*
MONSTERA deliciosa (Philodendron pertusum), 5*s.* and 7*s.* 6*d.*
MUSA Cavendishii, 10*s.* 6*d.* and 15*s.*
zebrina, 10*s.* 6*d.* and 15*s.*
MUSSÆNDA erythrophylla, 10*s.* 6*d.*
frondosa, 2*s.* 6*d.* and 3*s.* 6*d.*
MYRISTICA moschata (Nutmeg), 2 guineas.
NÆGELIA, *vide* Gesnera.
NAPOLEONA imperialis, 5*s.* and 7*s.* 6*d.*
NEPENTHES ampullaria vittata, 10*s.* 6*d.*
Chelsoni, 21*s.*
coccinea, 15*s.*
Courtii, 21*s.*
distillatoria, 10*s.* 6*d.*
Dominii, 10*s.* 6*d.*
Dormaniana, 10*s.* 6*d.*
gracilis major, 5*s.*
Henryana, 15*s.* and 21*s.*
Hookeri (Sir Joseph Hooker's Pitcher Plant), 1 guinea.
Hookeræ (Lady Hooker's Pitcher Plant), 1 and 1½ guinea.
intermedia, 10*s.* 6*d.*
Kennedyana, 10*s.* 6*d.*
Lawrenceana, 10*s.* 6*d.* and 15*s.*
Mastersiana, 1 and 1½ guinea.
Morganæ, 10*s.* 6*d.* and 15*s.*
Outramiana, 10*s.* 6*d.*
Rafflesiana, 15*s.*
Ratcliffiana, 10*s.* 6*d.* and 15*s.*
Sedeni, 5*s.*
Stewartii, 10*s.* 6*d.*
superba, 10*s.* 6*d.*

NEPHTHYTIS LIBERICA.

A new species of an interesting little group of tropical West African Arads. It has a creeping stem and sagittate leaves of a cheerful green colour; the flower scape is terete, with a few minute scattered prickles; the spathe is greenish white. 7*s.* 6*d.*

NEPHTHYTIS PICTURATA.

A very distinct and ornamental stove Aroid from the Congo, remarkable for the handsome variegated character of its foliage. The plant is stemless, with terete green petioles growing about a foot high, and broadly ovate-hastate leaves, which are abruptly pointed at the apex; the colour is bright green with a silvery-white variegation between the nerves. This variegation is peculiar and quite unique in character, forming a pattern resembling in outline the tips of fern fronds laid between the nerves, with their points all directed towards the base of the leaf. 21*s.*

NIDULARIUM INNOCENTII STRIATUM.

NIDULARIUM INNOCENTII STRIATUM.

This striking and ornamental Bromeliaceous plant has been imported from Brazil. It has bright green leaves from eight to twelve inches long, most effectively striped or striated with a central white variegation, deepening off to a creamy-yellow, rendering it a most charming and attractive decorative plant. The margins of the leaves are furnished with small spinose teeth. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* Fine plants, 1½ and 2 guineas.

NIDULARIUM FULGENS, *vide* Guzmannia picta.
INNOCENTII, 3*s*. 6*d*. and 5*s*.
—— STRIATUM, *vide* page 28.
METALLICUM, 10*s*. 6*d*. and 15*s*.
SPECTABILE, 7*s*. 6*d*. and 10*s*. 6*d*.
OCHROSIA ELLIPTICA, 5*s*.
ODONTODENIA SPECIOSA (DIPLADENIA HARRISII), 10*s*. 6*d*.
OPLISMENUS IMBECILLUS VARIEGATUS (PANICUM VARIEGATUM), 1*s*. 6*d*.
OPLISMENUS INTERMEDIUS (PANICUM INTERMEDIUM), 2*s*. 6*d*. and 3*s*. 6*d*.
ORCHIDS, *vide* Index.
OXALIS BUPLEURIFOLIA, 5*s*.
SENSITIVA, 3*s*. 6*d*. and 5*s*.
PALISOTA BARTERI, 5*s*.
PALMS, of sorts, *vide* Index.
PANAX DISSECTUM, 7*s*. 6*d*.
FRUTICOSUM, 7*s*. 6*d*.
VICTORIÆ, 2*s*. 6*d*. and 3*s*. 6*d*.

PANCRATIUM CARIBBÆUM.

A very distinct and beautiful species from the West Indies; its flowers are pure white, very fragrant and most useful for cutting for bouquets and other decorative purposes. 2*s*. 6*d*. and 3*s*. 6*d*.

PANCRATIUM AMŒNUM, 3*s*. 6*d*.
FRAGRANS, 3*s*. 6*d*., 5*s*. to 21*s*.
GUIANENSE, 5*s*. and 7*s*. 6*d*.
MACROPHYLLUM, 10*s*. 6*d*., 15*s*. and 21*s*.
PANCRATIUM PARVIFLORUM, *vide* page 41.
SPECIOSUM, 5*s*. and 7*s*. 6*d*.
Vide HYMENOCALLIS.
See also page 52.

PANCRATIUM ZEYLANICUM.

An exceedingly attractive dwarf-growing stove species, bearing large pure white flowers, very deliciously scented. As will be seen by the illustration, the corona is funnel-shaped and deeply serrated on the margin, from which the filaments arise and incurve towards the centre. The petals being gracefully recurved, lend an additional charm to the flowers of this desirable species. *Vide* illustration. 2*s*. 6*d*. each; 24*s*. per dozen.

PANDANOPHYLLUM HUMILE, 1½ guinea.
PANDANUS JAVANICUS VARIEGATUS, 3*s*. 6*d*. & 5*s*.
LABYRINTHICUS, 3*s*. 6*d*. and 5*s*.
LAIS, 3*s*. 6*d*. and 5*s*.
VEITCHII, 2*s*. 6*d*. & 3*s*. 6*d*.
PANICUM VARIEGATUM, *vide* Oplismenus.
INTERMEDIUM, *vide* Oplismenus.
PARITIUM ELATUM (CUBA BAST), 7*s*. 6*d*.
PASSIFLORA BUONAPARTEA, 2*s*. 6*d*. and 3*s*. 6*d*.
CARDINALIS, 2*s*. 6*d*. & 3*s*. 6*d*
EDULIS, 2*s*. 6*d*. & 3*s*. 6*d*.
FULGENS, *vide* Tacsonia Buchanani.
JENMANII, 3*s*. 6*d*.
KERMESINA, 3*s*. 6*d*.
LAURIFOLIA, 5*s*.
MACROCARPA, 3*s*. 6*d*. & 5*s*.
PRINCEPS (RACEMOSA), 3/6
QUADRANGULARIS, 2*s*. 6*d*. and 3*s*. 6*d*.
—— VARIEGATA, 3*s*. 6*d*. and 5*s*.
VIOLACEA, 3*s*. 6*d*.
VITIFOLIA, *vide* Tacsonia Buchanani.
See also page 41.
PAULLINIA HOOIBRENKII, 10*s*. 6*d*.
OCEANICA, 10*s*. 6*d*.
SORBILIS, Guarana Tea Plant, 10*s*. 6*d*.
THALICTRIFOLIA, 3*s*. 6*d*.
PAVETTA BORBONICA, 7*s*. 6*d*.
PAVONIA MAKOYANA, 3*s*. 6*d*.
MULTIFLORA (WIOTII), 3*s*. 6*d*.



PANCRATIUM ZEYLANICUM.

PELLIONIA DAVEAUANA, 2*s*. 6*d*.
PULCHRA, 2*s*. 6*d*.
PENTAS CARNEA, 1*s*. 6*d*. and 2*s*. 6*d*.
KERMESINA, 1*s*. 6*d*. and 2*s*. 6*d*.
PEPEROMIA EBURNEA, 3*s*. 6*d*.
METALLICA, 5*s*.

PHALANGIUM, *vide* page 42.
PHILODENDRON CARDERI, 7*s*. 6*d*.
CRINIPES, 5*s*.
DISCOLOR, 5*s*.
GLORIOSUM, 5*s*. and 7*s*. 6*d*.
IMPERIALE (MAMEI), 5*s*. and 7*s*. 6*d*.
LINDENIANUM, 3*s*. 6*d*. and 5*s*.
PHILODENDRON MELANOCHRYSUM, 5*s*.
NOBILE, 7*s*. 6*d*. and 10*s*. 6*d*.
PERTUSUM, *vide* Monstera deliciosa.
QUERCIFOLIUM, 5*s*.
RADIATUM, 5*s*.
PHYLLANTHUS ATROPURPUREUM, 3*s*. 6*d*.
ELEGANS, 5*s*.

PHYLLANTHUS ELONGATUM.

A pretty ornamental species introduced from Brazil. The leaves are alternately pinnate, the leaflets flat, linear-lanceolate, tapering to both ends, entire at the base, remotely and finely toothed near the apex. It will form a very elegant evergreen plant for the warm greenhouse or stove, especially suitable for table and other decorative purposes. 10*s*. 6*d*.

PHYLLANTHUS MUCRONATUM, 3*s*. 6*d*.
NIVOSUM, 3*s*. 6*d*.
ROSEO-PICTUM, 3*s*. 6*d*.
SUBEMARGINATUM, 3*s*. 6*d*.
PHYLLARTHRON COMORENSE, 7*s*. 6*d*.
PHYLLOTÆNIUM LINDENI, 3*s*. 6*d*. and 5*s*.
PIPER ARGENTEUM, 10*s*. 6*d*.
ORNATUM, 2*s*. 6*d*. and 3*s*. 6*d*.
RUBRO-VENOSUM, 3*s*. 6*d*.
PIPERS, of sorts, 2*s*. 6*d*. and 3*s*. 6*d*.

PITCAIRNIA ALTA.

An attractive plant, of graceful habit, with very long and narrow recurved drooping foliage; it bears a tall branching spike of bright coral red blossoms; the flowers individually are from 2 to 2½ inches long, and have bright yellow stamens, forming an effective contrast. 10*s*. 6*d*.

PITCAIRNIA ALTENSTEINII, 7*s*. 6*d*.
CORALLINA, 5*s*. and 7*s*. 6*d*.
PLATYPHYLLA, 7*s*. 6*d*.
TABULÆFORMIS, 3*s*. 6*d*. and 5*s*.
PLUMBAGO COCCINEA SUPERBA, 2*s*. 6*d*. & 3*s*. 6*d*.
ROSEA, 2*s*. 6*d*. and 3*s*. 6*d*.
See also page 42.
POGOSTEMON PATCHOULI, 2*s*. 6*d*. and 3*s*. 6*d*.
POINSETTIA PULCHERRIMA, 1*s*. 6*d*. and 2*s*. 6*d*.
PULCHERRIMA ALBA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— PLENISSIMA, 2*s*. 6*d*. and 3*s*. 6*d*.
—— ROSEO-CARMINATA, 2*s*. 6*d*.
PORTLANDIA GRANDIFLORA, 7*s*. 6*d*.
POTHOS ARGENTEUS, 7*s*. 6*d*. and 10*s*. 6*d*.
ARGYREIOS, 2*s*. 6*d*. and 3*s*. 6*d*.
AUREUS, 3*s*. 6*d*. and 5*s*.
CELATOCAULIS, 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.
FLEXUOSOS, 7*s*. 6*d*. and 10*s*. 6*d*.
MACROPHYLLUS, 3*s*. 6*d*.
NITENS, 5*s*. and 7*s*. 6*d*.
PSIDIUM CATTLEYANUM (The Guava), 3*s*. 6*d*. and 5*s*.
PUYA MAIDIFOLIA, 5*s*.
PUYA SULPHUREA, 7*s*. 6*d*.
UNDULATA, *vide* Pitcairnia Altensteinii.
RAVENALA MADAGASCARIENSIS, "The Traveller's Tree," 7*s*. 6*d*. and 10*s*. 6*d*.
REIDIA GLAUCESCENS, 2*s*. 6*d*. and 3*s*. 6*d*.
RHOPALA, of sorts, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
ROGEIRA CORDATA (AMŒNA), 3*s*. 6*d*.
ORATISSIMA, *vide* page 42.
RONDELETIA SPECIOSA MAJOR, 3*s*. 6*d*.
RUELLIA ACUTANGULA, 5*s*.
PORTELLÆ, 3*s*. 6*d*.
ROSEA, 3*s*. 6*d*.
SACCHARUM OFFICINARUM, "Sugar Cane," 5*s*.
SANCHEZIA NOBILIS GLAUCOPHYLLA, 3*s*. 6*d*.
NOBILIS VARIEGATA, 3*s*. 6*d*.
SANSEVIERA ZEYLANICA, 3*s*. 6*d*.
SCHISMATOGLOTTIS DECORA, 5*s*.
LATIFOLIA, 5*s*.
LAVALLEI, 5*s*.
LONGISPATHA, 5*s*.
SIAMENSIS, 10*s*. 6*d*.
VARIEGATA, 3*s*. 6*d*.
SCHISTOCASIA PORTEI, *vide* Alocasia Portei.

SCHUBERTIA GRAVEOLENS.

An exceedingly handsome stove climber, of free growth, producing in great abundance clusters of funnel-shaped white flowers, individually nearly three inches across, very sweet scented, and from the great consistency of the blooms, lasting a long time when cut and placed in water. 3*s*. 6*d*. and 5*s*.

SCINDAPSUS ARGYRÆUS.

A creeping-stemmed Arad, the stems fixing themselves by rooting as they advance in growth. The leaves are glabrous, the juvenile ones ovate acuminate, very silvery and glossy on the surface; the older and more mature leaves are pinnatifid, and become silvery on the surface like the younger ones. It has been imported from the East Indies. 3*s*. 6*d*.

SINNINGIA PURPUREA NIGRA, 3*s*. 6*d*.
SMILAX ARGYREIA, 3*s*. 6*d*.
DISCOLOR, 7*s*. 6*d*.
SHUTTLEWORTHII, 7*s*. 6*d*.
SOLANDRA GRANDIFLORA, 3*s*. 6*d*.
SOLANUM WENDLANDI, bears magnificent terminal heads of large bluish violet flowers with yellow anthers; very handsome and striking, 5*s*. and 7*s*. 6*d*.
SONERILA MACULATA PICTA, 3*s*. 6*d*.
MACULATA PUNCTATA, 3*s*. 6*d*.
SPATHIPHYLLUM PICTUM, 5*s*.
SPATHODEA CAMPANULATA, 7*s*. 6*d*.
SPHÆROGYNE LATIFOLIA, 3*s*. 6*d*.
SPHÆROSTEMA MARMORATUM, 3*s*. 6*d*. and 5*s*.
STADMANNIA AMABILIS, 10*s*. 6*d*.
STAPELIA GIGANTEA.
STENANDRIUM LINDENI, 10*s*. 6*d*.
STENOSPERMATIUM WALLISII, 5*s*.
STEPHANOTIS FLORIBUNDA, 3*s*. 6*d*.
FLORIBUNDA, "Elvaston" variety, 3*s*. 6*d*. & 5*s*.
STERCULIA DISCOLOR, 5*s*. and 7*s*. 6*d*.
STEUDNERA COLOCASIÆFOLIA, 5*s*.
DISCOLOR, 10*s*. 6*d*.

THUNBERGIA AFFINIS.

This extremely beautiful species has been introduced from Zanzibar, and is one of the most handsome of the genus. It is of subscandent habit and is semi-deciduous in the winter, the flowers being of large size, very rich bright purple in colour, with an orange-yellow throat. 3*s*. 6*d*. and 5*s*.

STRELITZIA Augusta, 15*s*.
Reginæ, 5*s*. and 7*s*. 6*d*.
STREPTOCARPUS Rexii, 2*s*. 6*d*. and 3*s*. 6*d*.
Rexii Hybrids.—Many pretty varieties of various shades of colour. 3*s*. 6*d*. each, 36*s*. per dozen.
STROBILANTHUS Dyerianus, a handsome decorative plant, the leaves being covered with a purple sheen. 2*s*. 6*d*.
SWIETENIA Mahagoni, "The Mahogany Tree," 15*s*.
SYNGONIUM albo-lineatum, 3*s*. 6*d*.
Wendlandii, 3*s*. 6*d*.
TABERNÆMONTANA camassa, 3*s*. 6*d*.
coronaria flore pleno, 3*s*. 6*d*.
TACCA artocarpifolia, 10*s*. 6*d*.
TACSONIA Buchanani (vitifolia), 3*s*. 6*d*. & 5*s*.
TAPEINOTIS Carolinæ major, 5*s*.
TECOMA stans, 5*s*.
TERMINALIA elegans, 5*s*. and 7*s*. 6*d*.
TETRANEMA mexicana, 1*s*. 6*d*.
THEOBROMA Cacao (Cocoa), 10*s*. 6*d*.
THROPHRASTA imperialis, *vide* Chrysophyllum imperiale.
THUNBERGIA affinis, *vide* page 31.
grandiflora, 3*s*. 6*d*.
Harrisii (laurifolia), 3*s*. 6*d*.
THYRSACANTHUS rutilans, 2*s*. 6*d*. and 3*s*. 6*d*.
TILLANDSIA acaulis zebrina, *vide* Cryptanthus.
acaulis zebrina aurea, *vide* Cryptanthus.
Beuckerii, *vide* Cryptanthus.
bivittata, *vide* Cryptanthus.
fenestralis, *vide* Vriesia fenestralis.
hieroglyphica, 5*s*. and 7*s*. 6*d*.

TILLANDSIA LINDENIANA VERA.

One of the most beautiful of the Bromeliads; a native of Ecuador, of dwarf compact growth, with recurved olive-green leaves. The flower scape bears an ovato flattened spike of a bright rosy hue; from the bracts of which issue in succession the beautiful lilac-blue flowers; the contrast of which with the rose-coloured scape presents a most charming appearance. 10*s*. 6*d*., 15*s*. and 21*s*.

TILLANDSIA (Caraguata) musaica, 15*s*. & 21*s*.
TOXICOPHLÆA (Acocanthera) spectabilis, 3/6
Thunbergii, 5*s*.
TRADESCANTIA decora, 5*s*.
elonoata, 10*s*. 6*d*.
Reginæ, 3*s*. 6*d*.
See also Cyanotis.
TYDÆA, *vide* Index.
URCEOCHARIS Clibrani, 7*s*. 6*d*. and 10*s* 6*d*.
URCEOLINA aurea, 2*s*. 6*d*. and 3*s*. 6*d*.
UROSKINNERA spectabilis, 2*s*. 6*d*. and 3*s*. 6*d*.
UTRICULARIA montana, 7*s*. 6*d*. and 10*s*. 6*d*.
VANILLA aromatica, 5*s*. and 7*s*. 6*d*.
planifolia, 5*s*. and 7*s*. 6*d*.
VINCA alba, 2*s*. 6*d*. and 3*s*. 6*d*.
alba oculata, 2*s*. 6*d*. and 3*s*. 6*d*.
VRIESIA brachystachya, 5*s*.
Falkenbergii, 21*s*.
fenestralis, 5*s*.
splendens (speciosa), 3*s*. 6*d*. and 5*s*.

VRIESIA PURPURASCENS.

A richly coloured Bromeliaceous plant with deep purple sheathing leaves, each oblong lanceolate from a dilated base, the apex mucronate, the margins having numerous closely-set fine teeth. On the upper surface the leaves are a dark green, flushed with blackish purple, while the under sides expose a surface of a striking rich purple colour. Introduced from Brazil. 2 and 3 guineas.

XYLOPHYLLA angustifolia, 5*s*.
intermedia, 5*s*.
ZINGIBER cylindricum, 3*s*. 6*d*.
ZINGIBER D'Arceyi, 5*s*.
officinale, 2*s*. 6*d*.
Zerumbet, 3*s*. 6*d*.

STOVE CLIMBERS, WALL AND PILLAR PLANTS.

ALLAMANDAS, of sorts
ANTIGONONS, of sorts
ARISTOLOCHIA elegans
—— of sorts
BIGNONIA Chamberlaynii
—— regalis
—— of sorts
BOUGAINVILLEA glabra
—— of sorts
CISSUS discolor
CLERODENDRON Balfourianum
—— of sorts
COMBRETUMS, of sorts
DIOSCOREA illustrata
—— speciosa
—— of sorts
DIPLADENIA boliviensis
—— Brearleyana
—— of sorts
ECHITES, of sorts
FICUS barbata
—— radicans
—— of sorts
GLORIOSA Plantii
—— superba
HIBISCUS, of sorts
HOYA carnosa
—— of sorts
IPOMÆA Horsfalliæ
—— ternata
—— of sorts
JASMINUM gracillimum
—— of sorts
MARCGRAVIA indica
—— paradoxa
ODONTODENIA speciosa
PASSIFLORA kermesina
—— macrocarpa
—— princeps
—— quadranoularis variegata
—— of sorts
POTHOS flexuosus
—— of sorts
SMILAX discolor
—— of sorts
SPATHODEA campanulata
STEPHANOTIS floribunda
THUNBERGIAS, of sorts
TACSONIA Buchanani
VANILLA aromatica

NEW, RARE AND DESIRABLE GREENHOUSE PLANTS.

ABUTILONS.

These useful greenhouse plants can be supplied in many beautiful and distinct varieties. They are very desirable as pillar and roof plants, their handsome pendulous blossoms being most effective. 12*s.* per dozen.

ABELIA FLORIBUNDA, 2*s.* 6*d.*
ACACIA AFFINIS, 2*s.* 6*d.* and 3*s.* 6*d.*
ARMATA, 1*s.* 6*d.*
DEALBATA, 2*s.* 6*d.* and 3*s.* 6*d.*
DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
GRANDIS, 2*s.* 6*d.*
LONGIFOLIA MAGNIFICA, 3*s.* 6*d.*
ACACIA LOPHANTHA, *vide* Albizzia.
PLATYPTERA, 2*s.* 6*d.*
PUBESCENS, 3*s.* 6*d.* and 5*s.*
RICEANA, 2*s.* 6*d.* and 3*s.* 6*d.*
VERTICILLATA, 2*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
ACANTHOPANAX QUINQUEFOLIUS VARIEGATUS, 2/6
ACROPHYLLUM VENOSUM, 5*s.* and 7*s.* 6*d.*

ACMENA OVATA.

A neat evergreen plant, belonging to the Myrtaceous order. The stems are clothed with opposite ovate leaves on dark purple petioles. The young foliage is of a purplish red colour, and gives the plant a striking appearance while the new growth is in course of development. 5*s.*

ADENANDRA FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAPANTHUS UMBELLATUM, 1*s.* 6*d.*
UMBELLATUM ALBUM, 1*s.*
AGAPANTHUS UMBELLATUM MAXIMUM, 3*s.* 6*d.*
UMBELLATUM MINUS, 3*s.* 6*d.*
—— FOLIIS VARIEGATIS, 2*s.* 6*d.* and 3*s.* 6*d.*

AGAPETES BUXIFOLIA.

A very useful plant for a cool greenhouse, doing well either in a shady or a light position. It forms a compact bush, which is completely covered during the early summer with bright tubular scarlet flowers, having spreading segments. It is a native of Bhotan, and succeeds with the same treatment as that given to greenhouse Rhododendrons. 10*s.* 6*d.*

AGAVE AMERICANA VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
AGAVE BULBOSA, *vide* Fourcroea.

ALBERTA MAGNA.

This desirable plant has been described as being one of the finest flowering plants of Natal, from which country it has lately been introduced. It is of shrubby growth, producing dense terminal panicles of bright red flowers, afterwards succeeded by beautiful fruits, each crowned with two enlarged calyx lobes nearly an inch long, giving the plant a very striking appearance. This plant may prove half-hardy in favourable situations. 10*s.* 6*d.*

ALBIZZIA (ACACIA) LOPHANTHA, 1*s.* 6*d.*
ALOE FEROX, 3*s.* 6*d.* and 5*s.*
ALOYSIA CITRIODORA (LEMON-SCENTED VERBENA), 1*s.*
ALSTROMERIA ERREMBAULTII, 9*s.* per dozen.
LUTEA, 6*s.* per dozen.
PEREGRINA ALBA, a lovely species with large pure white flowers, excellent for pot work, 2*s.* 6*d.*
—— ROSEA, a rose-coloured variety of the above, 1*s.*
PULCHELLA, 6*s.* per dozen.
TRICOLOR (PULCHRA), 4*s.* per dozen.
See also page 46.
AMARYLLIS, *vide* pages 11 and 13.
AMORPHOPHALLUS (PROTEINOPHALLUS) RIVIERI, 1*s.* 6*d.* and 2*s.* 6*d.*
ANOPTERUS GLANDULOSA, 5*s.* and 7*s.* 6*d.*
ANTHERICUM VARIEGATUM, *vide* Phalangium argenteo-lineare.
AOTUS GRACILLIMA, 2*s.* 6*d.* and 3*s.* 6*d.*
APHELEXIS HUMILIS, 2*s.* 6*d.* and 3*s.* 6*d.*
MACRANTHA PURPUREA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ROSEA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUPESTRIS GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
ARALIA JAPONICA (SIEBOLDII), *vide* Fatsia japonica
PAPYRIFERA, 3*s.* 6*d.*
ARAUCARIA BIDWILLII, the "Bunya Bunya" Tree of Australia. 2*s.* 6*d.*, 3*s.* 6*d.*, and 5*s.* Specimen plants, 21*s.* and 31*s.* 6*d.*
BRASILIENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
COOKII.
CUNNINGHAMII.

ARAUCARIA EXCELSA.

Mr. W. B. has a fine lot of this handsome conservatory plant. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Specimen plants, 21*s.* and 31*s.* 6*d.*

ARAUCARIA EXCELSA ALBO-SPICA, 5*s.* and 7*s.* 6*d.*
GOLDIEANA.
ARAUJA OERICIFERA (PHYSIANTHUS ALBENS), 2*s.* 6*d.*
ARDUINA GRANDIFLORA, 7*s.* 6*d.*
ARUNDO DONAX VARIEGATA, 3*s.* 6*d.* and 5*s.*
ASPARAGUS DECUMBENS, 3*s.* 6*d.* and 5*s.*
PLUMOSUS, 3*s.* 6*d.* and 5*s.*
—— NANUS, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
TENUISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
VIRGATUS, 3*s.* 6*d.* and 5*s.*

AZALEA BALSAMINÆFLORA.

Syn. :—A. ROSÆFLORA, A. ROLLISSONII.

This distinct species has been imported from Japan. In general character it is quite unique; its flowers are bright salmony red, beautifully double, rosette-like, and regularly imbricated, similar to those of a Camellia-flowered Balsam. Being very double, it lasts in perfection a long time, and is invaluable for bouquets as well as for general decoration. 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

AZALEA INDICA.

The great value of Indian Azaleas for decorative purposes can hardly be over-estimated. The varieties of this effective plant can be had in blossom for four months of the year; well selected plants affording such a magnificent display of colour and wealth of bloom, that the low price at which beautiful kinds are now offered, should ensure a place for them in every greenhouse and conservatory.

Good selections can be made by Mr. W. B. at 18*s.*, 30*s.* and 42*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* each.

HYBRID AZALEAS.

The following Azaleas are hybrids between *A. amœna* and some of the Indian varieties. Combined with the well-known proliferousness and early blooming habit of *A. amœna*, they have fine well-shaped attractive flowers, which, borne in such profusion, are most effective for every description of decorative work, being especially useful for early forcing where cut flowers are required, as with little trouble they may be had in bloom in November.

ILLUMINATOR, bright rosy magenta-pink flower, the upper portion of the throat faintly speckled crimson, the base of throat vermilion. Awarded a First-class Certificate. 5*s.*

MAGNET, produces a profusion of soft rosy-pink flowers, the centre bright pink, which extends through the centre of each petal to the tips, upper petals speckled at base with rose. 5*s.*

ORACLE, large well-formed flowers of a beautiful bright rosy-pink colour shaded with magenta, rendered additionally attractive by their lustrous satiny appearance. 5*s.*

STARLIGHT, a medium-sized semi-double flower of a beautiful soft rosy-pink colour, faintly shaded with pale magenta. 5*s.*

SYBIL, a pretty bright rosy-magenta flower of medium size, and semi-double; very floriferous and of excellent habit. 5*s.*

VICTORY, soft magenta-pink flowers, the upper divisions of the flowers faintly marked and speckled with carmine; very attractive. 5*s.*

The collection of six varieties, 21*s.*

BAMBUSA FALCATA (*syn.* ARUNDINARIA FALCATA, THAMNOCALAMUS FALCONERI), 3*s.* 6*d.* & 5*s.* *Vide* page 47.
BEGONIA, *vide* Index.
BERBERIDOPSIS CORALLINA, 3*s.* 6*d.*
BESCHONERIA YUCCOIDES, *vide* Fourcræa Beddinghausei.
BIGNONIA (TECOMA) CAPENSIS, 2*s.* 6*d.*
CAPREOLATA, 2*s.* 6*d.*
CHERERE, 3*s.* 6*d.* and 5*s.*
GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*
JASMINOIDES, 2*s.* 6*d.*
SPECIOSA, 3*s.* 6*d.*
TWEEDIANA, 3*s.* 6*d.*
BIGNONIA VENUSTA, 3*s.* 6*d.* and 5*s.* *Vide* also pages 16 and 47.
BILLARDIERA LONGIFLORA, 2*s.* 6*d.*
BLANDFORDIA FLAMMEA, 7*s.* 6*d.*
NOBILIS, 5*s.* and 7*s.* 6*d.*
PRINCEPS, *vide* page 35.
BOMAREA CALDASIANA, 5*s.*
OLIGANTHA, 5*s.*
BORONIA DRUMMONDII, 2*s.* 6*d.* and 3*s.* 6*d.*
ELATIOR, 2*s.* 6*d.*
HETEROPHYLLA, 3*s.* 6*d.*
MEGASTIGMA, 2*s.* 6*d.* and 3*s.* 6*d.*
BOUVARDIAS, *vide* Index.
BOWIEA VOLUBILIS, 3*s.* 6*d.*

BOWKERIA TRIPHYLLA.

A handsome ornamental flowering plant, with lanceolate corrugated leaves, arranged in threes on reddish stems. The flowers are white, nearly one inch long, inflated and bi-labiate, suggesting *Scrophularia*, to which the genus is allied; these are borne in subterminal cymes, usually nine flowers on each cyme. The plant is a native of Natal, where it flowers in December, so that it will doubtless prove a very useful winter-flowering plant for the greenhouse. 3*s.* 6*d.* and 5*s.*

BREDIA HIRSUTA.

A pretty neat-growing Melastomaceous plant, native of Japan, producing erect panicled cymes of charming rose-coloured flowers, individually about half an inch in diameter. The plant has slender spreading branches, furnished with ovate acute dark green leaves. It has been figured in the *Botanical Magazine*, Tab. 6647. 7*s.* 6*d.*

BRACHYCHITON ACERIFOLIUM (Flame Tree), 5*s.*
BRUGMANSIA ARBOREA, 3*s.* 6*d.*
KNIGHTII (flore pleno), 3*s.* 6*d.*
SANGUINEA 3*s.* 6*d.* and 5*s.*
SUAVEOLENS, 3*s.* 6*d.*
BRUNSVIGIA JOSEPHINÆ (The Candelabra Plant), 7*s.* 6*d.*
CALADIUM, *vide* Index.
CALLA ÆTHIOPICA, *vide* Richardia africana.
ÆTHIOPICA, LITTLE GEM, *vide* Richardia.
ELLIOTTIANA, *vide* Richardia.
CALLICARPA PURPUREA, 3*s.* 6*d.*
CALODENDRON CAPENSE (Cape Chestnut), 5*s.*

BLANDFORDIA PRINCEPS.

A very handsome greenhouse perennial. The scape is a foot high, bearing a corymb of many flowers, which are 2½ inches long, pendent, regularly funnel-shaped, with a bright crimson tube and deep golden yellow limb. It must be regarded as the most beautiful of the *Blandfordias* yet known. It has been figured in the *Botanical Magazine*, Tab. 6209. 2 and 3 guineas.

CAMELLIAS.

Good selections can be made by Mr. WILLIAM BULL at 30*s.* and 42*s.* per dozen.
New varieties, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

CAMPANULA VIDALII, 2*s.* 6*d.*
CAMPHORA OFFICINALIS, 5*s.*
CANARINA CAMPANULATA, 1*s.* 6*d.*
CANTUA CORYMBIFLORA, 3*s.* 6*d.*

CARNATIONS—Tree and others.

A. ALEGATIERE, bright scarlet, 1*s.* 6*d.*
ANDALUSIA, yellow, 2*s.* 6*d.*
ATILA, flesh-pink, striped, 1*s.* 6*d.*
CARRIE ROBINSON, crimson, 1*s.* 6*d.*
CATHERINE PAUL, white, 1*s.* 6*d.*
CYRIL, fiery scarlet, 3*s.* 6*d.*
DELICATA, white edged, rosy-pink, 5*s.*
DUKE OF CLARENCE, deep scarlet, 3*s.* 6*d.*
DUKE OF FIFE, vivid scarlet, 2*s.* 6*d.*
DUKE OF YORK, velvety crimson, 5*s.*
EDITH, deep crimson, 2*s.* 6*d.*
FLORIAN, bright fiery scarlet, 2*s.* 6*d.*
GERMANIA, yellow, 1*s.* 6*d.*
INDIAN CHIEF, deep crimson, 1*s.* 6*d.*
LA BELLE, pure white, 1*s.* 6*d.*
LA NEIGE, pure white, 2*s.* 6*d.*
LOUISA ASHBURTON, white, suffused pink, 1/6.
LUCIFER, fiery scarlet, 2*s.* 6*d.*
MADLLE. CARLE, white, 1*s.* 6*d.*
MADLLE. THERESE FRANCO, flesh pink, 5*s.*
MAGNIFICA, pink, 1*s.* 6*d.*
MISS JOLIFFE, flesh pink, 1*s.* 6*d.*
MISS JOLIFFE IMPROVED, delicate flesh pink, 2*s.* 6*d.*
MRS. A. HEMSLEY, rich deep crimson, 3*s.* 6*d.*
MRS. KEEN, deep crimson, 1*s.* 6*d.*
MRS. LLEWELLYN, soft rosy pink, 1*s.* 6*d.*
MRS. MOORE, pure white, 2*s.* 6*d.*
MRS. W. H. GRENFELL, flesh pink, 2*s.* 6*d.*
PURITY, creamy white, 1*s.* 6*d.*
RASPAIL, crimson-scarlet, 1*s.* 6*d.*
SIR CHARLES WILSON, scarlet, 2*s* 6*d.*
SOUVENIR DE F. LABRUYER, crimson-scarlet, 2*s.* 6*d.*
SOUVENIR DE LA MALMAISON, blush white, 1*s.* 6*d.* and 2*s.* 6*d.*
SOUVENIR DE LA MALMAISON, pink, 3*s.* 6*d.*
THE MIKADO, deep crimson, 2*s.* 6*d.*
URIAH PIKE, rich velvety crimson, 2/6 and 3/6.
VALENTINE CARLE, white, 2*s.* 6*d.*
VULCAN, deep scarlet, 1*s.* 6*d.*
WHITE SWAN, white, 1*s.* 6*d.*
VESUVIUS, scarlet, 1*s.* 6*d.*
WINTER CHEER, crimson-scarlet, 2*s.* 6*d.*

TREE CARNATIONS.—New Varieties.

CZARINA, flesh-pink, free flowering, of good habit and vigorous growth, 5*s.*
CELESTE, soft rosy scarlet, of good habit and free flowering, 5*s.*
FAIRY, very fine pink, flowers of good substance with broad petals, of free growth, 5*s.*
FIREFLY, bright fiery scarlet, well-formed flowers, vigorous grower, 7*s.* 6*d.*
HENRY GIBBONS, bright claret-crimson, broad petals, a seedling from *Winter Cheer* crossed with *Uriah Pike*, one of the best for winter flowering, 7*s.* 6*d.*
LEONIDAS, crimson-scarlet, very large flowers, of vigorous growth and very free, 5*s.*
MRS. S. SEGAR, bright rosy pink, large full flowers, very free, one of the best for winter flowering, 5*s.*
PINK GLOBE, cerise-pink, large full flowers, vigorous habit, 5*s.*
PRIMROSE DAY, fine deep yellow, large full flowers, one of the finest yellows ever offered. Award of Merit from the Royal Horticultural Society, 7*s.* 6*d.*
SIR VISTO, rosy scarlet, full well-formed flowers, 5*s.*
THE CZAR, very deep crimson, large full flowers, good habit and very free, 5*s.*
THE SHAHZADA, fine deep crimson, good habit and very free, 5*s.*
W. ROBINSON, fine scarlet, well-formed flowers, of good habit and very free, 7*s.* 6*d.*

CAVENDISHIA SPECTABILIS.

A handsome greenhouse plant, with bright green leaves, the young growths being of a bright reddish bronze colour. It blossoms in short compressed racemes, covered when in bud by large concave, rosy carmine bracts. The flowers are white shaded with pink, while the whole head of flower has the appearance of being varnished. 10*s.* 6*d.*

CEPHALOTUS FOLLICULARIS.
CEREUS SPECIOSISSIMUS, 2*s.* 6*d.* and 3*s.* 6*d.*
CESTRUM (HABROTHAMNUS) AURANTIACUM, 2*s.* 6*d.* and 3*s.* 6*d.*
See Habrothamnus, page 39.
CHLIDANTHUS FRAGRANS, 6*d.*
CHOROZEMA CORDATUM SPLENDENS, 2*s.* 6*d.* & 3*s.* 6*d.*
HENCHMANNI, 3*s.* 6*d.* and 5*s.*
LAWRENCEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
LOWII, 5*s.*
VARIUM CHANDLERI, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSANTHEMUM FRUTESCENS, *vide* Index.
CISSUS (VITIS) ANTARCTICA, 2*s.* 6*d.* and 3*s.* 6*d.*
RHOMBEA, 3*s.* 6*d.*
CITRUS JAPONICA, 5*s.*
AURANTIUM FOLIIS-MARGINATIS, 5*s.* and 7*s.* 6*d.*
CLEMATIS INDIVISA, 3*s.* 6*d.*
INDIVISA LOBATA, 3*s.* 6*d.*
CLEYERA FORTUNEI (EURYA LATIFOLIA VARIEGATA), 2*s.* 6*d.* and 3*s.* 6*d.*
CLIANTHUS PUNICEUS MAGNIFICUS, 3*s.* 6*d.*
CLIVIA NOBILIS, 5*s.*
See Imantophyllum, pages 39 and 40.
COBÆA SCANDENS VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
COLEUS, *vide* Index.
COPROSMA BAUERIANA VARIEGATA, 1*s.* 6*d.* & 2*s.* 6*d.*
CORREAS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
CRINUM MOOREI, 7*s.* 6*d.*
POWELLII, 7*s.* 6*d.*
—— ROSEUM, 10*s.* 6*d.*
Vide also pages 17 and 47.
CROWEA STRICTA, 3*s.* 6*d.* and 5*s.*
CYCADS, *vide* Index.

CYCAS REVOLUTA.

This exceedingly handsome decorative plant can be supplied in various sizes; small plants of it are pretty, but large specimens are extremely ornamental and well adapted for decorating either greenhouses or conservatories. It is known as the Chinese Sago Plant. 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*: fine specimens, 3, 4 and 5 guineas each.

CYCLAMEN PERSICUM.

Too much can scarcely be said in favour of the superb varieties of this plant, of which the old *C. persicum* is the type, whether they are regarded as objects for the ornamentation of the greenhouse or conservatory, or for table decoration, for which their compact floriferous character eminently fits them. The flowers are also extremely useful for bouquets, and when plucked, if kept in water, they will last in freshness and beauty for some weeks. Plants full of buds and flowers can be supplied during the winter season, and are then charmingly pretty. 18*s.*, 30*s.* and 42*s.* per dozen.

CYCLAMEN PERSICUM ALBUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PERSICUM RUBRUM, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRANDIFLORUM, 3*s.* 6*d.* and 5*s.*
—— of various choice sorts, 3*s.* 6*d.* and 5*s.*

CYPRIPEDIUM, *vide* Orchids.
CYRTANTHUS ANGUSTIFOLIUM, red, 5*s.*
MACKENII, white, 2*s.* 6*d.*
OBLIQUUM, 5*s.*

CYRTANTHUS INTERMEDIUM.

A pretty hybrid variety raised between *C. McKennii* and *C. angustifolium*. It has neat strap-shaped leaves, and bears on an erect two-edged scape a truss of many flowers, which are orange-pink, and about 1¾ inch long, being curved and tubular trumpet-shaped; the three outer segments or lobes are rose coloured with a green midrib, the inner three being of a uniform rose colour. 3*s.* 6*d.* and 5*s.*

CYTISUS FILIPES, 3*s.* 6*d.* and 5*s.*
RACEMOSUS, 1*s.* and 1*s.* 6*d.*
—— EVERESTIANUS, 3*s.* 6*d.*

DAHLIA IMPERIALIS, 3*s.* 6*d.*
IMPERIALIS ROSEA, 3*s.* 6*d.*
of sorts, *vide* Bedding Plants.

DAIS COTINIFOLIA.

A pretty deciduous greenhouse shrub, native of South Africa. It has acute leaves, and broadish heads of flowers, which consist of a reddish four-leaved involucre outside, and numerous rosy lilac calyces, which have a slender tube about an inch long, and a spreading limb of five segments. 5*s.*

DAPHNE INDICA RUBRA, 2*s.* 6*d.* and 3*s.* 6*d.*
DASYLIRION LONGIFOLIUM, 5*s.*

DESFONTAINEA SPINOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
DEUTZIA, *vide* page 48.

DEYEUXIA ELEGANS VARIEGATA.

A very elegant variegated greenhouse plant, introduced from New South Wales. It has a thick rootstock, from which spring numerous leaves, about a quarter of an inch in breadth, the colour a deep bright green, with a broad clear edge of creamy yellow. 3*s.* 6*d.* and 5*s.*

DIANELLA INTERMEDIA.

A free-growing plant, inhabiting the northern and middle islands of New Zealand. It has linear-ensiform leaves, and much branched panicles, ten to eighteen inches long, bearing numerous whitish flowers, which are succeeded by bunches of pretty dark blue berries. 5*s.*

DIANELLA TASMANICA VARIEGATA.

A very striking and desirable variegated greenhouse plant introduced from Tasmania. The leaves are handsomely striated with creamy yellow, forming a very effective variegation. The pale blue flowers are produced on a loose, many-branched panicle, and are followed in due course by large and handsome bright blue berries. These hang on hair-like pedicels, and for many weeks form a highly ornamental and conspicuous adornment to the conservatory. 21*s.*

DIONÆA MUSCIPULA, 2*s.* 6*d.* and 3*s.* 6*d.*
DORYANTHES EXCELSA.

DORYANTHES GUILFOYLEI.
PALMERI, 3*s.* 6*d.* and 5*s.*

DIPLARRHENA MOREÆ.

An Iridaceous greenhouse plant allied to Libertia, a native of North Australia and Tasmania, producing its large and handsome flowers in a terminal spike or cluster. The outer segments are white, obovate, the upper one concave; the inner segments white tinged with violet. 10*s.* 6*d.*

DRACÆNA AUSTRALIS.

This handsome ornamental plant is exceedingly useful for the decoration of the greenhouse or conservatory, where its effective habit always imparts a tropical aspect to the house. It is also well adapted for the purposes of sub-tropical gardening, either in groups or as single specimens, its graceful mode of growth being very effective. 3*s.* 6*d.* to 10*s.* 6*d.*; fine plants, 15*s.*, 1, 1½ & 2 guineas.

DRACÆNA AUSTRALIS LINEATA.

An exceedingly handsome and ornamental plant, with fine broad foliage, gracefully recurving. It is strikingly effective for conservatory and greenhouse decoration. 10*s.* 6*d.*, 15*s.* and 21*s.*

EPACRIS ONOSMÆFLORA FLORE-PLENO NIVALIS.

This exceedingly desirable and attractive plant is a native of Australia. The flowers have a tubular base ending in the five usual acute corolla lobes, while the interior organs are transformed into a rosette of white petals, forming a fine rosette-shaped flower. These flowers are pure white and very beautiful, the spikes being often as much as a foot long. It has received a First Class Certificate from the Royal Botanic Society. 3*s*. 6*d*. and 5*s*.

DRACÆNA AUSTRALIS VEITCHII, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
LENTIGINOSA, 15*s.* and 21*s.*
DRACOPHYLLUM GRACILE, 3*s.* 6*d.* and 5*s.*
DROSERA CAPENSIS, 7*s.* 6*d.*
DICHOTOMA, 5*s.*
ECHEVERIA, of sorts, *vide* Index.
ENCEPHALARTOS, of sorts, *vide* Index.
EPACRIS GNOSMÆFLORA FLORE-PLENO NIVALIS, *vide* page 38.
EPACRIS, of sorts, 18*s.*, 30*s.* and 42*s.* per doz.
EPIPHYLLUM, *vide* page 22.
ERICAS, of sorts, 18*s.*. 30*s.* and 42*s.* per doz.
ERIOSTEMON BUXIFOLIUS, 3*s.* 6*d.* and 5*s.*
INTERMEDIUS, 3*s.* 6*d.* and 5*s.*
NERIIFOLIUS, 3*s.* 6*d.*
PULCHELLUS, 3*s.* 6*d.* and 5*s.*
SCABER, 3*s.* 6*d.* and 5*s.*
ERIOBOTRYA JAPONICA (LOQUAT), 7*s.* 6*d.*
ERYTHRINA COMPACTA, 3*s.* 6*d.*
CRISTA-GALLI, 1*s.* 6*d.*
EUCALYPTUS CITRIODORA, 3*s.* 6*d.*
GLOBULUS (Blue Gum), 3*s.* 6*d.*
EUGENIA UGNI, 1*s.* 6*d.* and 2*s.* 6*d.*
Vide also page 22.
EUPATORIUM BERLANDIERI (GRACILE ODORATUM), 1*s.* 6*d.*
RIPARIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
EURYA LATIFOLIA VARIEGATA, *vide* CLEYERA FORTUNEI.
EURYCLES, *vide* page 21.
EUTAXIA FLORIBUNDA, 3*s.* 6*d.*
FATSIA (ARALIA) JAPONICA, 2*s.* 6*d.* and 3*s.* 6*d.*
(ARALIA) JAPONICA VARIEGATA, 3*s.* 6*d.* & 5*s.*
FERNS, *vide* Index.
FICUS AUSTRALIS, 3*s.* 6*d.*
MACROPHYLLA, 5*s.*
MINIMA, 1*s.* 6*d.* and 2*s.* 6*d.*
STIPULATA (REPENS), 1*s.* 6*d.* and 2*s.* 6*d.*
FOURCRÆA (AGAVE) BEDDINGHAUSEI (*syn.* Beschorneria Yuccoides, Roezlia Regia, Yucca Parmentieri, Y. Toneliana), 5*s.*
BULBOSA, 5*s.*
FRANCOA RAMOSA PICTURATA, 3*s.* 6*d.*
FREESIA LEICHTLINII MAJOR, REFRACTA ALBA — These can be supplied by the dozen or hundred, in dormant bulbs, at the proper season.
FUCHSIAS, *vide* Index.
GELSEMIUM SEMPERVIRENS (NITIDA), 2*s.* 6*d.*
GENETYLLIS (HEDAROMA) FUCHSIOIDES, 5*s.* and 7*s.* 6*d.*
TULIPIFERA, 5*s.* and 7*s.* 6*d.*
GERBERA JAMESONI, 5*s.*
GONOLOBUS CUNDURANGO, 10*s.* 6*d.*
GREVILLEA PREISSII, 7*s.* 6*d.*
ROBUSTA, 2*s.* 6*d.* and 3*s.* 6*d.*
HABRANTHUS ANDERSONI, 1*s.*
HABROTHAMNUS (CESTRUM) AURANTIACUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
FASICULATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
NEWELII, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
HÆMANTHUS ALBIFLOS, 2*s.* 6*d.* and 3*s.* 6*d.*

HÆMANTHUS CANDIDUM.

A most beautiful white-flowered species introduced from the Transvaal. It belongs to the distichous leaved group, and produces its handsome spikes of flowers from the side of the bulb. The scape, which is about 9 inches long, carries a large dense head of pure white flowers with golden yellow anthers borne on the tips of much exserted filaments. 21*s.*

HÆMANTHUS COARCTATUM, white, 2*s.* 6*d.* & 3*s.* 6*d.*
COCCINEUM, fine heads of scarlet flowers, 2*s.* 6*d.* and 3*s.* 6*d.*
TIGRINUM, 2*s.* 6*d.*
Vide also page 24.
HARDENBERGIA MONOPHYLLA, 2*s.* 6*d.*
MONOPHYLLA VARIEGATA, 3*s.* 6*d.*
HEDAROMA, *vide* Genetyllis.
HEDYCHIUM GARDNERIANUM, 2*s.* 6*d.* & 3*s.* 6*d.*
HIBISCUS, *see* also pages 24 and 48.

HIBISCUS CALYCINUS (CHRYSANTHUS).

A free-growing shrubby plant introduced from Natal. It has hairy stems and roundish subtrilobate pale green serrated leaves. The flowers are of large size, campanulate, with broad obovate petals, yellow with a purple-crimson spot at the base, forming a dark-coloured eye. This, from its large sized golden flowers and free habit, will prove a plant of very ornamental character. 5*s.*

HIBISCUS PEDUNCULATUS.

A very pretty Hibiscus of erect branched habit, the stems hairy and the leaves three-lobed, with toothed margins. The campanulate flowers are showy, the petals blush or rose-coloured, with an involucel of about eight linear segments. It has been imported from Natal. 5*s.*

HYDRANGEA STELLATA FIMBRIATA.

The flowers of this handsome new Hydrangea are borne in immense trusses, sometimes nine inches in diameter; the bracts are of the purest white, most elegantly fringed in a very striking and attractive manner, giving it a most distinct appearance. 5*s.*

HYDRANGEA HORTENSIS FOL. MARGINATA, 3*s.* 6*d.*
HORTENSIS CYANOCLADA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— THOMAS HOGG, 1*s.* 6*d.* and 2*s.* 6*d.*
JAPONICA, 1*s.* 6*d.*
—— ELEGANTISSIMA, 1*s.* 6*d.*
—— FOLIIS TRICOLORIBUS, 3*s.* 6*d.* and 5*s.*
HYDRANGEA JAPONICA SPECIOSA, 3*s.* 6*d.* and 5*s.*
OTAKSA, 1*s.* 6*d.* and 2*s.* 6*d.*
ROSEA, 3*s.* 6*d.*
STELLATA PROLIFERA, 1*s.*
VOLUBILIS (SCANDENS), *vide* page 48.

IMANTOPHYLLUM BLANDFORDIÆFLORUM STRIATUM.

An ornamental greenhouse plant, producing dense heads of handsome Blandfordia-like flowers, the exterior being of a bright crimson-carmine colour, the expanding portion of the segments margined with salmon-buff. Added to the beauty of its flowers, the foliage of this plant is also attractively striated with creamy-yellow. 21*s.*

IMANTOPHYLLUM CYRTANTHIFLORUM, 5*s*.
CYRTANTHIFLORUM CHLORACEUM, 10*s*. 6*d*.
—— FLAMMEUM, 31*s*. 6*d*.
—— FULGENS, 15*s*.

IMANTOPHYLLUM CYRTANTHIFLORUM INSIGNE,
CYRTANTHIFLORUM OBLIQUUM, 31*s*. 6*d*. [31/6
—— SUPERBUM, 21*s*.

IMANTOPHYLLUM MINIATUM.

A most effective and beautiful plant, producing broad corymbs of large deep salmon-coloured erect blossoms, relieved by a lighter centre; it blooms during the winter and spring months. 3*s*. 6*d*., 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.; fine plants, 15*s*. and 21*s*.

IMANTOPHYLLUM MINIATUM ALBO-LIMBATUM, 2 and 3 guineas.
MINIATUM AURORA, 1 and 1½ guinea.
—— BRILLIANT, 2 guineas.
—— EMPRESS, 3 guineas.
—— FLAMBEAU, 2 guineas.
—— FLAMMEUM.
—— FORMOSUM, 15*s*. and 21*s*.
—— FULGENS, 15*s*. and 21*s*.
—— GRANDIFLORUM, 1½, 2 and 3 guineas.
—— HYBRIDUM, 15*s*.
—— ILLUSTRE, 3 guineas.
—— IMPERIALE, 3 guineas.
—— INSIGNE, 1½, 2 and 3 guineas.
—— LURIDUM, 15*s*.
—— MADAME VAN HOUTTE, 1½ guinea.
—— METEOR.
—— PREMIER.
—— PRINCE OF ORANGE, 1½, 2 & 3 guineas.
—— PRINCEPS, 1½, 2 and 3 guineas.

IMANTOPHYLLUM MINIATUM, PRINCESS.
MINIATUM REGALE, 3 guineas.
—— SPECIOSUM, 1½ guinea.
—— VIVID, 3 guineas.
INDIGOFERA DECORA, 5*s*.
IRIS FIMBRIATA, 1*s*. 6*d*.
ISMENE CALATHINA, 1*s*. 6*d*.
JASMINUM ANGULARE, 5*s*.
GRANDIFLORUM, 3*s*. 6*d*.
ODORATISSIMUM, 2*s*. 6*d*. and 3*s*. 6*d*.
PGITEAU, 3*s*. 6*d*.
See also page 26.
JUNCUS ZEBRINUS, *vide* Scirpus.
KENNEDYA MARRYATTÆ. 2*s*. 6*d*.
of sorts, 3*s*. 6*d*. and 5*s*.
LACHENALIA, of sorts, 1*s*. to 2*s*. 6*d*.
LAGERSTRŒMIA INDICA. 3*s*. 6*d*.
of sorts, 3*s*. 6*d*. and 5*s*.
LANDOLPHIA, *vide* page 26.

LAPAGERIA ALBA.

This extremely beautiful climber produces numerous fine large bell-shaped pure white flowers. It is a neat growing plant of free habit. 10*s*. 6*d*., 15*s*. and 21*s*.; fine specimens, 2, 3, 4 and 5 guineas and upwards.

LAPAGERIA ROSEA.

Various sizes of this well-known and extremely useful conservatory climber, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.; fine specimens, 1, 1½, 2 and 3 guineas and upwards.

LAPAGERIA RUBRA SUPERBA.

A magnificent variety, producing fine large flowers of an exceedingly rich and brilliant crimson colour; it is one of the most highly attractive of ornamental climbers for the greenhouse and conservatory. 10*s*. 6*d*., 15*s*. and 21*s*.; fine specimens, 2, 3, 4, and 5 guineas and upwards.

LASIANDRA MACRANTHA, 3*s*. 6*d*.
MACRANTHA FLORIBUNDA, 5*s*.
LAURUS CAMPHORA, 5*s*.
CINNAMOMUM, *vide* page 26.
LEUCOPOGON CUNNINGHAMII, 3*s*. 6*d*.
LEPTOSPERMUM SCOPARIUM (New Zealand Tea Plant), 3*s*. 6*d*.
LESCHENAULTIA BILOBA SPLENDENS (MAJOR), 3*s*. 6*d*. and 5*s*.
FORMOSA, 2*s*. 6*d*. and 3*s*. 6*d*.

LIBERTIA GRANDIFLORA.

A very handsome herbaceous perennial from New Zealand, which proves to be nearly hardy, and an abundant flowerer. The plant is an evergreen, with tufts of distichous grassy leaves. The flower stems are 3 feet high, bearing spike-like panicles of showy pure white flowers, produced in succession for a month or six weeks. 5*s*.

LIBONIA FLORIBUNDA, 1*s*. 6*d*. and 2*s*. 6*d*.
PENRHOSIENSIS, 1*s*. 6*d*. and 2*s*. 6*d*.
LILIUM, of sorts, *vide* pages 50 and 51.
LINUM TRIGYNUM, *vide* REINWARDTIA.

LITTONIA MODESTA.

A pretty Liliaceous plant of a genus allied to *Gloriosa:* it produces charming golden-yellow bell-shaped flowers, which are highly elegant and attractive. 3*s*. 6*d*.

LOMATIA FERRUGINEA, 5*s*. and 7*s*. 6*d*.
LUCULIA GRATISSIMA, 5*s*. and 7*s*. 6*d*.

LYCORIS AUREA.

A pretty golden-flowered Amaryllidaceous plant, requiring the same treatment as *Vallotas* and *Nerines*, a native of China. In the autumn it throws up stout spikes bearing in an umbel, six or more sweet-scented rich golden-yellow flowers, very attractive and ornamental. 1*s*. 6*d*. and 2*s*. 6*d*.

MACKAYA BELLA.

This beautiful Acanthaceous plant is a native of Natal. The flowers have a pale lilac corolla nearly two inches long, the throat ornamented with delicately pencilled reticulated purple veins, tubular below, campanulate upwards, with a deeply five-lobed spreading limb. The plant is very floriferous, and when in full bloom, appears a mass of most delicate, pendent, campanulate flowers. This charming plant has been figured in the *Botanical Magazine*, Tab. 5797. 3*s*. 6*d*. and 5*s*.

MACADAMIA TERNIFOLIA, 10*s*. 6*d*.
MACROZAMIA, *vide* Index.
MAGNOLIA CAMPBELLII, *vide* page 52.
MAGNOLIA FUSCATA, 3*s*. 6*d*. and 5*s*.
PUMILA, *vide* page 26.
MANDEVILLA SUAVEOLENS, 2*s*. 6*d*. and 3*s*. 6*d*.

MARICA NORTHIANA.

An Iris-like plant, a native of Brazil. It has broad sword-shaped leaves, and the flower stems, which are flattened and leaf-like, bear singularly handsome flowers, which consist of three ovate ivory-white sepals, spotted with brown at the base, and three yellowish petals marked with rich brown in the lower parts, and white veined with blue at the recurved tips. 7*s.* 6*d.* and 10*s.* 6*d.*

MARSILEA MACROPUS, "NARDOO," 10*s.* 6*d.*
METROSIDEROS FLORIBUNDA, 2*s.* 6*d.*
ROBUSTA, 3*s.* 6*d.* and 5*s.*
MITRARIA COCCINEA, 2*s.* 6*d.* and 3*s.* 6*d.*
MONOCHÆTUM SERICEUM MULTIFLORUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MUSA CAVENDISHII, *vide* page 26.
ZEBRINA, *vide* page 26.

MUSA ENSETE.

MUSA ENSETE.

This is the grand Banana of Abyssinia. In growth it is one of the most striking and noble of ornamental plants, and it is without doubt one of the most effective for summer out-door gardening. Its immense erect leaves are from eight to ten feet long, of a beautiful dark green colour, the midrib being bright crimson, forming an admirable and striking contrast. It attains altogether an average growth of twelve to fifteen feet in height. 7*s.* 6*d.* and 10*s.* 6*d.*

MYRSIPHYLLUM ASPARAGOIDES, 2*s.* 6*d.* and 3*s.* 6*d.*
MYRTUS, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
NERINE ATROSANGUINEA, 10*s.* 6*d.*
CORUSCA, 1*s.* 6*d.*
—— MAJOR, 3*s.* 6*d.*
ELEGANS, 7*s.* 6*d.*
—— CÆRULEA, 7*s.* 6*d.*
—— CARMINATA, 7*s.* 6*d.*
FOTHERGILLII, 2*s.* 6*d.*
—— MAJOR, 3*s.* 6*d.*
HUMILIS CÆRULEA, 7*s.* 6*d.*
—— ELEGANS, 7*s.* 6*d.*

NERINE JAPONICA; this pretty species is known as the "Japanese Spider Lily," and produces handsome heads of bright reddish-crimson flowers, the protruding anthers being of unusual length. *Vide* illustration. 1*s.* each; 9*s.* per doz.
ROSEA, 2*s.* 6*d.*
SARNIENSIS (THE GUERNSEY LILY), 9*s.* and 12*s.* per dozen.
NERIUM MADONI GRANDIFLORUM, 2*s.* 6*d.*
ALBUM PLENUM (Double White), 2*s.* 6*d.*
LILIAN HENDERSON, 3*s.* 6*d.*
RUBRUM PLENUM (Double Red), 2*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
OLEA FRAGRANS, 3*s.* 6*d.* and 5*s.*
OPHIOPOGON JABURAN AUREO-VARIEGATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
SPICATUS ARGENTEO-MARGINATUS, 2*s.* 6*d.* and 3*s.* 6*d.*
ORCHIDS, of sorts, *vide* Index.
PALMS, of sorts, *vide* Index.
PANCRATIUM PARVIFLORUM, heads of pretty white flowers, tinged with green on the exterior. 1*s.*; 9*s.* per doz.
PARDANTHUS CHINENSIS, 6*d.* each; 5*s.* per doz.
PASSIFLORA CÆRULEA, *vide* page 52.
CÆRULEA, EYNSFORD GEM, 2*s.* 6*d.*
—— GRANDIFLORA, 3*s.* 6*d.*
—— RACEMOSA, 2*s.* 6*d.*
EDULIS, 3*s.* 6*d.*
IMPERATRICE EUGENIE, 3*s.* 6*d.*
LAWSONI, 3*s.* 6*d.*
of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
See also page 29.
PELARGONIUM, *vide* Index.

NERINE JAPONICA.

PHÆDRANASSA CHLORAEA, 6*d.* each; 5*s.* doz.
PHALANGIUM ARGENTEO-LINEARE (ANTHERICUM VARIEGATUM), 2*s.* 6*d.* and 3*s.* 6*d.*
LINEARE ELEGANS, 5*s.*
PHILESIA BUXIFOLIA, 7*s.* 6*d.* and 10*s.* 6*d.*
PHORMIUM ATROPURPUREUM, 5*s.* and 7*s.* 6*d.*
COLENSOI VARIEGATUM, 5*s.* & 7*s.* 6*d.*
TENAX, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
—— NIGRO-LIMBATUM, 10*s.* 6*d.*
—— VARIEGATUM, 1 and 1½ guinea.
—— VEITCHII VARIEGATUM, 5*s.* and 7*s.* 6*d.*
PHYLLOCACTUS AURANTIACUS, 5*s.*
CRENATUS ALBUS, 5*s.*
FLAMMEUS, 5*s.*
FULGENS, 3*s.* 6*d.*
PHYLLOCACTUS MAGNIFICUS, 5*s.*
PEACOCKII, 3*s.* 6*d.* and 5*s.*
RUBER, 3*s.* 6*d.*
SANGUINEUS, 5*s.*
VIOLACEUS, 3*s.* 6*d.*
VIVICANS, 5*s.*
PHYSIANTHUS ALBENS, *vide* Aranja cericifera.
PIMELEA DECUSSATA, 2*s.* 6*d.* and 3*s.* 6*d.*
HENDERSONI, 3*s.* 6*d.* and 5*s.*
NIEPPERGIANA, 3*s.* 6*d.* and 5*s.*
SPECTABILIS, 3*s.* 6*d.* and 5*s.*
PINCINECTITIA TUBERCULATA, 21*s.*
PISTACIA TEREBINTHUS, 7*s.* 6*d.*
PITTOSPORUM RALPHSII, 5*s.*

PITTOSPORUM CRASSIFOLIUM.

A bushy growing plant, of erect branching habit, with light green leaves, which are tomentose on the under surface; the flowers are of a dark chocolate-purple colour, and are freely produced in nodding peduncled umbels; it is a native of New Zealand. 5*s.*

PITTOSPORUM TOBIRA VARIEGATA, 3*s.* 6*d.*
PLEROMA ELEGANS, 3*s.* 6*d.*
PLUMBAGO CAPENSIS, 2*s.* 6*d.* and 3*s.* 6*d.*
CAPENSIS ALBA, 2*s.* 6*d.* and 3*s.* 6*d.*
Also vide page 30.
POLYGALA CORDIFOLIA, 3*s.* 6*d.*
DALMAISIANA, 3*s.* 6*d.*
POLYGONUM, *vide* page 52.
PRIMULA FLORIBUNDA, 2*s.* 6*d.*
SINENSIS ALBA PLENA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— FLORE-PLENO, of sorts, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
PROTEINOPHALLUS RIVIERI, *vide* Amorphophallus.
PUNICA GRANATUM (POMEGRANATE), 3*s.* 6*d.* and 5*s.*
GRANATUM ALBA PLENA, 3*s.* 6*d.* and 5*s.*
PUNICA GRANATUM RUBRA PLENA, 3*s.* 6*d.* and 5*s.*
GRANATUM LEGRELLII (Double Buff), 3*s.* 6*d.* and 5*s.*
REINWARDTIA TETRAGYNE (LINUM TRIGYNUM), 2*s.* 6*d.*
RHODODENDRONS, *vide* pages 43 to 45.
RHYNCHOSPERMUM JASMINOIDES, *vide* Trachelospermum.
RICHARDIA AFRICANA *(Calla æthiopica)*, 1*s.* and 1*s.* 6*d.*
AFRICANA, Little Gem, 1*s.*
—— CANDIDISSIMA.
—— COMPACTA.
—— GIGANTEA.
—— NITIDA, 2*s.* 6*d.*
ALBO-MACULATA, 6*d.*
AURATA.

RICHARDIA (CALLA) ELLIOTTIANA.

This magnificent new species in habit of growth and shape of flower, is almost identical with the well-known *R. æthiopica*, but it differs from that species in the flowers being of a rich golden yellow colour, while the decorative character of the plant is further enhanced by the leaves being ornamented with a number of creamy white spots. Price on application.

RICHARDIA PENTLANDII.
ROEZLIA REGIA, *vide* Fourcræa Beddinghausei.
ROGEIRA GRATISSIMA, 3*s.* 6*d.* and 5*s.*
ROHDEA JAPONICA, 3*s.* 6*d.* and 5*s.*
JAPONICA ARGENTEA, 15*s.*
RUSCUS ANDROGYNUS, 3*s.* 6*d.*

SAINT-PAULIA IONANTHA.

A very distinct and pretty greenhouse plant, producing an abundance of pretty flowers, borne singly on long stalks, and much resembling in appearance the "Violet." The blossoms are of a light blue colour, ornamented with golden yellow stamens. 3*s.* 6*d.*

SALVIAS. *vide* Bedding Plants.
SARRACENIAS, of sorts, 3*s.* 6*d.*, 5*s.* to 10*s.* 6*d.*
SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis, page 48.
SENECIO MACROGLOSSUS (The Cape Ivy), 1/6 & 2/6.
PULCHER, *vide* page 53.
SOLANUM JASMINOIDES, 2*s.* 6*d.*
WENDLANDII, *vide* page 30.
SPARMANNIA AFRICANA, 2*s.* 6*d.*
AFRICANA FLORE-PLENO, 3*s.* 6*d.* and 5*s.*
STATICE HOLFORDII, 3*s.* 6*d.* and 5*s.*
PROFUSA (RATTRAYANA), 3*s.* 6*d.* and 5*s.*
STENOCARPUS CUNNINGHAMII, 5*s.* to 10*s.* 6*d.*
STRELITZIA REGINÆ, *vide* page 32.
STREPTOSOLEN (BROWALLIA) JAMESONI, 1*s.* 6*d.*
TACSONIA BUCHANANI, *vide* page 32.
EXONIENSIS, 2*s.* 6*d.*
MOLLISSIMA, 2*s.* 6*d.*
PINNATISTIPULA, 2*s.* 6*d.*
VAN VOLXEMI, 2*s.* 6*d.*

TACSONIA SMYTHEANA.

This handsome hybrid has been raised from *T. mollissima* and an unknown species. Flowers very distinct in colour, which is a peculiar shade of orange-scarlet. 3*s* 6*d.*

TECOMA ROSEA.

A remarkably handsome greenhouse climber of the Bignoniaceous order, imported from South Africa. It has opposite pinnate leaves, and bears magnificent racemes, three to four feet in length, of large showy trumpet-shaped flowers, which are of a rosy lilac colour. This beautiful plant can scarcely be too strongly recommended as a handsome showy climber. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

TECOMA SMITHII.

A very handsome free-flowering hybrid greenhouse climber. The flowers, which are produced in large panicles, are of a bright orange colour, with chestnut brown markings at the base of the lobes, forming a dark ring around the throat. It has been introduced from Australia, where it has been awarded Certificates by the Horticultural Societies of South Australia and Victoria. 3*s*. 6*d*.

TECOMA, *vide* Bignonia.
THEA ASSAMICA, 3*s*. 6*d*.
THEAS of sorts, 3*s*. 6*d*. and 5*s*.
THIBAUDIA ACUMINATA, 3*s*. 6*d*.
THUNBERGIA, *vide* pages 31 and 32.
TRACHELOSPERMUM (RHYNCHOSPERMUM) JASMINOIDES, 3*s*. 6*d*. and 5*s*.
(RHYNCHOSPERMUM) JASMINOIDES ALBO-VARIEGATUM, 3*s*. 6*d*. and 5*s*.
TREMANDRA ERICÆFOLIA, 2*s*. 6*d*. and 3*s*. 6*d*.
HIRSUTA, 2*s*. 6*d*. and 3*s*. 6*d*.
VERTICILLATA, 2*s*. 6*d*. and 3*s*. 6*d*.
TROPÆOLUM AZUREUM GRANDIFLORUM, 3*s*. 6*d*. and 5*s*.
BRACHYCERAS, 2*s*. 6*d*.
PENTAPHYLLUM, 2*s*. 6*d*.
TRICOLOR GRANDIFLORUM (JARRATTII), 1*s*. and 1*s*. 6*d*.
TUBEROSUM, *vide* page 54.
of sorts, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
TUBEROSES BEST DOUBLE
AFRICAN
AMERICAN
THE PEARL
These can be supplied in dormant bulbs, by the dozen or hundred, at the proper season.

TURRÆA HETEROPHYLLA.

A small-growing slender-branched shrub, a native of Natal. It has glabrous branches, and ovate undivided or three-lobed leaves, which fall away before the flowering season. The flowers are white, five-petalled, clustered at the end of the branches. 5*s*. and 7*s*. 6*d*.

VALLOTA PURPUREA, 2*s*. 6*d*.
PURPUREA MAJOR, 3*s*. 6*d*. and 5*s*.
VITIS HETEROPHYLLA HUMULIFOLIA, 2*s*. 6*d*.
HETEROPHYLLA VARIEGATA, 2*s*. 6*d*. & 3*s*. 6*d*.
WITSENIA CORYMBOSA, 3*s*. 6*d*.
YUCCA ALOIFOLIA VARIEGATA, 5*s*.
FILAMENTOSA VARIEGATA, 5*s*. and 7*s*. 6*d*.
YUCCA PARMENTIERI, *vide* Fourcræa Beddinghausei.
TONELIANA, *vide* Fourcræa Beddinghausei.
ZAMIA, *vide* Index.
ZEPHYRANTHES CARINATA, 12*s*. per dozen.
TUBISPATHA, 9*s*. per dozen.

GREENHOUSE RHODODENDRONS.

For New Varieties, *vide* page 7.

ALBESCENS, an extremely handsome sweet-scented greenhouse variety, producing very large and beautiful glistening white flowers, slightly undulated on the margins, the upper segments being marked at the base with sulphur yellow. 7*s*. 6*d*.
ANDERSONI, a handsome introduction from the Himalayas, giving very large and fine trusses of blossoms, which are of a bright rich carmine colour. 3*s*. 6*d*. and 5*s*.
ARBOREUM, 3*s*. 6*d*.
ARGENTEUM, *vide* grande.
ASSAMICUM, flowers about 3½ inches broad, pure milk-white, with a cream-coloured stain at the base of the upper lobe near the mouth of the tube. 5*s*.
BARBATUM, bright scarlet flowers, distinct and effective. 5*s*.
BLANDFORDIÆFLORUM. 3*s*. 6*d*. and 5*s*.
CALOPHYLLUM, a handsome species, producing large funnel-shaped pure white flowers. 3*s*. 6*d*.
CINNABARINUM. 3*s*. 6*d*. and 5*s*.
CLARINDA, flowers of a very delicate blush-pink, the petals being prettily crimped. 10*s*. 6*d*.
COUNTESS OF DERBY, bell-shaped flowers of great substance and large size; pure white and most deliciously fragrant; a very free-blooming variety. 7*s*. 6*d*.
COUNTESS OF HADDINGTON, large blush-white flowers; exceedingly beautiful. 3*s*. 6*d*. and 5*s*.
COUNTESS OF SEFTON, large cup-shaped flowers, with fringed edges; pure white, slightly shaded with rosy-purple; the trusses are large, often equalling in size and fulness those of a hardy Rhododendron. 5*s*. and 7*s*. 6*d*.
DAVIESII, a free-growing hybrid of bushy habit, producing freely its trusses of beautiful flowers of a lustrous orange-red colour. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
DIADEM, fine trusses of irregularly shaped flowers of a pleasing soft rosy pink colour. 10*s*. 6*d*.
DIANA, an extremely free flowering hybrid, producing fine heads of bloom even on small plants. The individual flowers have long tubes, and are of a delicate blush pink colour, the petals being somewhat crimped and wavy. 10*s*. 6*d*.
DUCHESS OF CONNAUGHT, bright vermilion-red flowers of great substance. 7*s*. 6*d*. and 10*s*. 6*d*.
DUCHESS OF EDINBURGH, large scarlet flowers, very beautiful. 7*s*. 6*d*. and 10*s*. 6*d*.
DUCHESS OF TECK, buff-yellow, shaded with scarlet, very fine. 5*s*. and 7*s*. 6*d*.

RHODODENDRON, PINK BEAUTY.

RHODODENDRON, PINK BEAUTY.

A remarkably beautiful hybrid, producing immense trusses of fine large flowers, of a delicate soft pink colour, with long blush-white tube. This handsome hybrid belongs to the perpetual-blooming section of greenhouse Rhododendrons. *5s.* and *7s. 6d.*

GREENHOUSE RHODODENDRONS—continued.

EMBLEM, this produces immense heads of long-tubed flowers; the tube blush and the segments of a beautiful rich bright pink colour; exceedingly handsome and attractive. 5*s*. and 7*s*. 6*d*.

EXONIENSE, 3*s*. 6*d*.

FAIR ROSAMOND, fine trusses of delicate blush tinted flowers of large size, the petals being of good shape and substance, prettily crimped and undulated on the margins. 10*s*. 6*d*.

FALCONERI, magnificently ornamental; this species has the largest leaves in the genus. 5*s*. & 7*s*. 6*d*.

FRAGRANTISSIMUM, deliciously fragrant flowers, of the purest white, lightly spotted with ochre on the upper segment; the back of the flower pencilled and shaded with rose. 3*s*. 6*d*.

FULGENS, rich fiery crimson; extremely showy and effective; compact habit. 3*s*. 6*d*. and 5*s*.

GRANDE (ARGENTEUM), immense heads of large ivory-white flowers deeply stained with crimson at the base. 7*s*. 6*d*.

HIMALAICUM, this variety produces fine large handsome trusses of bright carmine flowers. 3*s*. 6*d*.

JAMESONI, this variety produces large terminal trusses of handsome bright red flowers. 3*s*. 6*d*. and 5*s*.

JASMINIFLORUM, an elegant free-blooming species, with fragrant white flowers, borne successionally in clusters. 3*s*. 6*d*. and 5*s*.

JAVANICUM, a beautifully golden-yellow flowering species. 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

JENKINSII, flowers exceedingly large, funnel-shaped, and of snowy whiteness; the handsome wax-like attractive blossoms render it a most beautiful plant for conservatory decoration. 5*s*.

JUNO, a very pretty and distinct hybrid with orange-buff flowers, borne in large heads. 10*s*. 6*d*.

LADY ALICE FITZWILLIAM, clusters of white blooms, each flower three and a half to four inches across. 3*s*. 6*d*. and 5*s*.

LADY SKELMERSDALE, pure white trumpet-shaped fragrant flowers; very handsome. 5*s*.

LEPIDOTUM, flowers of medium size, of a rosy purple colour. 7*s*. 6*d*.

MRS. JAMES SHAWE, a variety of bushy habit, producing in profusion pure white sweet-scented flowers, which are cup-shaped and of great substance. 5*s*.

MULTIFLORUM, bears a profusion of beautiful white flowers; of dwarf habit. 2*s*. 6*d*. and 3*s*. 6*d*.

MYRA, this chaste and pretty hybrid is a most desirable addition to the handsome and perpetual flowering section of Rhododendrons, and blooming as they do from almost every growth, too much can hardly be said in their favour. The variety now offered produces in the freest manner large trusses of well-shaped pure white flowers, the petals being crisped and undulated. 10*s*. 6*d*.

PINK BEAUTY, *vide* page 44.

PLATO, large flowers of a light shade of salmon-pink, the throat gradually expanding from base of tube. 10*s*. 6*d*.

PRINCE LEOPOLD, bright carmine, very handsome; a richly coloured variety. 7*s*. 6*d*. and 10*s*. 6*d*.

PRINCESS ALEXANDRA, a pretty hybrid variety, of compact growth, with similar flowers to those of *R. jasminiflorum*, but larger and longer tubed, pure white, with pink stamens. 3*s*. 6*d*. and 5*s*.

PRINCESS ALICE, a neat dwarf bushy-growing variety of the *ciliatum* type, producing clusters of deliciously-scented bell-shaped white flowers, flushed with pink. 3*s*. 6*d*. and 5*s*.

PRINCESS ROYAL, a handsome and distinct variety of neat compact growth, with clusters of richly-shaded, rose-coloured, funnel-shaped flower tubes. 3*s*. 6*d*. and 5*s*.

QUEEN OF DWARFS, bears large well-expanded snow-white flowers of great substance; it is of bushy habit, and very floriferous. 5*s*.

RETUSUM, this distinct species produces clusters of tubular orange-coloured flowers. 5*s*. and 7*s*. 6*d*.

ROSALIND, a charming hybrid of neat compact habit, and very free blooming; it produces fine clusters of beautiful long-tubed flowers of a delicate soft pink shade; a most pleasing and effective variety. 5*s*. and 7*s*. 6*d*.

ROSY GEM, a charmingly attractive hybrid, producing large heads of long-tubed flowers of a rich rose colour, the edges of the segments deep pink, the exterior of the tube blush-white. This will be found a most desirable acquisition for the greenhouse. 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.

SESTERIANUM, fine large fragrant white flowers. 3*s*. 6*d*. and 5*s*.

SMIRNOWII, introduced from Armenia; produces corymbs of pretty campanulate reddish-crimson flowers, of medium size. 10*s*. 6*d*.

TAYLORI, rich bright pink flowers with white tube; a splendid variety producing fine large trusses. 3*s*. 6*d*. and 5*s*.

THIBAUDIENSE, this remarkable Rhododendron has been introduced from Bhotan; its bright red tubular flowers are produced in terminal trusses, in form somewhat resembling those of the Correas and Thibaudias, and having the same alabaster-like translucent lustre, hence its name. 3*s*. 6*d*. and 5*s*.

UNGERNII, introduced from Armenia; the flowers, which are borne in umbellate corymbs, are pure white and of medium size. 10*s*. 6*d*.

VEITCHIANUM, a beautiful species, with very large white flowers, relieved by a yellow centre or base, and elegantly fringed or frilled on the margin. 5*s*. and 7*s*. 6*d*.

VIRGINALE, the pure white flowers of this beautiful variety are large and funnel-shaped; it has leathery dark green foliage, and forms a splendid plant for conservatory decoration, the great size and snowy whiteness of its blossoms rendering it extremely attractive. 5*s*.

WIGHTII, a fine species of neat habit, producing clusters of large and elegant bell-shaped flowers of a golden-yellow colour, the expanding lobes being marked with blotches of reddish-crimson surmounted by pink dots. 7*s*. 6*d*.

NEW, RARE AND DESIRABLE HARDY PLANTS.

ACER PLATANOIDES LEOPOLDII, 1*s.* 6*d.*

ACORUS JAPONICUS SIEBOLDII STRIATUS, 1*s.* 6*d.*

ALPINE PLANTS.

Choice selections of these pretty plants, suitable for Rock-work, &c. 9*s.* and 12*s.* per dozen.

AKEBIA QUINATA, 1*s.* 6*d.*

ALSTROMERIA AURANTIACA, 2*s.* 6*d.* per dozen.
BRASILIENSIS, 3*s.* 6*d.* per dozen.
CHILENSIS, 2*s.* 6*d.* per dozen.
PSITTACINA, 2*s.* 6*d.* per dozen.
See also page 33.

ALTHÆA FRUTEX, *vide* Hibiscus syriacus.

AMARYLLIS BELLADONNA, 9*d.* and 1*s.* each; 6*s.* and 9*s.* per dozen.

AMPELOPSIS SEMPERVIRENS, 5*s.*
TRICUSPIDATA (*Vitis japonica*), 1*s.* 6*d.* and 2*s.* 6*d.*
—— PURPUREA, a very handsome purple-leaved variety of this useful wall climber, 3*s.* 6*d.*

ANDROMEDA JAPONICA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

ANEMONE JAPONICA ALBA (*Honorine Jobert*), pure white, 6*d.* each; 4*s.* 6*d.* per dozen.
JAPONICA, LADY ARDILAUN, much finer than the well-known white variety *Honorine Jobert*, the growth being more vigorous and the flowers much larger and of greater substance. 5*s.*
—— HYBRIDA, 6*d.* each; 4*s.* 6*d.* per dozen.
—— RUBRA, 6*d.* each; 4*s.* 6*d.* per dozen.
—— WHIRLWIND, a double-flowered white variety, 1*s.* 6*d.*

ARALIA MAXIMOWICZII (*Acanthopanax ricinifolia*), 2*s.* 6*d.* and 3*s.* 6*d.*

ARISÆMA CORNUTUM (*Sauromatum guttatum*) 3*s.* 6*d.*

ARUM ARISTATUM.

ARUM DIOSCORIDES.

ARUM ARISTATUM, large flowers, black inside, olive coloured and striped outside; quite odourless. *Vide* illustration. 1*s.*
BOWEII, a dwarf-growing species with milk-white flowers. 2*s.* 6*d.*
CORSICUM, spathes dark purplish-black. 1*s.* 6*d.*

ARUM PALÆSTINUM (SANCTUM).

ARUM DIOSCORIDES, a remarkable variety, producing on short stalks attractive olive-coloured flowers, marked with dark purple spots. *Vide* illustration. 1*s.* 6*d.*

ARUM PALÆSTINUM (SANCTUM), a very handsome and compact-growing variety introduced from the Holy Land. In the early spring the plants produce large sweet-scented flowers, the spathes being from 14 to 18 inches long, of a brilliant dark purple colour. The spadix is about 10 inches long, deep velvety black. Is admirably suited for pot culture. *Vide* illustration, page 46. 1*s.* 6*d.* each.

ARUMS, of sorts, 12*s.* and 18*s.* per dozen.

ARUNDO CONSPICUA, 1*s.* 6*d.* and 2*s.* 6*d.*

ASCLEPIAS TUBEROSA, 1*s.*

ASPIDISTRA LURIDA, 2*s.* 6*d.* and 3*s.* 6*d.*

LURIDA VARIEGATA, 3*s.* 6*d.* and 5*s.*

ASTILBE BARBATA, *vide* Spiræa japonica.

AUCUBA JAPONICA FŒMINA, various sorts, 3*s.* 6*d.* and 5*s.*

JAPONICA LUTEO-PICTA, 7*s.* 6*d.*

—— MASCULA, various sorts, 3*s.* 6*d.* and 5*s.*

AZALEA LINEARIFOLIA, 5*s.*

AZALEA MOLLIS.

This useful hardy Japanese shrub cannot be too strongly recommended, for it is invaluable either grown in pots, for forcing, for greenhouse or conservatory decoration, for beds or grouping in the open borders. It blossoms in a profuse manner, the large funnel-shaped flowers ranging in colour from rosy-salmon through various shades of yellow to bright orange. 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*

AZALEAS, hardy varieties, of sorts, 18*s.*, 30*s.* and 42*s.* per dozen.

AZARA MICROPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*

BAMBUSA AUREA, 2*s.* 6*d.*

FALCATA, *vide* page .

GRACILIS, 2*s.* 6*d.* and 3*s.* 6*d.*

FORTUNEI VARIEGATA, 2*s.* 6*d.*

MAXIMOWICZII, 3*s.* 6*d.* and 5*s.*

METAKE *(Arundinaria japonica)*, 2*s.* 6*d.* and 3*s.* 6*d.*

NANA, 2*s.* 6*d.* and 3*s.* 6*d.*

SIMONII, 3*s.* 6*d.*

TESSELLATA *(Ragamowski)*, 2*s.* 6*d.* and 3*s.* 6*d.*

BERBERIS HETEROPODA, 5*s.*

STENOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*

of sorts, 3*s.* 6*d.* and 5*s.*

BIGNONIA GRANDIFLORA, 2*s.* 6*d.* and 3*s.* 6*d.*

RADICANS MAJOR, 1*s.* 6*d.* and 2*s.* 6*d.*

Vide pages 16 and 34.

BOCCONIA JAPONICA, 3*s.* 6*d.*

CALOCHORTUS, of sorts, 12*s.* per dozen.

CALYCANTHUS PRÆCOX, *vide* Chimonanthus fragrans.

CAMPANULA TURBINATA, 1*s.*

CARPENTERIA CALIFORNICA.

A handsome Californian shrub, producing large terminal bunches of white flowers, which have similar fragrance to that of the *Philadelphus*; it is extremely ornamental. 5*s.*

CEANOTHUS, of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*

CHIMONANTHUS FRAGRANS, 2*s.* 6*d.* and 3*s.* 6*d.*

CHOISYA TERNATA, 1*s.* 6*d.* and 2*s.* 6*d.*

CHRYSANTHEMUMS, *vide* Index.

CINNAMOMUM SERICEUM, 5*s.*

CITRUS, *vide* page 36.

CLEMATIS.

As hardy climbers, the large-flowered hybrid varieties cannot be too strongly recommended, for they are of easy and free growth, profuse bloomers, and the colours of the different sorts are varied and distinct, such as light and dark blue, white, plum, silvery-grey, violet, lavender, rosy-purple, mauve, &c. Price 18*s.* and 30*s.* per dozen. New varieties, 42*s.* per dozen.

CLEMATIS COCCINEA, 2*s.* 6*d.*

JACKMANNI ALBA, 2*s.* 6*d.*

MADAME EDOUARD ANDRE, the new red Clematis, 3*s.* 6*d.*

CORNUS MASCULA AUREO-ELEGANTISSIMA, 2*s.* 6*d.*

SIBIRICA SPATHII, a very handsome ornamental shrub, with beautifully variegated foliage. 3*s.* 6*d.*

CRATÆGUS CARRIÈRI, large white flowers, turning to rose; fruit as large as a cherry. 5*s.*

LÆLANDII, 1*s.* and 1*s.* 6*d.*

CRINUM CAPENSE ALBUM, 1*s.*

CAPENSE ROSEUM, 1*s.*

MOOREI, *vide* page 36.

POWELII, *vide* page 36.

CROCOSMIA AUREA, 1*s.*

AUREA MACULATA, 3*s.* 6*d.*

IMPERIALIS, a very handsome and striking new species, producing spikes of immense fiery orange-scarlet flowers 3½ to 4 inches in diameter. 2*s.* 6*d.* and 3*s.* 6*d.*

CYCLAMEN AFRICANUM, a handsome hardy species, with large ornamental leaves; flowers bright reddish crimson. *Vide* illustration. 1*s.* each, 10*s.* per dozen.

CYCLAMEN AFRICANUM.

CYCLAMEN COUM, bright red, 7*s.* 6*d.* per dozen.
EUROPÆUM, rosy red flowers, sweet scented. 4*s.* per dozen.
HEDERÆFOLIUM, 5*s.* per dozen.
CYDONIA JAPONICA, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
CYPRIPEDIUM ACAULE, 3*s.* 6*d.* and 5*s.*
ARIETINUM, 2*s.* 6*d.*
MONTANUM, 5*s.*
PARVIFLORUM, 2*s.* 6*d.*
PUBESCENS, 2*s.* 6*d.*
SPECTABILE, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
[Various species of these interesting Terrestrial Orchids can be supplied at the proper season, when dormant.]
CYTISUS SCOPARIUS ANDREANUS, 3*s.* 6*d.*
DELPHINIUMS, of sorts, 1*s.* 6*d.* and 2*s.* 6*d.*
DESMODIUM PENDULIFLORUM, *vide* Lespedeza Sieboldii.
DEUTZIA CRENATA ROSEO-PLENA, 1*s.* 6*d.*
PARVIFLORA, a hardy shrub introduced from Northern China, the upper part of the branches becoming completely covered with large round white flowers. It comes into flower much earlier than other species, and is admirably adapted for forcing. 2*s.* 6*d.* and 3*s.* 6*d.*
PRIDE OF ROCHESTER, a handsome flowering double variety. *Vide* illustration. 1*s.* 6*d.* each; 15*s.* per dozen.
DIEYTRA SPECTABILIS, when dormant, 5*s.* per dozen.
DIMORPHANTHUS MANDCHURICUS, 1*s.* 6*d.*
ELYMUS GLAUCIFOLIUS, 1*s.* 6*d.* each, 15*s.* per doz.
EREMURUS ROBUSTUS, 5*s.*
ERYTHRINA, *vide* pages 22 and 39.
ESCALLONIA MACRANTHA, 2*s.* 6*d.*
EUCRYPHIA PINNATIFOLIA, 10*s.* 6*d.*
EULALIA ORACILLIMA UNIVITTATA, *vide* Miscanthus sinensis.
JAPONICA ALBO-LINEATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ZEBRINA, 2*s.* 6*d.* and 3*s.* 6*d.*
EUONYMUS OCCIDENTALE, a hardy ornamental flowering shrub, introduced from the Eastern States of North America. 3*s.* 6*d.*
EXOCHORDA ALBERTI, 3*s.* 6*d.*
FORSYTHIA SUSPENSA, 2*s.* 6*d.*

DEUTZIA, PRIDE OF ROCHESTER.

FRAXINUS MANDCHURICUS, 3*s.* 6*d.*
FREESIAS, *vide* page 39.
GENISTA ANDREANA, *vide* Cytisus Scoparius Andreanus.
GUNNERA MANICATA, 3*s.* 6*d.*
SCABRA, 3*s.* 6*d.*
HEDERA AMURENSIS, 2*s.* 6*d.*
ATROPURPUREA, 1*s.* 6*d.*
SPECTABILIS AUREA, 2*s.* 6*d.*
HELIX AURANTIACA; this is the scarlet-berried Ivy. 2*s.* 6*d.* and 3*s.* 6*d.*
HEMEROCALLIS, of sorts, 9*d.* and 1*s.*

HERBACEOUS PLANTS.

Choice selections of these useful hardy border plants, 6*s.* and 9*s.* per dozen.

HIBISCUS SYRIACUS (ALTHÆA FRUTEX), 1*s.* 6*d.*
SYRIACUS ALBO-PLENUS, 1*s.* 6*d.*
—— AMARANTHE, 1*s.* 6*d.*
—— ANEMONÆFLORUS, 1*s.* 6*d.*
—— ARDENS, 1*s.* 6*d.*
—— BICOLOR HYBRIDA, 1*s.* 6*d.*
—— BOULE DE FEU, 1*s.* 6*d.*
—— CÆRULEUS PLENUS, 1*s.* 6*d.*
—— CARNEUS PLENUS, 1*s.* 6*d.*
—— COMTE DE FLANDRES, 1*s.* 6*d.*
—— CÆLESTIS, 1*s.* 6*d.*
—— DE LA REINE, 1*s.* 6*d.*
—— DE LA VEUVE, 1*s.* 6*d.*
—— DUC DE BRABANT, 1*s.* 6*d.*
—— ELEGANTISSIMUS, 1*s.* 6*d.*
—— GRANDIFLORUS SUPERBUS, 1*s.* 6*d.*
—— LEOPOLDII, 1*s.* 6*d.*

HIBISCUS SYRIACUS.
SYRIACUS PURPUREUS VARIEGATUS, 1*s.* 6*d.*
—— RANUNCULIÆFLORUS, 1*s.* 6*d.*
—— RUBER PURPUREUS FL. PL., 1*s.* 6*d.*
—— SPECIOSUS, 1*s.* 6*d.*
—— TOTUS ALBUS, 1*s.* 6*d.*
—— VIOLACEUS ATROPURPUREUS FL. PL., 1*s.* 6*d.*
—— —— SEMI-PLENUS, 1*s.* 6*d.*
See also pages 24 and 39.
HOTEIA JAPONICA, *vide* Spiræa japonica.
HYACINTHUS ORIENTALIS, 1*s.* 6*d.* per dozen.
HYDRANGEA ASPERA, 2*s.* 6*d.*
PANICULATA GRANDIFLORA, 1*s.* and 1*s.* 6*d.*
PEKINENSIS, 3*s.* 6*d.*
VOLUBILIS (SCANDENS), 1*s.* 6*d.*
See also page 39.

HYPERICUM MOSERIANUM.

A handsome evergreen shrub, attaining a height of 3 to 5 feet, of great floriferousness, being covered from May till late in Autumn with magnificent deep yellow flowers, having a diameter of nearly 3 inches. It has obtained a First-Class Certificate. 2*s.* 6*d.*

HYPERICUM MOSERIANUM TRICOLOR.

A most charming variety of the preceding, the leaves being splashed and irregularly variegated with bright rose, white, light and dark green.

IRIS KÆMPFERI.

IRIS LORTETII.

IRIS GERMANICA.

The handsome hybrids of this beautiful section are of the greatest use for the adornment of beds and borders; the flowers are of rich and varied colours, striped or blotched with purple and violet, on a white or yellow ground. 6*s*., 9*s*. and 12*s*. per dozen; choice mixed varieties, 2*s*. 6*d*. per dozeu.

IRIS KÆMPFERI.

Many magnificent varieties of this handsome and attractive plant have been imported from Japan: indeed, scarcely any plants in the flower garden can compare for gorgeous beauty with this section of Iris. Varying in colour from pure white to rich maroon-crimson, there are few flowers surpassing them in size and the brightness of their colouring. Some are pure white with delicate reticulations of lavender, others are beautifully maculated with rosy-purple on a light ground, while many beautiful shades of dark crimson, blue, purple, and violet will be found amongst them. They succeed admirably planted ou the margin of a lake or pond, or in any situation where pleuty of moisture can be given. *Vide* illustration. 2*s*. 6*d*. and 3*s*. 6*d*. each; choice varieties, 5*s*. and 7*s*. 6*d*. each. Mixed Seedlings, 7*s*. 6*d*. and 10*s*. 6*d*. per dozen.

IRIS ALATA, lovely blue flowers, 9*d*.

ATROFUSOA, large rosy-purple flowers, 1*s*. 6*d*.

ATROPURPUREA, very dark blackish-purple flowers, 6*d*.

FLORENTINA, large pure white flowers, 1*s*. 6*d*.

HISTRIO, porcelain-blue flowers, 2*s*. 6*d*.

IBERICA, white grouud, with rich brownish-purple markings, 1*s*.

LORTETII, inner segments pale lilac, prettily veined; falls cream colour, profusely veined and spotted with brownish-rose. *Vide* illustration. 2*s*. 6*d*.

MARLÆ (HELENÆ), beautiful lilac flowers, deep purple blotch on falls, 9*d*.

MOABITENSIS (new) flowers brown and purple-black, 2*s*. 6*d*.

IRIS PALÆSTINA, 1*s*.

PUMILA ATROCÆRULEA, rich violet-purple, 2*s*. per dozen.

—— CÆRULEA, sky-blue, 2*s*. per dozen.

—— LUTEA, bright yellow, 3*s*. per dozeu.

RETICULATA KRELAOEI, claret-purple, 5*s*. per dozen.

SIBIRICA, bright blue, retienlated with white. 3*s*. per dozen.

SUSIANA, light brown, peucilled with black. 1*s*. each; 7*s*. 6*d*. per dozen.

SAARII NAZARENSIS, light blue veiued with purple; falls ashen-grey veined with purple, black central blotch. 1*s*. 6*d*.

TUBEROSA, 2*s*. 6*d*. per dozen.

VARTANII, a pretty little species with azure blue flowers, 1*s*. 6*d*.

JUNCUS ZEBRINUS, *vide* Scirpus Tabernæmontani zebrinus.
KNIPHOFIA ALOIDES (Tritoma Uvaria), 9*d*.
ALOIDES (Tritoma Uvaria) GLAUCESCENS, 1*s*.
—— (—— ——) GRANDIFLORA, 8*d*.
—— (—— ——) NOBILIS, 2*s*. 6*d*.
LARDIZABALA BITERNATA, 3*s*. 6*d*.
LESPEDEZA SIEBOLDII (Desmodium penduliflorum), 1*s*. 6*d*. and 2*s*. 6*d*.
LIBERTIA FORMOSA, 6*d*.
IXIOIDES, 6*d*.

LILIUMS.

ALEXANDRÆ, a lovely sweet-scented white-flowered Lily from Japan, 7*s*. 6*d*.
AURANTIACUM, *vide* croceum.
AURATUM, 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.
Dormant bulbs at the proper season, 6*d*., 9*d*., 1*s*. and 1*s*. 6*d*. each.
—— **CRUENTUM**, each petal marked down the centre with a broad band of the richest crimson, 7*s*. 6*d*.
—— **ORNATUM**, 7*s*. 6*d*.
—— **PICTUM**, 5*s*.
—— **PLATYPHYLLUM**, flowers with very broad segments, much greater in substance than the ordinary variety, 2*s*. 6*d*. and 3*s*. 6*d*.
—— —— **VIRGINALE**, 5*s*.
AURATUM RUBRO-VITTATUM, 5*s*. and 7*s*. 6*d*.
—— **VIRGINALE** (Wittei), 5*s*.

LILIUM AURATUM.

BATEMANÆ, 1*s*. and 1*s*. 6*d*.
BROWNII, very handsome, 3*s*. 6*d*. and 5*s*.
BULBIFERUM, 1*s*.
BYZANTINUM, *vide* chalcedonicum.
CALIFORNICUM, 2*s*. 6*d*.
CALLOSUM, 2*s*. 6*d*. and 3*s*. 6*d*.
CANADENSE, 1*s*. and 1*s*. 6*d*.
—— **RUBRUM**, 2*s*. 6*d*.
CANDIDUM, 2*s*. 6*d*. per dozen.
—— **FLORE-PLENO**, 6*d*.
CHALCEDONICUM (BYZANTINUM), 1*s*. 6*d*.
COLUMBIANUM, 1*s*. 6*d*. and 2*s*. 6*d*.
CONCOLOR 2*s*. 6*d*. and 3*s*. 6*d*.
—— **CORIDION**, 2*s*. 6*d*.
CORDIFOLIUM, a rare Japanese Lily, 3*s*. 6*d*.
CROCEUM (AURANTIACUM), 6*d*.
DALMATICUM, *vide* Martagon dalmaticum.
DAHURICUM CLOTH OF GOLD (new).
—— **ERECTUM**, 1*s*. ; 9*s*. per dozen.
—— **FULGIDUM** (SAPPHO), 4*d*.
—— **GRANDIFLORUM**, 6*d*. ; 5*s*. per dozen.
—— **IMMACULATUM**, 6*d*. ; 5*s*. per dozen.
—— **INCOMPARABILE**, 6*d*. ; 5*s*. per dozen.
—— **SENSATION** (new).
—— **SULPHUREUM**, 1*s*. 6*d*.
ELEGANS (THUNBERGIANUM), 1*s*. 6*d*.
—— (——) **ALICE WILSON**, 5*s*.
—— (——) **ALUTACEUM**, 6*d*.
—— (——) **ATROSANGUINEUM (FULGENS)**, 6*d*; 5*s*. per dozen.
—— (——) **BICOLOR**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **CRUENTUM**, 3*s*. 6*d*.
—— (——) **FLAVESCENS**, 2*s*. 6*d*.
—— (——) **FORMOSUM**, 1*s*. 6*d*.
—— (——) **GUTTATUM**, 2*s*. 6*d*.
—— (——) **HÆMATOCHROUM** (HORSMANII), 5*s*.
—— (——) **LATERITIUM** (BILIGULATUM), 6*d*. ; 5*s*. per dozen.
—— (——) **MACULATUM**, 6*d*. ; 5*s*. per dozen.
—— (——) **PICTUM**, 6*d*. ; 5*s*. per dozen.
—— (——) **PRINCE OF ORANGE** (CITRINUM). 6*d*.
—— (——) **SANGUINEUM**, 6*d*. ; 5*s*. per dozen.
—— (——) **STAMINOSUM** (FLORE-PLENO), 1*s*. 6*d*.
—— (——) **WALLACEI**, 1*s*. 6*d*.
EXCELSUM, *vide* testaceum.
EXIMIUM, *vide* longiflorum eximium.
GIGANTEUM, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
GRAYII, a new red-flowered Lily from California, 3*s*. 6*d*.
HANSONI, bright golden-yellow, spotted with crimson, 5*s*.
HOOKEYI, *vide* Alexandræ.
HUMBOLDTII, quite hardy, and produces fine spikes of golden-yellow flowers, spotted with purple, 2*s*. 6*d*.
ISABELLINUM, *vide* testaceum.
JAPONICUM (ODORUM), a beautiful sweet-scented White Lily, 7*s*. 6*d*.

LILIUMS—continued.

LILIUM LONGIFLORUM HARRISII.

KAMSCHATICUM (SARANA), The Black Lily, 3*s*. 6*d*.
KRAMERI, an exceedingly elegant Lily, with large trumpet-shaped blossoms of a beautiful soft rose colour, 1*s*. 6*d*. & 2*s*. 6*d*.
LANCIFOLIUM, *vide* speciosum.
LEICHTLINI, scarce, 3*s*. 6*d*. and 5*s*.
LONGIFLORUM, 6*d*.
—— Gigantic bulbs, 9*d*.
—— **EXIMIUM**, 9*d*. and 1*s*.
—— **FOLIIS ALBO-MARGINATIS**, 2*s*. 6*d*.
—— —— **VARIEGATIS**, 3*s*. 6*d*.
—— **HARRISII**. The handsome free-flowering Easter Lily of Bermuda, invaluable for pot culture, its pure white flowers being borne in the greatest profusion. *Vide* illustration. 6*d*., 9*d*. and 1*s*.
Extra size, 1*s*. 6*d*. and 2*s*. 6*d*.
—— **WILSONI**, 1*s*. 6*d*. and 2*s*. 6*d*.
MARTAGON (Turk's Cap Lily), 2/6 per dozen.
—— **ALBUM**, 3*s*. 6*d*. and 5*s*.
—— **AURANTIACUM**, *vide* pyrenaicum.
—— **COCCINEUM**, *vide* chalcedonicum.
—— **DALMATICUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— **CATTANIÆ**, purple, 2*s*. 6*d*. & 3*s*. 6*d*.
MONADELPHUM SZOVITZIANUM, rich citron, spotted with black; deliciously fragrant. 1*s*. 6*d*. and 2*s*. 6*d*.
—— —— gigantic bulbs, 3*s*. 6*d*.
NEILGHERRENSE, blossoms creamy-white, deliciously fragraut and nearly a foot long. 3*s*. 6*d*. and 5*s*.
NEPALENSE, 7*s*. 6*d*.
OCHROLEUCUM (SULPHUREUM), 5*s*.
PARDALINUM, rich golden-orange, attractively spotted with maroon-purple. 1*s*. and 1*s*. 6*d*.
—— **BOURGÆI**, 3*s*. 6*d*.
PARRYI, 3*s*. 6*d*. and 5*s*.
PARVUM, yellow, slightly spotted, 2*s*. 6*d*. and 3*s*. 6*d*.
PEREGRINUM, *vide* testaceum.
POLYPHYLLUM, a charming Lily, very scarce and rare, 7*s*. 6*d*.
POMPONIUM, bright scarlet flowers, 1*s*. and 1*s*. 6*d*.
Extra strong English grown bulbs, 2*s*. 6*d*. and 3*s*. 6*d*.
PUBERULUM, 2*s*. 6*d*.
PURPUREUM (RUBESCENS), 3*s*. 6*d*. and 5*s*.
PYRENAICUM, 6*d*.
ROSEUM, *vide* Thompsonianum.
RUBESCENS, *vide* purpureum.
SPECIOSUM (LANCIFOLIUM) ALBUM, 1*s*. and 1*s*. 6*d*.
—— (——) **ALBUM CORYMBIFLORUM**, 9*d*. and 1*s*.
—— (——) —— **NOVUM**, 5*s*.
—— (——) **CRUENTUM**, 2*s*. 6*d*.
—— (——) **KRÆTZERI**, exquisitely formed flowers of snowy-whiteness; a great improvement on the ordinary white variety. 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) —— **SUPERBUM**, 5*s*.
—— (——) **MELPOMENE**, 2*s*. 6*d*. and 3*s*. 6*d*.
—— (——) **PUNCTATUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) **PURPURATUM**, 2*s*. 6*d*. & 3*s*. 6*d*.
—— (——) **ROSEUM**, 6*d*., 9*d*. and 1*s*.
—— (——) —— **MAGNIFICUM**, bright rosy-pink segments, long and broad, 5*s*.
—— (——) **RUBRUM**, 6*d*., 9*d*. and 1*s*.
—— (——) —— **CORYMBIFLORUM**, 1*s*. 6*d*.
—— (——) —— **PERFECTUM**, large bright crimson flowers of exquisite shape, 5*s*.
—— (——) —— **SUPERBUM**, 1*s*. 6*d*. and 2*s*. 6*d*.
—— (——) **SCHRYMAKERSI**, 1*s*. 6*d*.
SUPERBUM, 9*d*. and 1*s*.
—— **PYRAMIDALE**, 2*s*. 6*d*.
SZOVITZIANUM, *vide* monadelphum Szovitzianum.
TESTACEUM (EXCELSUM, ISABELLINUM, PEREGRINUM), nankeen-coloured flowers. 1*s*. 6*d*.
THOMPSONIANUM (ROSEUM), 1*s*.
THUNBERGIANUM, *vide* elegans.
TIGRINUM, 2*s*. per dozen.
—— **FLORE-PLENO**, 4*d*.; 3*s*. 6*d*. per dozen.
—— **FORTUNEI**, 6*d*. and 9*d*.
—— **JUCUNDUM** (Maximowiczii), 1*s*. 6*d*. & 2*s*. 6*d*.
—— **LEOPOLDII (SPLENDENS)**, bright orange-scarlet; large dark spots; exceedingly attractive. 6*d*. & 9*d*.; 5*s*. & 7*s*. 6*d*. per doz.
UKE-URI, *vide* Alexandræ.
VENUSTUM, 1*s*. 6*d*.
UMBELLATUM, *vide* dahuricum.
WALLICHIANUM, 7*s*. 6*d*.
WASHINGTONIANUM, flowers white, slightly flushed with lilac, very sweet-scented. 2*s*. 6*d*. and 3*s*. 6*d*.

Good and varied selections of Lilies made at 12s., 18s., 30s. and 42s. per dozen.

LIMONIA TRIFOLIATA, 3*s*. 6*d*.

MAGNOLIA CAMPBELLII, 10*s*. 6*d*. and 15*s*.
CONSPICUA, 3*s*. 6*d*.
LENNEI, 5*s*.
PURPUREA, 2*s*. 6*d*.
SOULANGEANA, 3*s*. 6*d*.
STELLATA (HALLEANA), 5*s*. and 7*s*. 6*d*.
of sorts, 3*s*. 6*d*., 5*s*. to 10*s*. 6*d*.

MALUS FLORIBUNDA, 1*s*. 6*d*.
HALLEANA, a new and distinct Japanese sort, with narrow leaves and giving a profusion of pink flowers. 2*s*. 6*d*.

MAXIMOWICZIA CHINENSIS, 1*s*. 6*d*.

MILLA BIFLORA, 6*s*. per dozen.

MISCANTHUS SINENSIS, *syn*. EULALIA GRACILLIMA UNIVITTATA, 3*s*. 6*d*.

MONTBRETIA CROCOSMIÆFLORA, 3*d*.
CROCOSMIÆFLORA AUREA, fine spikes of large golden-yellow flowers, 9*d*.
—— BOUQUET PARFAIT, spikes of very large flowers, centre dark orange-yellow, the upper part bright vermilion, 6*d*.
—— DRAP D'OR, erect habit, fine flowers with chrome-yellow lobes, 3*s*. 6*d*.
—— ELDORADO, very floriferous and of dwarf habit; large golden-yellow flowers. 6*d*.
—— ELEGANS, brilliant yellow, exterior of tubes and buds vermilion, 4*d*.
—— ETOILE DE FEU, large spikes of flowers, dark red on the exterior, the interior bright vermilion, centre clear yellow, 4*d*.
—— FLORE PLENO, a new variety with double flowers of an orange colour, 3*s*. 6*d*.
—— GERBE D'OR, a dwarf and proliferous variety, producing magnificent golden-yellow flowers, 9*d*.
—— INCENDIR, erect spikes of brilliant red flowers, centre citron, speckled with purple; the finest high-coloured variety, 3*s*.
—— MÉTÉORE, large flowers, lobes large and round, interior dark orange, exterior blood red, 1*s*. 6*d*.

MONTBRETIA CROCOSMIÆFLORA PHARE, a most effective variety with very rich colouring; the interior of the flower is brilliant red, the centre yellow, the exterior very bright reddish-crimson, 4*d*.
CROCOSMIÆFLORA PLUIE D'OR, handsome spikes of ochreous yellow flowers; a new colour in Montbretias, 1*s*.
—— PYRAMINALIS, spikes of erect flowers of an apricot salmon colour, 6*d*.
—— RAYON D'OR, golden yellow; throat spotted red, 4*d*.
—— SOLFATARE, fine erect spikes of large orange-yellow flowers, a very distinct and attractive variety, 9*d*.
—— SOLEIL COUCHANT, brilliant golden-yellow flowers; dwarf habit, 6*d*.
—— TIORIDIE, rich orange-yellow flowers, maculated in the centre with brown; very striking, 1*s*.
—— TRANSCENDENT, bright orange-red, very floriferous, 4*d*.
(TRITONIA) POTTSII, 3*d*.
(——)—— GRANDIFLORA, very large flowers in erect spikes, exterior reddish-scarlet, interior orange-yellow, very effective. 1*s*.

NELLIA TORREYI, 3*s*. 6*d*.

NYMPHÆA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.

OPUNTIA RAFINESQUIANA, 2*s*. 6*d*.

PÆONIA ARBOREA (Tree Pæony), choice sorts. 5*s*. each; 48*s*. per dozen.
HERBACEOUS, 12*s*. and 18*s*. per dozen.

PANCRATIUM ILLYRICUM, 1*s*.
MARITIMUM, 9*d*.

PASSIFLORA CÆRULEA, 1*s*. 6*d*. and 2*s*. 6*d*.
CONSTANCE ELIOTT, 1*s*. 6*d*. and 2*s*. 6*d*.
JOHN SPAULDING, 1*s*. 6*d*.

PHILADELPHUS CORONARIUS FOLIIS AUREUS, 1*s*. 6*d*.
HYBRIDUS LEMOINEI, 2*s*. 6*d*.
KETELEERI, 2*s*. 6*d*.
LEMOINEI ERECTUS, 3*s*. 6*d*.
MICROPHYLLUS, 2*s*. 6*d*.
PRIMULÆFLORUS, 3*s*. 6*d*.
ROSÆFLORUS PLENUS, 2*s*. 6*d*.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s*. and 18*s*. per dozen.

PIERIS OVALIFOLIA DENSIFLORA, 3*s*. 6*d*. and 5*s*.

PIPER FUTOKADSURA, 3*s*. 6*d*. and 5*s*.

POLYGONUM MULTIFLORUM, 2*s*. 6*d*. and 3*s*. 6*d*.
SACHALINENSE, 1*s*. 6*d*. and 2*s*. 6*d*.

POPULUS CANADENSIS AUREA VAN GEERTII, foliage of an attractive golden hue, 2*s*. 6*d*.

POTENTILLA, handsome double-flowered kinds, 1*s*. 6*d*. and 2*s*. 6*d*.

PRIMULA FLORIBUNDA, *vide* page 42.
JAPONICA, 1*s*. and 1*s*. 6*d*.
—— of sorts, 3*s*. 6*d*. each.

PROTEINOPHALLUS, *vide* page 42.

PRUNUS SINENSIS ALBO-PLENA, 2*s*. 6*d*.
SINENSIS ROSEO-PLENA, 2*s*. 6*d*.
TRILOBA, 1*s*. 6*d*.

PUNICA, *vide* page 42.

PRUNUS PISSARDII.

A remarkably ornamental plant, introduced from Persia; it has splendid foliage of a deep crimson-scarlet colour, and will be found most effective for out-door decoration. 1*s*. 6*d*. and 2*s*. 6*d*.

RHEUM OFFICINALE.

Very much interest attaches to this plant, as being the ascertained source whence is derived the true Turkey Rhubarb. *R. officinale*, which inhabits and is cultivated in Thibet and Western China, is a very distinct and well-marked plant, of ornamental character. It is a perennial, producing three to seven lobed leaves, and flowering stems four to ten feet high, branching in a paniculate manner, and closely packed with spike-like greenish flowers. 1*s*. 6*d*., 2*s*. 6*d*. and 3*s*. 6*d*.

RHODODENDRONS, choice hybrids of sorts, to name, 3*s*. 6*d*. and 5*s*.

RHUS GLABRA LACINIATA, 1*s*. and 1*s*. 6*d*.

RIBES ALPINUM PUMILUM AUREUM, 5*s*.

RICHARDIA, *vide* page 42.

ROHDEA, *vide* page 42.

ROSA RUGOSA (REGELIANA), 1*s*. 6*d*. and 2*s*. 6*d*.
RUGOSA ALBA, 1*s*. 6*d*. and 2*s*. 6*d*.

RUBUS CRATÆGIFOLIUS.

Introduced from Mandchuria. It is erect in growth, with large shining dark-green leaves, turning red in autumn. It gives a quantity of transparent scarlet fruits of a sugary and agreeable taste, very ornamental. 1*s.* 6*d.* each; 15*s.* per dozen.

RUBUS FRUTICOSUS DENTATUS.

A very peculiar variety of our native Bramble; the stems are purple, and furnished with red thorns; the leaves are small, trifoliolate, with the leaflets deeply inciso-dentate. It is of comparatively slender growth, and will form a hardy climber of a very elegant character. 3*s.* 6*d.*

RUBUS PHŒNICOLASIUS, 5*s.*

SALVIAS, *vide* Bedding Plants.

SAUROMATUM, *vide* Arisæma.

SAXIFRAGA CILIATA, 1*s.* 6*d.*
PELTATA, 1*s.* 6*d.*

SCHIZOPHRAGMA HYDRANGEOIDES, *vide* Hydrangea volubilis.

SCIRPUS (JUNCUS) TABERNÆMONTANI ZEBRINUS, 3*s.* 6*d.* and 5*s.*

SEDUM SPURIUM SPLENDENS, 1*s.* 6*d.*

SENECIO PULCHER, 1*s.* 6*d.*
See also page 42.

SPIRÆA AMURENSIS, 1*s.* 6*d.*
ANTHONY WATERER, 7*s.* 6*d.*

SPIRÆA ASTILBOIDES.

One of the most handsome of hardy herbaceous perennials, which cannot be too highly appreciated as a decorative plant for early forcing. Certificated both by the Royal Horticultural and Royal Botanic Societies. The inflorescence consists of compound feathery branches of elegant white flowers. It is a charming plant for pot culture, its beautiful flowers being produced in the greatest profusion. *Vide* illustration. 1*s.* 6*d.* and 2*s.* 6*d.* each; 15*s.* and 24*s.* per dozen.



SPIRÆA ASTILBOIDES.

SPIRÆA ASTILBOIDES FLORIBUNDA.

Produces thyrsoid spikes of bloom crowded with flowers. 1*s.* 6*d.*

SPIRÆA BUMALDA RUBERRIMA.

A dwarf hybrid variety, raised between *S. bumalda* and *S. crispifolia*. The flowers, which are borne in corymbs, are dark carmine-rose, with bright carmine centre, the long tufts of rose stamens giving the flowers a plumose appearance. 3*s.* 6*d.*

SPIRÆA (HOTEIA) JAPONICA.

Strong clumps in the autumn. 5*s.* per dozen.

SPIRÆA JAPONICA AUREO-RETICULATA.

Pretty variegated foliage, added to which it bears a profusion of handsome compact spikes of pure white flowers. 1*s.* and 1*s.* 6*d.*

SPIRÆA JAPONICA COMPACTA MULTIFLORA.

This most desirable variety is a great improvement on the old *S. Japonica*, as it produces a profusion of large and dense spikes of pure white flowers, in telling contrast to the dark green foliage of the plant, the habit of which is dwarf and compact. 1*s.*

SPIRÆA KAMTSCHATIKA (GIGANTEA).

A very remarkable species imported from Asia. It grows from 6 to 7 feet high, well furnished with large Aralia-like leaves. The flowers are produced in large cymes and are pure white. 3*s.* 6*d.*

SPIRÆA PALMATA.

The bright pink Spiræa, one of the most beautiful hardy plants in cultivation, producing lovely broad corymbs of pink flowers. It is a native of Japan. 1*s.*

SPIRÆA PALMATA ALBA.

A counterpart of *S. palmata*, except in the colour of the flowers, which are pure white; a very beautiful and elegant variety. 1*s.* 6*d.*

STAPHYLEA COLCHICA, 2*s.* 6*d.* and 3*s.* 6*d.*

STATICE LATIFOLIA, 1*s.*

STAUNTONIA LATIFOLIA, 2*s.* 6*d.*

STYRAX JAPONICA, 3*s.* 6*d.*

SYRINGA JAPONICA, 3*s.* 6*d.*
VULGARIS FL.-PL. ALPHONSE LAVALLEE, 2*s.* 6*d.*
—— —— COMTE HORACE DE CHOISEUL. 2*s.* 6*d.*
—— HYACINTHIFLORA PLENA, 1*s.* 6*d.*

SYRINGA VULGARIS FLORE-PLENO LEMOINEI.

A beautiful variety of the *Lilac*, producing large branched spikes, well furnished with double rosette-like flowers; the buds before opening are rose-coloured, and the fully expanded flowers are of a soft lilac shade; but the plant is more particularly charming when forced, in which state the blossoms are pure white; exceedingly useful for all kinds of decoration. 2*s*. 6*d*. each; 24*s*. per dozen.

SYRINGA VULGARIS FL.-PL. EMILE LEMOINE.

A very fine variety, producing immense compound bunches of large well-shaped globular flowers, the colour being a very soft shade of rosy-lilac. 5*s*.

SYRINGA VULGARIS FL.-PL. JEAN BART.

A very floriferous variety, the inflorescence being composed of very long thyrses of very double flowers, irregular in form, of a vinous rose colour; the buds carmine. 3*s*. 6*d*.

SYRINGA VULGARIS FL.-PL. LA TOUR D'AUVERGNE, 3*s*. 6*d*.
VULGARIS FL.-PL. LEON SIMON, 3*s*. 6*d*.
—— —— LE GAULOIS, 1*s*. 6*d*.
—— —— MATHIEU DE DOMBASLE, 2*s*. 6*d*.
—— —— MAXIME CORNU, 2*s*. 6*d*.
SYRINGA VULGARIS FL.-PL. MICHEL BUCHNER, 2/6.
VULGARIS FL.-PL. PYRAMIDAL, 2*s*. 6*d*.
—— —— PRÉSIDENT GRÉVY, 2*s*. 6*d*.
—— —— RENONCULE, 2*s*. 6*d*.
—— —— RUBELLA, 2*s*. 6*d*.
—— —— SENATEUR VOLLAND, 3*s*. 6*d*.

SYRINGA VULGARIS FL.-PL. VIRGINITE.

Flowers very double, petals long, of a most pleasing shade of soft rose; the colour of the Rose *Souvenir de la Malmaison*. Quite a new tint in double lilacs. 3*s*. 6*d*.

TIGRIDIA CONCHIFLORA, 1*s*. 6*d*. per dozen.
ORANDIFLORA, 1*s*. 6*d*. per dozen.
—— ALBA, 1*s*. 6*d*. per dozen.
—— AURANTIACA, 1*s*. 6*d*. per dozen.
These can be supplied, when dormant, by the dozen or hundred at the proper season.

TRITOMA, *vide* Kniphofia.
TRITONIA AUREA, *vide* Crocosmia aurea.
TROPÆOLUM SPECIOSUM, handsome crimson flowers, 1*s*. each, 9*s*. per dozen.
TROPÆOLUM TUBEROSUM, flowers scarlet and yellow, a very attractive and decorative species, 3*s*. per dozen.
See also page 43.

VERONICAS.

Where the climate is mild these make handsome decorative shrubs for the open border, and produce freely an abundance of showy flowers. They are well adapted for training against low walls or trellises. 18*s*. per dozen.

VITIS JAPONICA, *vide* Ampelopsis tricuspidata.
VINIFERA PURPUREA, 5*s*.
WEIGELA AMABILIS LOOYMANSII AUREA, 1*s*. 6*d*.
LONGIFOLIA ARGENTEO-MARGINATA, 3*s*. 6*d*.
SIEBOLDII FOLIIS ARGENTEO-MARGINATIS, 2*s*. 6*d*.
WEIGELA ABEL CARRIERE, very free flowering, 1*s*. 6*d*.; 15*s*. per dozen.
AUG. WILHELM, 2*s*. 6*d*.
CONOO, 1*s*. 6*d*.
DIDEROT, 1*s*. 6*d*.

WEIGELA CANDIDA.

An extremely distinct variety, of vigorous habit and very free-blooming, producing fine large pure white flowers. 1*s*. 6*d*. each; 15*s*. per dozen.

WEIGELA EMILE GALLÈ, 1*s*. 6*d*.
WEIGELA EVA RATSCHKE, 2*s*. 6*d*.

WEIGELA JEAN MACE.

A distinct and free-blooming variety, producing fine large purple flowers; the buds are of a very dark crimson-purple colour; it is the darkest Weigela in cultivation. 1*s*. 6*d*.

WEIGELA MONTESQUIEU.

Fine reddish-crimson flowers of perfect shape; a very handsome and distinct variety. 1*s*. 6*d*.

WISTARIA (GLYCINE) MULTIJUGA, a magnificent species, bearing bunches of bloom from two and a half to three feet long, exceedingly handsome. 2*s*. 6*d*. and 3*s*. 6*d*.
MULTIJUGA ALBA, a white-flowered variety of the preceding, 2*s*. 6*d*. and 3*s*. 6*d*.
SINENSIS, 2*s*. 6*d*. and 3*s*. 6*d*.
WISTARIA SINENSIS ALBA, 2*s*. 6*d*. and 3*s*. 6*d*.
SINENSIS FLORE-PLENO, 3*s*. 6*d*.
XANTHOCERAS SORBIFOLIA, a handsome flowering shrub, 3*s*. 6*d*.
YUCCA RECURVA, 3*s*. 6*d*. and 5*s*.
See also page 43.
ZEPHYRANTHES, *vide* page 43.

OFFICINAL AND MEDICINAL PLANTS, TROPICAL FRUITS, &c.

Mr. William Bull's collection of living economic plants contains specimens of nearly all the spices and condiments in domestic use, many of the most highly esteemed tropical esculent fruits, many of those from which furniture and other woods are obtained, the principal gums and medicinal products, the poison trees from Java, Brazil, and Madagascar, at one time only heard of in tales of fiction, and plants which supply our daily beverages and food, as well as many of historical interest.

The individual prices of the following depend upon the size of the plants and rarity of the species, particulars of which can be furnished on application.

Collections made at 5, 7 and 10 guineas.

Abyssinian Banana	Músa Enséte	*Abyssinia*	7/6
African Baobab Tree	Adansónia digitáta	*Africa*	10/6
African Mangostcen	Garcinia Livingstóni	*Africa*	10/6
African Rubber	Landolphia Watsoniana	*Africa*	7/6
African Wine Palm	Raphia vinifera	*W. Coast of Africa*	21/-
Allspice	Eugenia Pimenta	*W. Indies*	5/-
Arrowroot	Maránta arundinácea	*S. America*	7/6
Annatto Dye Plant	Bixa Orellána	*Tropical America*	5/-
Australian Banyan	Ficus macrophylla	*Australia*	5/-
Balsam of Peru	Myróxylon Pereira	*Peru*	7/6
Banyan Tree	Ficus iudica	*E. Indies*	3/6
Bark of Commerce	Cinchóna officinális	*Tropical America*	7/6
Beugal Quince	Ægle Marmelos	*E. Indies*	21/-
Black Pepper	Piper nigrum	*E. Indies*	3/6
Brazil Nut	Berthollétia excélsa	*Brazil*	21/-
Cabbage Palm	Eutérpe edúlis	*Brazil*	5/-
Calabash Tree	Crescentia Cujete	*S. America*	10/6
Camphor	Cámphora officinális	*Japan*	5/-
Candle Tree	Parmenteira cereifera	*Panama*	21/-
Cape Chestnut	Calodendron capense	*Cape Colony*	5/-
Captain Cook's Tea Plant	Leptospérmum scopárium	*New Zealand*	3/6
Cardamon	Amómum Cardamómum	*E. Indies*	3/6
Cascarilla Bark	Croton Elutéria	*Bahama Islands*	10/6
Cashew Nut	Anacardium occidentale	*W. Indies*	10/6
Cassia	Cinnamomum Cassia	*E. Indies*	10/6
Cherimoyer	Anona Cherimolia	*Peru*	5/-
Chew Stick	Gouania domingeusis	*W. Indies*	10/6
Chinese Plantain Tree	Músa Cavendishii	*China*	10/6
Cinnamon	Cinnamómum Zeylanicum	*Ceylon*	7/6
Clove	Caryophyllus aromaticus	*Moluccas*	15/-
Coca	Erythróxylon Cóca	*Peru*	15/-
Cocoa	Theobróma Cacáo	*Tropical America*	10/6
Coffee, Arabian	Cofféa arábica	*Yemen*	3/6
Coffee, Liberian	Cofféa liberica	*Liberia*	3/6
Contrayerva Root	Dorsténia Contrayérva	*S. America*	7/6
Cuba Bast	Paritium elátum	*W. Indies*	7/6
Cubeb Pepper	Piper Cubéba	*Java*	5/-
Cundurango	Gonólobus Cundurángo	*S. America*	10/6
Date	Phœnix dactylifera	*Levant*	10/6
Edible Eugenia	Eugenia edulis	*Brazil*	15/-
Edible-fruited Passion Flower	Passiflóra edúlis	*Brazil*	3/6
Edible Vanguéria	Vanguéria edúlis	*Madagascar*	15/-
Fiddle Wood	Citharéxylon quadranguláre	*Jamaica*	5/-
Flame Tree	Brachychiton acerifolium	*N. S. Wales*	5/-
Fustick Wood	Chlorophora (Maclúra) tinctória	*W. Indies*	15/-
Gamboge	Zanthóchymus pictórius	*E. Indies*	21/-
Gigantic Granadilla	Passiflóra macrocárpa	*Rio Negro*	3/6

OFFICINAL AND MEDICINAL PLANTS—continued.

Ginger	Zingiber officinâle	*E. Indies*	2/6
Granadilla	Passiflóra quadranguláris	*W. Indies*	3/6
Guarana Tea Plant	Paullinia sórbilis	*Brazil*	10/6
Guava	Psídium Cattleyanum	*Brazil*	3/6
Indian Cedar	Cedrela odorata	*W. Indies*	7/6
Ipecacuanha	Cephaëlis Ipecacuànha	*Brazil*	21/-
Jack Fruit	Artocarpus integrifolius	*W. Indies*	10/6
Jalap	Exogònium púrga	*Mexican Andes*	10/6
Jamaica Quassia	Picræna excelsa	*Jamaica*	10/6
Japan Cinnamon	Cinnamómum sericeum	*Japan*	5/-
Japanese Pepper	Piper Futokadsura	*Japan*	3/6
Kola Nut	Cola acuminata	*Niger*	10/6
Latanier Palm	Latánia borbónica	*Bourbon*	2/6
Ledger's Bark	Cinchóna Ledgeriana	*S. America*	10/6
Lemon Grass	Andropogon citratus	*India*	10/6
Litchi	Nephélium Litchi	*China*	31/6
Loquat	Eriobótrya japónica	*Japan*	7/6
Mahogany Tree	Swietenia Mahágoni	*W. Indies*	15/-
Malabar Silk Cotton Tree	Bombax malabaricum	*Malabar*	7/6
Mango	Maugifera indica	*E. Indies*	21/-
Mangosteen	Garcinia Mangostána	*Java*	63/-
Matico	Artántho elongáta	*Peru*	7/6
Mustard Tree of Scripture	Salvadôra pérsica	*Persia*	21/-
Nardoo	Marsilea macrópus	*Australia*	10/6
Natal Plum	Arduina grandiflora	*Natal*	7/6
Netted-leaved Custard Apple	Anona reticulata	*S. America*	15/-
Nutmeg	Myristica moschàta	*E. Indies*	42/-
Palissander Wood	Machærium firmum	*S. America*	15/-
Para Rubber	Hévea brasiliénsis	*Brazil*	31/6
Patchouli Scent Plant	Pogostémon Pátchouli	*E. Indies*	3/6
Pissava Palm of Madagascar	Dictyosperma fibrosum	*Madagascar*	31/6
Quecusland Nut	Macadámia ternifólia	*Queensland*	10/6
Quecusland Plum	Davidsonia prurieus	*Queensland*	21/-
Rhubarb	Rhéum officinâle	*China*	2/6
Rose Apple	Eugenia Jambos	*India*	10/6
Sacred Indian Fig	Ficus religiosa	*India*	7/6
Sand Box Tree	Hura crepitans	*S. America*	10/6
Sarsaparilla	Smilax Sarsaparilla	*N. America*	10/6
Satin Wood	Chloróxylon Switénia	*E. Indies*	21/-
Snake Wood	Cecrópia palmàta	*S. America*	7/6
Soap Berry	Sapindus Sapouaria	*W. Indies*	21/-
Sour Sop	Anóna muricáta	*W. Indies*	15/-
Strychnine	Strychnos núx-vómica	*East Indies*	31/6
Sugar Cane	Sáccharum officinárum	*India*	5/-
Sugar Cane, Elephant	Sáccharum officinárum giganteum	*India*	31/6
Sweet Sop	Anona squamosa	*S. America*	10/6
Sycamore Tree of Scripture	Ficus Sycomórus	*Egypt*	7/6
Tamarind Tree	Tamarindus indica	*E. Indies*	5/-
Tea, Assam	Thèa assamica	*Assam*	3/6
Telegraph Plant	Desmodium gyrans	*E. Indies*	3/6
Touga	Epipremnum mirábile	*South Sea Islands*	3/6
Tonquin Bean	Dipteryx odorata	*Guiana*	21/-
Traveller's Tree	Ravenála madagascariénsis	*Madagascar*	7/6
Trincomalee Wood	Berrya Ammonilla	*Celyon*	5/-
Turpentine Tree	Pistácia Terebinthus	*S. Europe*	7/6
Upas Tree	Antiaris toxicaria	*Java*	21/-
Vanilla	Vanilla aromática	*S. America*	7/6
Violet Sugar Cane	Saccharum violaceum	*India*	15/-
Zerumbet Ginger	Zingiber Zerumbet	*E. Indies*	3/6

Purchasers of Officinal and Medicinal Plants, Tropical Fruits, &c., can have collections made at 5, 7 and 10 guineas. The difference in price principally depends upon the size of the plants, and the rarity of the species.

ORCHIDS.

In Mr. WILLIAM BULL'S Establishment will be found the largest and best stock in Europe of good established plants—tens of thousands of plants to select from. His Orchid Houses are always quite a sight, from the large number of plants in flower, and he will be pleased to show them to any-one interested in this beautiful class.

Mr. W. B. recommends those desirous of having their houses gay with Orchid flowers, to purchase good established well-cultivated plants, which bloom well, are more satisfactory, and comparatively cheaper than newly-imported or semi-established plants.

Besides plants at the prices enumerated, Mr. W. B. has a large quantity of very fine specimens (some of them unique), at 2, 3, 5, 7 and 10 guineas each, and upwards.

S, distinguishes the stove kinds; **I**, intermediate house; **C**, cool house.
Those marked thus (*) are winter-blooming kinds.

S	**ACANTHEPHIPPIUM** bicolor	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACINETA** Barkeri	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	densa	South America	21*s.* and 31*s.* 6*d.*
I	Humboldtii (superba)	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**ACROPERA** Loddigesii	Mexico	5*s.* and 7*s.* 6*d.*
**C*	**ADA** aurantiaca	Pamplona	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Fine plants, 21*s.* and 31*s.* 6*d.*
**C*	aurantiaca punctata	Pamplona	
S	**AËRANTHUS** Leonis, *vide* Angræcum Leonis		
I	**AERIDES** affine	Sylhet	10*s.* 6*d.*
I	affine roseum	Sylhet	10*s.* 6*d.*
I	—— superbum	Sylhet	21*s.* and 31*s.* 6*d.*
S	Ballantinianum	East Indies	42*s.* and 63*s.*
I	crassifolium	Burmah	7*s.* 6*d.* and 10*s.* 6*d.*
S	crispum (Brookei)	Bombay	10*s.* 6*d.* and 15*s.*
S	cylindricum (Vandarum)	East Indies	21*s.* and 31*s.* 6*d.*
S	Emericii	Andaman Islands	21*s.* and 31*s.* 6*d.*
S	expansum Leoniæ, *vide* falcatum Leoniæ		
S	falcatum (Larpentæ)	East Indies	21*s.* and 31*s.* 6*d.*
S	—— Leoniæ (expansum)	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Fieldingii (Fox Brush)	East Indies	10*s.* 6*d.* and 15*s.* Fine plants, 21*s.* to 84*s.*
I	—— rubrum	East Indies	84*s.* and 105*s.*
S	Godefroyanum	Cochin China	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Houlletianum	Cochin China	15*s.* and 21*s.*
C	japonicum	Japan	7*s.* 6*d.* and 10*s.* 6*d.*
S	Larpentæ, *vide* falcatum		
S	Lawrenceæ	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Lindleyanum	Coonoor	10*s.* 6*d.* and 15*s.*
S	Lobbii	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— magnificum	Moulmein	42*s.* and 63*s.*
S	—— rubrum	Moulmein	42*s.* and 63*s.*
S	maculosum	Bombay	15*s.* and 21*s.*
S	nobile	India	21*s.* and 31*s.* 6*d.*
S	odoratum (cornutum)	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— purpurascens	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Picotianum	Coohin China	63*s.* and 84*s.*
S	quinquevulnerum	Philippine Islands	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Rohanianum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*

S	**AERIDES rubrum (radicosum)**	Bombay	63*s.* and 84*s.*
S	Sanderianum	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Savageanum	East Indies	21*s.* and 31*s.* 6*d.*
S	Schroederi	Bombay	
S	suavissimum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Vandarum, *vide* cylindricum		
S	Veitchii	East Indies	105*s.*
S	virens	Java	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— Dayanum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— superbum	East Indies	15*s.* and 21*s.*
I	Warneri	Bombay	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**AMBLOSTOMA cernuum**	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
S	**ANGRÆCUM arcuatum**	Africa	21*s.*
S	articulatum	Madagascar	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	bilobum	West Coast of Africa	10*s.* 6*d.*
S	calceolus	Madagascar	15*s.*
S	Chailluanum	West Coast of Africa	21*s.* and 31*s.* 6*d.*
S	citratum	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	distichum	West Coast of Africa	10*s.* 6*d.* and 15*s.*
S	Du Buyssoni	Madagascar	21*s.* and 31*s.* 6*d.*
**S*	eburneum (superbum)	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Ellisii	Madagascar	21*s.* and 31*s.* 6*d.*
I	falcatum	Japan	10*s.* 6*d.* and 15*s.*
S	fastuosum	Madagascar	21*s.* and 31*s.* 6*d.*
S	hyaloides	Madagascar	15*s.* and 21*s.*
S	Leonis (Aeranthus Leonis)	Comoro Island	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	modestum (Sanderianum)	West Coast of Africa	10*s.* 6*d.*, 15*s.* and 21*s.*
S	polystachys	West Coast of Africa	21*s.* and 31*s.* 6*d*
S	Scottianum	Comoro Island	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	sesquipedale	Madagascar	10*s.* 6*d.*, 15*s.* to 42*s.* Fine plants, 3 to 5 guineas.
**S*	—— majus	Madagascar	84*s.* and 105*s.*
**S*	virens (Brongniartianum)	Madagascar	21*s.* and 31*s.* 6*d.*
I	**ANGULOA Clowesii**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	eburnea	Peru	63*s.* and 84*s.*
I	Ruckerii	South America	21*s.* and 31*s.* 6*d.*
I	—— acuta	South America	
I	—— punctata	South America	42*s.* and 63*s.*
I	—— retusa	South America	
I	—— sanguinea	South America	63*s.* and 84*s.*
I	uniflora	Colombia	21*s.* and 31*s.* 6*d.*
I	—— alba	Colombia	42*s.* and 63*s.*
I	—— superba	Colombia	42*s.*
I	**ANIA latifolia**, *vide* Tainia latifolia		
S	**ANŒCTOCHILUS Dawsonianus**, *vide* Goodyera		
**S*	**ANSELLIA africana**	Sierra Leone	10*s.* 6*d.*, 15*s.* and 21*s.*
S	humilis	Zambesi	31*s.* 6*d.* and 42*s.*
S	—— pallida	Zambesi	31*s.* 6*d.* and 42*s.*
I	lutea	Africa	21*s.* and 31*s.* 6*d.*
I	**ARPOPHYLLUM giganteum**	Mexico	15*s.* and 21*s.*
I	spicatum	Mexico	10*s.* 6*d.* and 15*s.*
C	**BARKERIA melanocaulon**	Mexico	10*s.* 6*d.* and 15*s.*
I	**BIFRENARIA atropurpurea**	Brazil	21*s.* and 31*s.* 6*d.*
I	Harrisoniæ, *vide* Maxillaria Harrisoniæ		
I	vitellina	South America	15*s.*

C	**BLETIA hyacinthina**	China	2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
I	Sherrattiana	Colombia	10*s.* 6*d.* and 15*s.*
**I*	Tankervillæ, *vide* **Phaius grandifolius**		
I	verecunda	Florida	15*s.*
I	—— alba	Florida	15*s.*
I	**BRASSAVOLA cucullata**	Mexico	10*s.* 6*d.* and 15*s.*
S	Digbyana	Hondnras	10*s.* 6*d.* and 15*s.*
I	glauca	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— oculata	Mexico	15*s.*
I	**BRASSIA antherotes**	South America	42*s.* and 63*s.*
I	brachiata, *vide* **Wrayæ**		
I	caudata	South America	21*s.* and 31*s.* 6*d.*
I	Keiliana	South America	42*s.* and 63*s.*
S	maculata	West Indies	10*s.* 6*d.* and 15*s.*
I	signata	South America	21*s.* and 31*s.* 6*d.*
C	verrucosa	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	Wrayæ (brachiata)	South America	31*s.* 6*d.* and 42*s.*
S	**BROUGHTONIA sanguinea**	Jamaica	7*s.* 6*d.* and 10*s.* 6*d.*
S	**BULBOPHYLLUM Baileyii**	East Indies	
S	Henshalli	East Indies	31*s.* 6*d.* and 42*s.*
S	Lobbii. *vide* **Sarcopodium Lobbii**		
S	mandibulare	East Indies	
S	reticulatum	East Indies	
S	umbellatum	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**BURLINGTONIA candida**	Demerara	10*s.* 6*d.* and 15*s.*
I	decora	Brazil	15*s.* and 21*s.*
I	—— imperialis	Brazil	21*s.* and 31*s.* 6*d.*
I	fragrans (venusta)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	pubescens	Brazil	10*s.* 6*d.* and 15*s.*
I	**CALANTHE curculigoides**	Indian Archipelago	
S	furcata	New Caledonia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Masuca	Nepal, Sikkim	21*s.* and 31*s.* 6*d.*
C	pleiochroma	Japan	21*s.*
C	—— brevior	Japan	21*s.*
**I*	Regnieri	Cochin China	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	—— amethystina	Cochin China	42*s.*
**I*	—— fulgens	Cochin China	42*s.*
**I*	—— purpurea	Cochin China	42*s.*
**I*	—— striata	Cochin China	42*s.*
**I*	Sedenii	Hybrid	21*s.*
C	Sieboldii, *vide* **Phaius Sieboldii**		
**I*	Stevensiana	Cochin China	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Textori	Japan	15*s.* and 21*s.*
**I*	Turneri	India	10*s.* 6*d.* and 15*s.*
**I*	—— nivalis	India	10*s.* 6*d.* and 15*s.*
**I*	Veitchii	Hybrid	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**I*	—— alba	Hybrid	
**I*	—— superba	Hybrid	10*s.* 6*d.*
S	veratrifolia	East Indies	10*s.* 6*d.*, 15*s.* and 21*s*
**I*	vestita luteo-oculata	Tavoy, Java	5*s.* and 7*s.* 6*d.*
**I*	—— oculata gigantea	Tavoy, Java	21*s.*
**I*	—— rubro-oculata	Tavoy, Java	2*s.* 6*d.* and 3*s.* 6*d.*
I	**CATASETUM Bungerothii**	Ecuador	15*s.*, 21*s.* and 31*s.* 6*d.*
I	fimbriatum	South America	21*s.* and 31*s.* 6*d.*
I	Gnomus	South America	10*s.* 6*d.* and 15*s.*
I	macrocarpum	Brazil	10*s.* 6*d.*
I	purum	South America	

I	**CATTLEYA Aclandiæ**	Brazil	10*s.* 6*d.* and 15*s.*
I	**Alexandræ**	Northern Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
I	**amethystina**, *vide* **intermedia**		
I	**amethystoglossa**	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**aurea**, *vide* **Dowiana aurea**		
I	**Bassettii**, *vide* **speciosissima**		
I	**bicolor Measuresiana**	Brazil	31*s.* 6*d.* and 42*s.*
I	**Boothiana**, *vide* **lobata**		
I	**Bowringiana**	Central America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— **splendens**	Central America	42*s.* and 63*s.*
I	**bulbosa**, *vide* **Walkeriana**		
C	**citrina**	Oaxaca	5*s.* and 7*s.* 6*d.*
I	**crispa**	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— **superba**	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**dolosa**	Brazil	10*s.* 6*d.* and 15*s.*
S	**Dowiana**	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
S	—— **aurea**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
S	—— —— **magnifica**	Colombia	
I	**Eldorado**	Rio Negro	10*s.* 6*d.* and 15*s.*
I	—— **aurea**	Rio Negro	42*s.* and 63*s.*
I	—— **carnea**	Rio Negro	31*s* 6*d.* and 42*s.*
I	—— **conspicua**	Rio Negro	63*s.* and 84*s.*
I	—— **fulgens**	Rio Negro	
I	—— **picta**	Rio Negro	84*s.*
I	—— **rosea**	Rio Negro	31*s.* 6*d.* and 42*s.*
I	—— **splendens**	Rio Negro	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— **superba**	Rio Negro	42*s.* and 63*s.*
I	—— **Wallisii (alba)**	Rio Negro	105*s.*
I	**elegans**, *vide* **Lælia elegans**		
I	**Forbesii**	Brazil	10*s.* 6*d.*
I	**Gaskelliana**	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— **Alexandræ**	Venezuela	
I	—— **aurea**	Venezuela	
I	—— **carnea**	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— **Chelsiensis**	Venezuela	
I	—— **delicata**	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— **grandiflora**	Venezuela	42*s.*
I	—— **ornata**	Venezuela	
I	—— **picta**	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— **pulchra**	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— **rosea**	Venezuela	31*s.* 6*d.*
I	—— **superba**	Venezuela	21*s.* and 31*s.* 6*d.*
I	**gigas (Warscewiczii)**	Colombia	5*s.*, 7*s.* 6*d.* to 21*s.*
I	—— **atropurpurea**	Colombia	
I	—— **Chelsiensis**	Colombia	
I	—— **formosa**	Colombia	
I	—— **fulgens**	Colombia	
I	—— **imperialis**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— **magnifica**	Colombia	
I	—— **marginata**	Colombia	
I	—— **Normaniana**	Colombia	
I	—— **picturata**	Colombia	
I	—— **regalis**	Colombia	
I	—— **Reginæ**	Colombia	
I	—— **rosea**	Colombia	
I	—— **Sanderiana**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*

I	**CATTLEYA gigas Sanderiana mirabile**	Colombia	
I	gigas splendens.....	Colombia	
I	—— tyrianthina	Colombia	
I	grandis, *vide* Lælia grandis		
I	guttata	Brazil	15*s.* and 21*s.*
I	Harrisoniæ.....	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superba	Brazil	31*s.* 6*d.* and 42*s.*
I	intermedia (amethystina)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	labiata (Warocqueana)	Pernambuco	5*s.*, 7*s.* 6*d.* to 21*s.*
I	—— marginata.....	Pernambuco	
I	—— picta	Pernambuco	
I	Lawrenceana	British Guiana	21*s.* and 31*s.* 6*d.*
I	—— oculata	British Guiana	
I	—— splendens	British Guiana	
I	Lemoniana, *vide* C. speciosissima		
I	Leopoldii	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	lobata (Lælia Boothiana).....	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Loddigesii	Brazil	10*s.* 6*d.* and 15*s.*
I	Luddemanniana, *vide* C. speciosissima		
**I*	marginata (Lælia marginata).....	Oaxaca.....	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— rubra.....	Oaxaca.....	63*s.*
I	maxima (Quindos).....	Ecuador, Popayan	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— peruviensis	Peru	21*s.*, 31*s.* 6*d.* and 42*s.*
I	Mendelii	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— Alexandræ	South America	
I	—— ampliata	South America	
I	—— Chelsiensis	South America	
I	—— conspicua	South America	
I	—— delicata.....	South America	
I	—— excellens	South America	
I	—— gigantea	South America	
I	—— grandiflora	South America	
I	—— grandis	South America	
I	—— insignis.....	South America	
I	—— magnifica	South America	
I	—— magniflora	South America	
I	—— majestica	South America	
I	—— miniata.....	South America	
I	—— ornata	South America	
I	—— picta	South America	
I	—— princeps.....	South America	
I	—— Rex.....	South America	
I	—— speciosa.....	South America	
I	—— superba.....	South America	
I	—— tincta.....	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— triumphans	South America	
I	—— Venus.....	South America	
I	—— Victoriæ	South America	
I	**Mossiæ**	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.* Fine plants, 21*s.*, 31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— albo-marginata	Venezuela	63*s.* and 84*s.*
I	—— Alexandræ	Venezuela	
I	—— amœna	Venezuela	
I	—— aurantiaca	Venezuela	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— aurea grandiflora.....	Venezuela	
I	—— Chelsiensis	Venezuela	
I	—— Cleopatra	Venezuela	

I	**CATTLEYA Mossiæ conspioua**	Venezuela	
I	Mossiæ delicata	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— —— aurantiaca	Venezuela	
I	—— flammea	Venezuela	
I	—— formosa	Venezuela	
I	—— gigantea	Venezuela	
I	—— grandiflora	Venezuela	21*s.* and 31*s.* 6*d.*
I	—— grandis	Venezuela	
I	—— imperialis	Venezuela	
I	—— insignis	Venezuela	
I	—— Lawrenceana	Venezuela	63*s.* and 84*s.*
I	—— magnifica	Venezuela	
I	—— marginata	Venezuela	
I	—— maxima	Venezuela	
I	—— mirabilis	Venezuela	
I	—— picta	Venezuela	
I	—— picturata	Venezuela	63*s.* and 84*s.*
I	—— pulcherrima	Venezuela	63*s.* and 84*s.*
I	—— rosea	Venezuela	63*s.* and 84*s.*
I	—— —— elegans	Venezuela	
I	—— rubra	Venezuela	105*s.* and 147*s.*
I	—— speciosa	Venezuela	
I	—— splendens	Venezuela	42*s.* and 63*s.*
I	—— superba	Venezuela	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— venosa	Venezuela	
I	—— versicolor	Venezuela	
I	nobilior	Brazil	31*s.* 6*d.* and 42*s.*
I	Patinii, *see* **Lælia Patinii**		
I	Percivaliana	Venezuela	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— marginata	Venezuela	31*s.* 6*d.* and 42*s.*
I	—— rubra superba	Venezuela	
I	—— splendens	Venezuela	
I	Perrinii, *vide* **Lælia Perrinii**		
**I*	Pinelii, *vide* **Lælia præstans**		
**I*	Rex	Andes of Peru	
I	Schilleriana (Regnellii)	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	Schofieldiana	Brazil	
I	Schrœderæ	Colombia	5*s.*, 7*s.* 6*d.* to 42*s.*
I	—— albescens	Colombia	
I	—— aurantiaca	Colombia	
I	—— delicata	Colombia	
I	—— luteo-picta	Colombia	
I	—— superba	Colombia	42*s.* and 63*s.*
I	—— virginalis	Colombia	
S	signata	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Skinneri	Mexico	
I	—— alba	Mexico	42*s.* and 63*s.*
I	—— oculata	Mexico	
I	speciosissima (Bassettii, Lemoniana, Luddemanniana)	Caracas	5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.*, 21*s.* and 31*s.* 6*d.*
S	Stelzneriana, *vide* **Lælia elegans**		
S	superba	Essequibo	10*s.* 6*d.* and 15*s.*
**I*	Trianæ	Colombia	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**I*	—— alba	Colombia	
**I*	—— amœna	Colombia	
**I*	—— ampliata	Colombia	42*s.* and 63*s.*

*I	**CATTLEYA** Trianæ bogotensis	Colombia		21*s.*, 31*s.* 6*d.* and 42*s.*
*I	Trianæ carnea	Colombia		31*s.* 6*d.* and 42*s.*
*I	—— conspicua	Colombia		
*I	—— delicata	Colombia		5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*I	—— elegans	Colombia		63*s.* and 84*s.*
*I	—— erubescens	Colombia		
*I	—— excellens	Colombia		105*s.*
*I	—— fimbriata	Colombia		
*I	—— flammea	Colombia		
*I	—— gemma	Colombia		
*I	—— illustris	Colombia		105*s.*
*I	—— insignis	Colombia		84*s.*
*I	—— macrantha	Colombia		84*s.*
*I	—— magnifica	Colombia		84*s.* and 105*s.*
*I	—— marginata	Colombia		42*s.* and 63*s.*
*I	—— miniata	Colombia		
*I	—— mirabilis	Colombia		
*I	—— ornata	Colombia		
*I	—— perfecta	Colombia		
*I	—— picta	Colombia		63*s.* and 84*s.*
*I	—— princeps	Colombia		
*I	—— quadricolor	Colombia		31*s.* 6*d.* and 42*s.*
*I	—— Rosalind	Colombia		
*I	—— rosea	Colombia		31*s.* 6*d.* and 42*s.*
*I	—— rubescens	Colombia		63*s.*
*I	—— speciosa	Colombia		63*s.* and 84*s.*
*I	—— spectabilis	Colombia		
*I	—— splendens	Colombia		42*s.* and 63*s.*
*I	—— superba	Colombia		31*s.* 6*d.* and 42*s.*
*I	—— tricolor	Colombia		
*I	—— Venus	Colombia		63*s.* and 84*s.*
*I	—— Vesta	Colombia		63*s.* to 105*s.*
*I	—— Victoria	Colombia		
*I	—— virginalis	Colombia		63*s.* and 84*s.*
I	velutina	Brazil		21*s.* and 31*s.* 6*d.*
I	Walkeriana (bulbosa)	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Warnerii	Brazil		7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— magnifica	Brazil		
I	—— picta	Brazil		
I	—— splendens	Brazil		
I	—— superba	Brazil		
I	Warocqueana, *vide* labiata			
I	Warscewiczii, *vide* gigas			
I	xanthina, *vide* Lælia xanthina			
I	**CHYSIS** aurea	Mexico		7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	bractescens	Peru		10*s.* 6*d.* and 15*s.*
I	Chelsiensis	Hybrid		21*s.* and 31*s.* 6*d.*
I	lævis	Mexico		21*s.*
I	**CIRRHOPETALUM** imbricatum	Sierra Leone		63*s.*
I	ornatissimum	East Indies		42*s.*
I	picturatum	East Indies		31*s.* 6*d.* and 42*s.*
S	pulchrum	Borneo		63*s.*
S	Thouarsii	Manilla		42*s.* and 63*s.*
S	umbellatum, *vide* Bulbophyllum			
C	**COCHLIODA** (Odontoglossum) Noezliana	Peru		7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	**CŒLIA** bella	Mexico		21*s.* and 31*s.* 6*d.*
S	macrostachya	Guatemala		15*s.*, 21*s.* and 31*s.* 6*d.*

S	**CŒLOGYNE** asperata (Lowii)	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*
**I*	barbata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	corrugata	Khasya	10*s.* 6*d.* and 15*s.*
**C*	cristata	Nepal, Sylhet	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— Chatsworth variety	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	—— hololeuca (alba)	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	—— Lemoniana	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— maxima	East Indies	
S	Dayana	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*
I	elata	Assam	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	fimbriata	East Indies	15*s.* and 21*s.*
**I*	flaccida	Assam	10*s.* 6*d.* and 15*s.*
I	lentiginosa	Moulmein	7*s.* 6*d.* and 10*s.* 6*d.*
I	Massangeana	Assam	10*s.* 6*d.*, 15*s.* and 21*s.* Remarkably fine specimens, from 5 to 20 guineas.
I	ocellata	Assam	5*s.* and 7*s.* 6*d.*
I	ovalis	East Indies	
I	pandurata	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*
I	speciosa	Java	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— major	Java	10*s.* 6*d.*, 15*s.* and 21*s.*
I	tomentosa	East Indies	10*s.* 6*d.*
C	**COLAX** jugosus	Brazil	10*s.* 6*d.* and 15*s.*
C	jugosus viride	Brazil	10*s.* 6*d.* and 15*s.*
I	**COMPARETTIA** macroplectron	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**CORYANTHES** macrantha	Caracas	42*s.*
C	**CRYPTOCHILUS** sanguineus	Assam	21*s.*
C	**CRYPTOPHORANTHUS** Dayanum (Masdevallia Dayana)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**CYCNOCHES** chlorochilon	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**CYMBIDIUM** affine, *vide* C. Mastersii affine		
I	albucæflorum, *vide* C. madidum		
I	aloifolium of gardens, *see* pendulum		
I	Devonianum	Assam	
**C*	eburneum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	—— Dayanum	East Indies	
**C*	—— maculatum	East Indies	
**C*	—— tinctum	East Indies	
S	elegans, *vide* Cyperorchis elegans		
S	Finlaysonianum atropurpureum (pendulum atropurpureum of gardens)	Java	
**C*	giganteum	Assam	21*s.* and 31*s.* 6*d.*
C	grandiflorum (Hookerianum)	Sikkim, Himalaya	63*s.*, 84*s.* and 105*s.*
C	Lowianum	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.* Very fine specimens, from 3 to 40 guineas each.
C	—— atropurpureum	Burmah	
C	—— fulgens	Burmah	
C	—— eximium	Burmah	
C	—— superbum	Burmah	
I	madidum (albucæflorum)	Queensland	
**C*	Mastersii, *vide* Cyperorchis Mastersii		
**C*	—— affine, *vide* Cyperorchis Mastersii affine		
I	pendulum (aloifolium of gardens)	East Indies	5*s.* and 7*s.* 6*d.*
S	—— atropurpureum of gardens, *vide* Finlaysonianum atropurpureum		
I	tigrinum	East Indies	21*s.* and 31*s.* 6*d.*

S	**CYPERORCHIS elegans (Cymbidium)**	East Indies	31*s* 6*d*. and 42*s*.
**C*	Mastersii (Cymbidium Mastersii)	East Indies	10*s*. 6*d*., 15*s*. and 21*s*.
**C*	—— affine	East Indies	10*s*. 6*d*., 15*s*. and 21*s*.
I	**CYPRIPEDIUM Ainsworthii**	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
I	albo-purpureum	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
**I*	amandum	Hybrid	31*s*. 6*d*., 42*s*. and 63*s*.
I	Amesianum	Hybrid	15*s*., 21*s*. and 31*s*. 6*d*.
I	apiculatum	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
**I*	Argus	East Indies	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
**I*	—— superbum	East Indies	42*s*. and 63*s*.
I	Arthurianum	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
I	Ashburtoniæ	Hybrid	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	auroreum	Hybrid	
I	barbatum	Mount Ophir	3*s*. 6*d*. and 5*s*.
I	—— biflorum	Mount Ophir	10*s*. 6*d*., 15*s*. and 21*s*.
I	—— grandiflorum	Java	15*s*., 21*s*. and 31*s*. 6*d*.
I	—— —— nanum	Java	10*s*. 6*d*., 15*s*. and 21*s*.
I	—— majus	Mount Ophir	10*s*. 6*d*.
I	—— nigrum	Mount Ophir	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	—— pictum	Mount Ophir	15*s*.
I	—— plumosum	Mount Ophir	21*s*. and 31*s*. 6*d*.
I	—— pulcherrimum	Mount Ophir	15*s*. and 21*s*.
I	—— purpureum	Mount Ophir	10*s*. 6*d*. and 15*s*.
I	—— superbum	Mount Ophir	7*s*. 6*d*. and 10*s*. 6*d*.
I	—— violaceum	Mount Ophir	21*s*. and 31*s*. 6*d*.
**I*	—— Warnerianum	East Indies	10*s*. 6*d*., 15*s*. and 21*s*.
I	Bartetii	Hybrid	15*s*., 21*s*. and 31*s*. 6*d*.
S	bellatulum	Siam	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	Boxallii	Burmah	5*s*., 7*s*. 6*d*. to 15*s*.
C	—— atratum	Burmah	21*s*., 31*s*. 6*d*. and 42*s*.
**I*	Bullenianum	Borneo	3*s*. 6*d*. and 5*s*.
I	callosum	Siam	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	—— coloratum	Siam	42*s*.
I	—— pictum	Siam	42*s*.
I	—— sublæve	Siam	10*s*. 6*d*., 15*s*. and 21*s*.
I	calophyllum	Hybrid	10*s*. 6*d*., 15*s*. and 21*s*.
I	calurum	Hybrid	5*s*., 7*s*. 6*d*., 10*s*. 6*d*. & 15*s*.
I	Calypso	Hybrid	31*s*. 6*d*., 42*s*. and 63*s*.
I	cardinale	Hybrid	21*s*., 31*s*. 6*d*. and 42*s*.
I	Carnusianum	Hybrid	63*s*., 84*s*. and 105*s*.
I	—— atratum	Hybrid	84*s*. and 105*s*.
I	caudatum	Central America	10*s*. 6*d*., 15*s*. to 31*s*. 6*d*.
I	—— nigrum	Central America	
I	—— roseum	Central America	15*s*., 21*s*. and 31*s*. 6*d*.
I	—— Wallisii	Ecuador	42*s*. and 63*s*.
S	Chamberlainianum	New Guinea	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
S	Charlesworthii	Burmah	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
S	—— amœnum	Burmah	
S	—— splendens	Burmah	
S	—— superbum	Burmah	
I	chloroneurum	Hybrid	10*s*. 6*d*., 15*s*. and 21*s*.
I	Cicero, *vide* page 6		
I	ciliolare	East Indies	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	conchiferum	Hybrid	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	concolor	Moulmein	10*s*. 6*d*., 15*s*. and 21*s*.
**I*	Crossianum	Hybrid	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	—— superbum	Hybrid	31*s*. 6*d*. and 42*s*.
S	Curtisii	Sumatra	7*s*. 6*d*., 10*s*. 6*d*. to 31*s*. 6*d*.

C	**CYPRIPEDIUM Dauthierii**	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**Dayanum (Petri)**	Borneo	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**Dominii**	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**Druryi**	East Indies	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**Elliotianum (Rothschildianum)**	New Guinea	15*s.*, 21*s.* and 31*s.* 6*d.*
I	**Empress,** *see* page 6		
I	**Euryale**	Hybrid	42*s.* and 63*s.*
S	**euryandrum**	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**Exul**	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	**Eyermannianum**	Hybrid	
I	**Fitchianum**	Hybrid	42*s.* and 63*s.*
S	**formosum**	Hybrid	
S	**gemmiferum**	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**Germinyanum**	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**glanduliferum (præstans)**	New Guinea	42*s.* and 63*s.*
S	**Godefroyæ**	Siam	10*s.* 6*d.* and 15*s.*
S	**grande**	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	**Harrisianum**	Hybrid	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	**—— nigrum**	Hybrid	42*s.* and 63*s.*
C	**—— superbum**	Hybrid	63*s.* and 84*s.*
I	**Hartwegii (Roezlii)**	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**Haynaldianum**	Philippine Islands	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**hirsutissimum**	Assam	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**Hookeræ**	Borneo	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**hybridum**	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**—— marginatum**	Hybrid	21*s.* and 31*s.* 6*d.*
*C	**insigne**	Nepal	3*s.* 6*d.* and 5*s.*
*C	**—— albo-marginatum**	Nepal	10*s.* 6*d.* and 15*s.*
*C	**—— Chantinii (punctatum violaceum)**	Nepal	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
*C	**—— Freemanii**	Nepal	
*C	**—— giganteum**	Nepal	42*s.* and 63*s.*
*C	**—— maculatum**	Nepal	10*s.* 6*d.* and 15*s.*
*C	**—— —— marginatum**	Nepal	10*s.* 6*d.* and 15*s.*
*C	**—— Maulei**	Nepal	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
*C	**—— maximum**	Nepal	10*s.* 6*d.*
*C	**—— pictum**	Nepal	21*s.*
*C	**—— punctatum**	Nepal	15*s.*
*C	**—— —— violaceum,** *vide* **Chantinii**		
*C	**—— sylhetense**	Nepal	10*s.* 6*d.* and 15*s*
I	**Io**	Hybrid	42*s.* and 63*s.*
I	**—— grande**	Hybrid	
S	**javanico-superbiens**	Hybrid	42*s.*, 63*s.* and 84*s.*
I	**javanicum**	Java	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	**lævigatum (philippinense)**	Philippine Islands	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**Laforcadei**	Hybrid	42*s.* and 63*s.*
I	**Lathamianum**	Hybrid	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**Lawrenceanum**	Borneo	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
I	**—— coloratum**	Borneo	63*s.*
I	**—— expansum**	Borneo	42*s.*
I	**—— majus**	Borneo	
I	**—— marmoratum**	Borneo	
I	**—— superbum**	Borneo	21*s.* and 31*s.* 6*d.*
*I	**Leeanum**	Hybrid	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*I	**—— superbum**	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**leucorhodum**	Hybrid	42*s.* and 63*s.*
S	**Lindleyanum**	British Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**longifolium**	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
S	**Lowii**	Borneo	10*s.* 6*d.*, 15*s.* and 21*s.*

S	CYPRIPEDIUM marmorophyllum	Hybrid	.....	15*s*., 21*s*. and 31*s*. 6*d*.
S	Mastersianum	East Indies	.....	63*s*., 84*s*. and 105*s*.
**S*	Meirax	Hybrid	.....	42*s*., 63*s*. and 84*s*.
**S*	melanopthalmum	Hybrid	.....	10*s*. 6*d*., 15*s*. and 21*s*.
S	Morganiæ	Hybrid	.....	42*s*., 63*s*. and 84*s*.
S	Niobe	Hybrid	.....	42*s*. and 63*s*.
**S*	nitens	Hybrid	.....	10*s*. 6*d*., 15*s*. and 21*s*.
**S*	—— superbum	Hybrid	.....	15*s*., 21*s*. and 31*s*. 6*d*.
S	nitidissimum	Hybrid	.....	15*s*., 21*s*. and 31*s*. 6*d*.
**S*	niveum	East Indies	.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	œnanthum	Hybrid	.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	—— superbum	Hybrid	.....	15*s*., 21*s*. and 31*s*. 6*d*.
S	Parishii	East Indies	.....	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	pavoninum	Hybrid	.....	
S	philippinense, *vide* lævigatum			
S	picturatum	Hybrid	.....	63*s*. and 84*s*.
I	Placida, *vide* page 7			
I	politum	Hybrid	.....	10*s*. 6*d*., 15*s*. and 21*s*.
S	polystigmaticum	Hybrid	.....	21*s*., 31*s*. 6*d*. and 42*s*.
I	porphyreum	Hybrid	.....	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
S	Portia	Hybrid	.....	15*s*. and 21*s*.
S	præstans, *vide* glanduliferum			
S	pulchellum	Hybrid	.....	
I	purpuratum	Hong Kong	.....	21*s*. and 31*s*. 6*d*.
I	regale	Hybrid	.....	63*s*., 84*s*. and 105*s*.
S	Robelenii, *vide* lævigatum			
I	Roezlii, *vide* Hartwegii			
S	Rothschildianum, *vide* Elliotianum			
I	Sallierii	Hybrid	.....	10*s*. 6*d*., 15*s*. and 21*s*.
S	Sanderianum	Malay Archipelago	....	10*s*. 6*d*., 15*s*. and 21*s*.
C	Schlimii	Colombia	.....	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	Schroderæ	Hybrid	.....	15*s*., 21*s*. and 31*s*. 6*d*.
C	Sedeni	Hybrid	.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	—— candidulum	Hybrid	.....	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
C	—— superbum	Hybrid	.....	15*s*. and 21*s*.
I	Seegerianum	Hybrid	.....	31*s*. 6*d*., 42*s*. and 63*s*.
I	selligerum	Hybrid	.....	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	—— majus	Hybrid	.....	21*s*., 31*s*. 6*d*. and 42*s*.
I	signatum, *vide* page 7			
**I*	Spicerianum	East Indies	.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
**I*	—— grandiflorum	East Indies	.....	31*s*. 6*d*. and 42*s*.
**I*	—— magnificum	East Indies	.....	
**I*	—— prasinum	East Indies	.....	42*s*. and 63*s*.
**I*	—— virescens	East Indies	.....	21*s*., 31*s*. 6*d*. and 42*s*.
**I*	—— viride	East Indies	.....	
I	stenophyllum	Hybrid	.....	10*s*. 6*d*., 15*s*. and 21*s*.
S	Stonei	Borneo	.....	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
I	superbiens (Veitchii)	Java	.....	10*s*. 6*d*., 15*s*. and 21*s*.
I	superciliare	Hybrid	.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	—— ornatum	Hybrid	.....	10*s*. 6*d*., 15*s*. and 21*s*.
I	Swanianum	Hybrid	.....	10*s*. 6*d*., 15*s*. and 21*s*.
S	tonsum	Sumatra	.....	21*s*., 31*s*. 6*d*. and 42*s*.
**C*	venustum	Nepal	.....	3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.
**C*	—— pardinum	Nepal	.....	15*s*. and 21*s*.
I	vernixium	Hybrid	.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
I	vexillarium	Hybrid	.....	31*s*. 6*d*., 42*s*. and 63*s*.
C	villosum	Moulmein	.....	5*s*., 7*s*. 6*d*., 10*s*. 6*d*. & 15*s*.
C	—— aureum	Moulmein	.....	31*s*. 6*d*., 42*s*. and 63*s*.
S	Volonteanum	East Indies	.....	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

I	**CYRTOPODIUM punctatum**	South America	15*s.*, 21*s.* aud 31*s.* 6*d.*
I	St. Legerianum	Paraguay	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**CYRTOPTERA Regnieri**	Cochin China	21*s.* and 31*s.* 6*d.*
I	**DENDROBIUM aggregatum**	East Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	aggregatum majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Ainsworthii	Hybrid	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— decorum	Hybrid	
I	—— roseum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	albo-sanguineum	Moulmein	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	amœnum	East Indies	15*s.* and 21*s.*
S	anosmum (Dayanum)	Manilla	21*s.* aud 31*s.* 6*d.*
S	aqueum (album)	East Indies	21*s.* and 31*s.* 6*d.*
S	aurantiacum	East Indies	10*s.* 6*d.* and 15*s.*
I	aureum (heterocarpum)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Bensoniæ	Arracan Hills	7*s.* 6*d.* and 10*s.* 6*d.*
S	bigibbum	Torres Straits	10*s.* 6*d.* and 15*s.*
I	binoculare	Burmah	21*s.* and 31*s.* 6*d.*
S	Brymerianum	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Calceolaria	East Indies	10*s.* 6*d.* and 15*s.*
I	Cambridgeanum, *vide* D. ochreatum		
I	chrysanthum	Nepal	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Chrysotis, *vide* Hookerianum		
I	chrysotoxum	Moulmein	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— superbum	Moulmein	10*s.* 6*d.* and 15*s.*
I	clavatum	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
**I*	crassinode	Arracan & Siam Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— album	Arracan & Siam Mountains	63*s.* and 105*s.*
**I*	—— Barberianum	Arracan & Siam Mountains	7*s.* 6*d.*, 10*s.* 6*d.* aud 15*s.*
I	crepidatum	East Indies	5*s.* and 7*s.* 6*d.*
S	cretaceum	Burmah	5*s.* and 7*s.* 6*d.*
S	cruentum	Malay Peninsula	
S	crystallinum	Arracan Mountains	7*s.* 6*d.* and 10*s.* 6*d.*
S	album	Arracan Hills	
S	cucullatum, *vide* D. Pierardii		
I	cupreum	East Indies	21*s.* and 31*s.* 6*d.*
S	Dalhousieanum	East Indies	10*s.* 6*d.* and 15*s.*
S	Dayanum, *vide* D. anosmum		
S	Dearei	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	densiflorum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Devonianum	Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	dixanthum	East Indies	10*s.* 6*d.* and 15*s.*
I	Dominii	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Draconis (eburneum)	Burmah	10*s.* 6*d.* and 15*s.*
I	Endocharis	Hybrid	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Falconeri	East Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	Farmeri	Indie	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— album	India	
S	—— aureum	Indie	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	fimbriatum	Nepal	7*s.* 6*d.* and 10*s.* 6*d.*
I	—— oculatum	Nepal	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Findlayanum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	formosum giganteum	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Freemanii	Assam	15*s.* and 21*s.*
I	Gibsonii	Tenasserim	21*s.* and 31*s.* 6*d.*
I	Griffithianum	East Indies	42*s.* and 63*s.*
I	Guibertii	East Indies	
I	heterocarpum, *vide* aureum		
**C*	Hillii, *vide* speciosum Hillii		
I	Hookerianum (Chrysotis)	Assam	15*s.* and 21*s.*

S	**DENDROBIUM Hughii**	East Indies	10*s.* 6*d.*
C	Infundibulum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Jamesianum	Moulmein	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	japonicum, *vide* moniliforme		
S	Jenkinsii	Gualpara	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Johnsoniæ	New Guinea	
I	Kingianum	Australia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— album	Australia	31*s.* 6*d.* and 42*s.*
S	Leechianum	Hybrid	31*s.* 6*d.*, 42*s.* and 63*s.*
I	Linawianum (moniliforme, Hort.)	China and Japan	10*s.* 6*d.*, 15*s.* and 21*s.*
I	lituiflorum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	luteolum	Moulmein	10*s.* 6*d.* and 15*s.*
S	macrophyllum (superbum)	Manilla	7*s.* 6*d.* and 10*s.* 6*d.*
S	MacCarthiæ	Ceylon	10*s.* 6*d.*, 15*s.* and 21*s.*
I	marmoratum	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
C	moniliforme (japonicum)	Japan	7*s.* 6*d.*
I	moniliforme, Hort., *vide* Linawianum		
I	moschatum	East Indies	10*s.* 6*d.* and 15*s.*
*I	nobile	Assam	5*s.* and 7*s.* 6*d.*
*I	—— albescens	Assam	
*I	—— cærulescens	Assam	15*s.*, 21*s.* and 31*s.* 6*d.*
*I	—— Cooksoni	Assam	31*s.* 6*d.*, 42*s.* and 63*s.*
*I	—— elegans	Assam	
*I	—— excellens	Assam	
*I	—— grandiflorum	Assam	21*s.* and 31*s.* 6*d.*
*I	—— insignis	Assam	
*I	—— nobilius	Assam	31*s.* 6*d.*, 42*s.* and 63*s.*
*I	—— oculatum	Assam	21*s.*
*I	—— pendulum	Assam	21*s.* and 31*s.* 6*d.*
*I	—— pulcherrimum	Assam	21*s.* and 31*s.* 6*d.*
*I	—— roseum	Assam	42*s.* and 63*s.*
*I	—— rubellum	Assam	31*s.* 6*d.* and 42*s.*
*I	—— splendens	Assam	
*I	—— Wallichianum	Assam	15*s.* and 21*s.*
I	nodatum (Aphrodite)	Moulmein	7*s.* 6*d.* and 10*s.* 6*d.*
I	ochreatum (Cambridgeanum)	Chittagong	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Parishii	Moulmein	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	Parthenium	Borneo	31*s.* 6*d.* and 42*s.*
I	Paxtonii	Khasya	10*s.* 6*d.* and 15*s.*
S	Phalænopsis	North Australia	31*s.* 6*d.* and 42*s.*
S	—— Schroderianum	New Guinea	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
*I	Pierardi	Delta of Ganges	5*s.* and 7*s.* 6*d.*
I	primulinum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— giganteum	East Indies	10*s.* 6*d.* and 15*s.*
I	pulchellum (Loddigesii)	Assam	7*s.* 6*d.* and 10*s.* 6*d.*
I	Schroderæ	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
I	secundum	East Indies	5*s.* and 7*s.* 6*d.*
S	senile	Moulmein	15*s.* and 21*s.*
*C	speciosum	Australia	10*s.* 6*d.* and 15*s.*
*C	—— Hillii	Australia	21*s.* and 31*s.* 6*d.*
S	splendidissimum grandiflorum	Hybrid	
S	suavissimum	Burmah	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	superbiens	Torres Straits	
S	superbum, *vide* macrophyllum		
S	tetragonum	North Australia	21*s.*
I	thyrsiflorum	Burmah	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	—— carneum	Burmah	21*s.*
I	—— citrina	Burmah	21*s.*
I	—— superbum	Burmah	63*s.*, 84*s.* and 105*s.*

I	**DENDROBIUM** thyrsiflorum Walkerianum	Burmah	
S	tortile	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	Wardianum	Burmah	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**I*	—— grandiflorum	Burmah	31*s.* 6*d.*, 42*s.* and 63*s.*
**I*	—— virginale	Burmah	
I	**DENDROCHILUM**, *vide* Platyclinis		
S	**DIACRIUM** bicornutum	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**DICHÆA** vaginata	Mexico	10*s.* 6*d.* and 15*s.*
C	**DISA** grandiflora	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
C	kewensis	Hybrid	
C	—— delicata	Hybrid	
C	—— superba	Hybrid	
C	langleyensis	Hybrid	
C	racemosa	Cape of Good Hope	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**EPIDENDRUM** aromaticum	Guatemala	10*s.* 6*d.* and 15*s.*
C	atropurpureum, *vide* macrochilum		
S	bicornutum, *vide* Diacrium bicornutum		
I	Brasavolæ	Guatemala	15*s.* and 21*s.*
I	Christii	South America	21*s.*
I	ciliare	South America	7*s.* 6*d.* and 10*s.* 6*d.*
I	cochleatum	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
I	Cooperianum	Brazil	21*s.*
I	criniferum	Costa Rica	15*s.* and 21*s.*
I	cuspidatum	Costa Rica	7*s.* 6*d.* and 10*s.* 6*d.*
I	dichromum	Bahia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	eburneum	Colon	
I	evectum	South America	10*s.* 6*d.* and 15*s.*
I	falcatum (Parkinsonianum)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	fals-loquum	South America	21*s.* and 31*s.* 6*d.*
I	Frederici Guilielmi	Peru	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Godseffianum	South America	10*s.* 6*d.* and 15*s.*
I	ibaguense	South America	15*s.* and 21*s.*
I	insidiosum	South America	15*s.*
I	inversum	Brazil	21*s.*
I	leucochilum	South America	21*s.*
C	macrochilum (atropurpureum)	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
C	myrianthum	Guatemala	63*s.* and 84*s.*
I	nemorale	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superbum	Mexico	21*s.* and 31*s.* 6*d.*
I	nutans	South America	10*s.* 6*d.*
I	prismatocarpum	Chiriqui	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— superbum	Chiriqui	42*s.* and 63*s.*
I	radiatum roseum	South America	15*s.*
I	rhizophorum (radicans)	Mexico	5*s.*, 7*s.* 6*d.* to 21*s.*
I	syringothyrsus	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	verrucosum, *vide* nemorale		
C	vitellinum majus	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Wallisii	Colombia	
I	**ERIA** convallarioides	Nepal	15*s.* and 21*s.*
I	stellata	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**EULOPHIA** pulchra	Madagascar	10*s.* 6*d.*
S	**EULOPHIELLA** Elisabethiæ	Madagascar	
S	**GALEANDRA** Devoniana	Guiana	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**GOODYERA** (Anœctochilus) Dawsoniana	East Indies	10*s.* 6*d.* and 15*s.*
I	discolor	South America	5*s.* and 7*s.* 6*d.*
S	Rollissonii		42*s.* and 63*s.*
S	**GRAMMATOPHYLLUM** (Grammangis) Ellisii	Madagascar	21*s.*, 31*s.* 6*d.* and 42*s.*

S	**GRAMMATOPHYLLUM** (Grammangis) Measuresianum	Philippine Islands	42*s.* and 63*s.*
S	**HABENARIA** carnea		7*s.* 6*d.* and 10*s.* 6*d.*
S	militaris	Cochin China	21*s.*
I	**HOULLETIA** Brocklehurstiana	Brazil	15*s.* and 21*s.*
I	**HUNTLEYA** cerina, *vide* Pescatoria cerina		
S	**IPSEA** speciosa	Ceylon	7*s.* 6*d.* and 10*s.* 6*d.*
S	**KERFERSTEINIA** graminea	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	**LÆLIA** acuminata	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	albida	Guatemala	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— bella	Guatemala	10*s.* 6*d.* and 15*s.*
**C*	—— grandiflora	Guatemala	15*s.* and 21*s.*
**C*	—— Marianæ	Guatemala	10*s.* 6*d.* and 15*s.*
I	amanda	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	anceps	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— alba	Mexico	
**C*	—— Barkeriana	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	—— conspicua	Mexico	105*s.*
**C*	—— Dawsonii	Mexico	
**C*	—— delicata	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— grandiflora	Mexico	
**C*	—— Hillii	Mexico	42*s.* and 63*s.*
**C*	—— insignis	Mexico	84*s.*
**C*	—— major	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— oculata	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— Percivaliana	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	—— pulcherrima	Mexico	42*s.*
**C*	—— Sanderiana	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	—— Schroderiana	Mexico	
**C*	—— splendens	Mexico	42*s.* and 63*s.*
**C*	—— Stella	Mexico	21*s.*, 31*s.* 6*d.* to 63*s.*
**C*	—— rosea	Mexico	
**C*	—— rubra	Mexico	42*s.* and 63*s.*
**C*	—— Williamsiana, *vide* Stella		
**C*	autumnalis	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
**C*	—— alba	Mexico	
**C*	—— atrorubens	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— Eyermanniana	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
**C*	—— insignis	Mexico	
**C*	—— superba	Mexico	42*s.*
I	Boothiana, *vide* Cattleya lobata		
I	cinnabarina	Brazil	10*s.* 6*d.* and 15*s.*
I	crispa, *vide* Cattleya crispa		
I	crispilabia (Lawrenceana)	Brazil	31*s.* 6*d.* and 42*s.*
**I*	Dayana	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**I*	—— superba	Brazil	21*s.*
I	Dormaniana	Brazil	21*s.* and 31*s.* 6*d.*
I	elegans	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— alba	Brazil	42*s.* and 63*s.*
I	—— carnea	Brazil	63*s.* and 84*s.*
I	—— Dayana	Brazil	
I	—— irrorata	Brazil	
I	—— macroloba	Brazil	
I	—— Mastersiana	Brazil	
I	—— miranda	Brazil	147*s.*
I	—— prasiata	Brazil	
I	—— pulchra	Brazil	

I	LÆLIA elegans Schilleriana	Brazil	63*s.* and 84*s.*
I	elegans Stelzneriana	Brazil	84*s.* and 105*s.*
I	—— Wolstenholmiæ	Brazil	
I	flava	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	furfuracea	Mexico	21*s.* and 31*s.* 6*d.*
**C*	Gouldiana	Mexico	
I	harpophylla	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Lindleyana	Brazil	31*s.* 6*d.* and 42*s.*
I	lobata, *vide* Cattleya lobata		
C	majalis (Flor de Maio)	Oaxaca	10*s.* 6*d.* and 15*s.*
**I*	marginata, *vide* Cattleya marginata		
I	Patinii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Perrinii	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	—— superba	Brazil	31*s.* 6*d.* and 42*s.*
**I*	præstans (Pinelii, pumila)	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	purpurata	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— alba	Brazil	31*s.* 6*d.* and 42*s.*
I	—— —— gloriosa	Brazil	
I	—— atropurpurea	Brazil	
I	—— atrorubens	Brazil	
I	—— atrosanguinea	Brazil	
I	—— bella	Brazil	
I	—— Brysiana	Brazil	
I	—— Chelsiensis	Brazil	
I	—— erubescens	Brazil	
I	—— formosa	Brazil	
I	—— fulgens	Brazil	
I	—— gloriosa	Brazil	
I	—— grandis	Brazil	
I	—— Imperialis	Brazil	
I	—— magnifica	Brazil	
I	—— marginata	Brazil	
I	—— maxima	Brazil	
I	—— Nelisii	Brazil	
I	—— nigra	Brazil	
I	—— nobilior	Brazil	
I	—— picta	Brazil	
I	—— picturata	Brazil	
I	—— Princess	Brazil	
I	—— refulgens	Brazil	
I	—— rosea	Brazil	
I	—— rubella	Brazil	
I	—— rubicunda	Brazil	
I	—— Russelliana	Brazil	31*s.* 6*d.* and 42*s.*
I	—— Schrœderiana	Brazil	
I	—— speciosa	Brazil	
I	—— splendens	Brazil	
I	—— superba	Brazil	
I	—— versicolor	Brazil	
I	—— Victoriæ	Brazil	
**I*	—— Wyattiana	Brazil	
I	Schilleriana, *vide* L. elegans		
I	superbiens	Malacatan	
I	tenebrosa	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	xanthina (Cattleya xanthina)	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	LEPTOTES bicolor	South America	7*s.* 6*d.* and 10*s.* 6*d.*
**I*	LIMATODIS rosea	Moulmein	5*s.* and 7*s.* 6*d.*
I	LIPARIS Rheedii	South America	10*s.* 6*d.*

S	**LIPARIS longipes**	India	
S	longipes pendula	India	
C	**LYCASTE aromatica**	Mexico	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
C	costata	South America	15*s*., 21*s*. and 31*s*. 6*d*.
C	cruenta	Guatemala	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
C	—— major	Guatemala	
C	Deppei	Mexico	7*s*. 6*d*. and 10*s*. 6*d*.
C	fulvescens	Colombia	10*s*. 6*d*. and 15*s*.
C	gigantea	South America	15*s*. and 21*s*.
C	Harrisoniæ, *vide* **Maxillaria Harrisoniæ**		
C	lanipes (Cobbiana)	Guayaquil	10*s*. 6*d*., 15*s*. and 21*s*.
I	Lawrenceana	South America	21*s*. and 31*s*. 6*d*.
**I*	plana Measuresiana	Bolivia	21*s*., 31*s*. 6*d*. and 42*s*.
**C*	Skinneri	Guatemala	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
**C*	—— alba	Guatemala	63*s*., 84*s*. and 105*s*.
**C*	—— albo-marginata	Guatemala	
**C*	—— amœna	Guatemala	
**C*	—— ampliata	Guatemala	
**C*	—— carnea	Guatemala	
**C*	—— delicata	Guatemala	21*s*. and 31*s*. 6*d*.
**C*	—— fulgens	Guatemala	
**C*	—— grandis	Guatemala	42*s*. and 63*s*.
**C*	—— imperialis	Guatemala	
**C*	—— maculata	Guatemala	31*s*. 6*d*.
**C*	—— magnifica	Guatemala	
**C*	—— marginata	Guatemala	
**C*	—— marmorata	Guatemala	
**C*	—— maxima	Guatemala	
**C*	—— mirabilis	Guatemala	
**C*	—— picta	Guatemala	42*s*. and 63*s*.
**C*.	—— princeps	Guatemala	
**C*	—— pulchra	Guatemala	
**C*	—— rosea	Guatemala	15*s*. and 21*s*.
**C*	—— —— superba	Guatemala	
**C*	—— rubella	Guatemala	21*s*. and 31*s*. 6*d*.
**C*	—— —— picta	Guatemala	
**C*	—— rubescens	Guatemala	
**C*	—— splendens	Guatemala	42*s*. and 63*s*.
**C*	—— superba	Guatemala	15*s*. and 21*s*.
**C*	—— tincta	Guatemala	42*s*. and 63*s*.
**C*	—— tricolor	Guatemala	31*s*. 6*d*.
**C*	—— venusta	Guatemala	
**C*	—— Vesta	Guatemala	
**C*	—— vivicans	Guatemala	
I	tetragona (Maxillaria)	Brazil	10*s*. 6*d*. and 15*s*.
C	**MASDEVALLIA abbreviata**	Colombia	5*s*. and 7*s*. 6*d*.
C	amabilis	Colombia	3*s*. 6*d*. and 5*s*.
C	—— lineata	Colombia	7*s*. 6*d*. and 10*s*. 6*d*.
C	anchorifera	Colombia	42*s*.
C	Backhousiana, *vide* **Chimæra Backhousiana**		
C	Barlæana	Peru	5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
C	bella	Colombia	7*s*. 6*d*., 10*s*. 6*d*. to 21*s*.
C	Benedictii, *vide* psittacina		
C	Bonplandii	Colombia	5*s*. and 7*s*. 6*d*.
C	calura	Colombia	42*s*.
I	candida, *vide* tovarensis		
C	Carderi	Colombia	31*s*. 6*d*., 42*s*. and 63*s*.

C **MASDEVALLIA** Chelsiensis ..... Hybrid ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C Chimæra ..... Colombia ..... 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C —— Backhousiana ..... Colombia ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
C —— gigantea ..... Colombia ..... 42*s.* and 63*s.*
C —— Roezlii ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C —— Wallisii ..... Colombia ..... 7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C —— Winniana ..... Colombia ..... 21*s.* and 31*s.* 6*d.*
C Colibri, *vide* Trochilus
C corniculata ..... Colombia ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
C Crossii, *vide* racemosa
C cucullata ..... Colombia ..... 42*s.*, 63*s.* and 84*s.*
C Davisii ..... South America ..... 7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C Dayana, *vide* Cryptophoranthus
C demissa ..... South America ..... 21*s.* and 31*s.* 6*d.*
C elephanticeps ..... Colombia .....
C Ephippium, *vide* Trochilus
C erythrochæte ..... Colombia ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
C Estradæ ..... South America ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
C Gorgona, *vide* nycterina
C Harryana ..... Colombia ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C —— acanthifolia.—A charming variety of this beautiful Orchid, producing very fine flowers of a rich shining violet-rose colour; remarkably attractive .... Colombia ..... 42*s.* and 63*s.*
C —— acuminata ..... Colombia ..... 42*s.* and 63*s.*
C —— atropurpurea ..... Colombia ..... 42*s.* and 63*s.*
C —— atrosanguinea ..... Colombia ..... 31*s.* 6*d.*, 42*s.* and 63*s.*
C —— aurantiaca ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— cærulescens ..... Colombia ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C —— —— atroviolacea ..... Colombia ..... 63*s.* and 84*s.*
C —— —— concolor ..... Colombia ..... 31*s.* 6*d.* and 42*s.*
C —— —— gigantea ..... Colombia ..... 84*s.* and 105*s.*
C —— —— grandiflora ..... Colombia ..... 63*s.* and 84*s.*
C —— —— magnifica ..... Colombia ..... 42*s.* and 63*s.*
C —— —— maxima ..... Colombia ..... 63*s.* and 84*s.*
C —— —— superba ..... Colombia ..... 42*s.* and 63*s.*
C —— Chelsiensis ..... Colombia .....
C —— coccinea ..... Colombia ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
C —— Comet ..... Colombia ..... 84*s.* and 105*s.*
C —— conchiflora.—This fine variety produces splendid blossoms of a rich rosy-lake shade; the large showy flowers are, as the name implies, somewhat shell-like in appearance ..... 7*s.* 6*d.* and 10*s.* 6*d.*
C —— conspicua ..... Colombia .....
C —— decora ..... Colombia ..... 42*s.* and 63*s.*
C —— delicata ..... Colombia ..... 42*s.* and 63*s.*
C —— Denisoniana ..... Colombia ..... 21*s.*, 31*s.* 6*d.* and 42*s.*
C —— Electric ..... Colombia .....
C —— elegans ..... Colombia ..... 42*s.* and 63*s.*
C —— expansa ..... Colombia ..... 10*s.* 6*d.*, 15*s.* and 21*s.*
C —— Flambeau ..... Colombia .....
C —— flammea ..... Colombia .....
C —— formosa ..... Colombia ..... 42*s.* and 63*s.*
C —— fulgens ..... Colombia .....
C —— gemma ..... Colombia .....
C —— gloriosa ..... Colombia .....
C —— illustris ..... Colombia .....
C —— insignis ..... Colombia .....
C —— leonis ..... Colombia .....
C —— lilacina ..... Colombia ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C —— luteo-oculata ..... Colombia ..... 42*s.* and 63*s.*

C	**MASDEVALLIA Harryana magnifica**	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	**Harryana Mars**	Colombia	
C	—— **Meteor**	Colombia	
C	—— **miniata**	Colombia	
C	—— **mirabilis**	Colombia	
C	—— **oculata**	Colombia	15*s.* and 21*s.*
C	—— **ornata**	Colombia	42*s.* and 63*s.*
C	—— **patens**	Colombia	
C	—— **princeps**	Colombia	
C	—— **purpurea**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— **magnifica**	Colombia	
C	—— **regalis.**—A magnificent variety, with very large and broad flowers of good form and substance; their colour is peculiarly striking and attractive, being an extremely rich shade of dark glowing crimson	Colombia	31*s.* 6*d.* and 42*s.*
C	—— **Reginæ**	Colombia	
C	—— **rosacea**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— **rosea**	Colombia	21*s.* and 31*s.* 6*d.*
C	—— **rotundiflora**	Colombia	
C	—— **salmonea**	Colombia	
C	—— **sanguinea**	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— —— **aurantiaca**	Colombia	63*s.* and 84*s.*
C	—— **speciosa**	Colombia	
C	—— **splendens**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— **superba**	Colombia	42*s.* and 63*s.*
C	—— **triumphans**	Colombia	63*s.* and 84*s.*
C	—— **venusta**	Colombia	
C	—— **versicolor.**—A distinct variety, the rich magenta ground-colour being margined, or irregularly marked with intense maroon crimson	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	—— **violacea**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— **magnifica**	Colombia	63*s.* and 84*s.*
C	—— —— **oculata**	Colombia	42*s.* and 63*s.*
C	—— —— **superba**	Colombia	42*s.* and 63*s.*
C	—— **vivicans**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— **Walkeriana.**—A very handsome variety, with gigantic flowers 2½ inches across	Colombia	31*s.* 6*d.* and 42*s.*
C	**heiroglyphica**	Colombia	42*s.*
C	**Houtteana,** *vide* **psittacina**		
C	**ignea**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— **aurantiaca**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— **citrina**	Colombia	
C	—— **Eckhardtii**	Colombia	31*s.* 6*d.*
C	—— **Massangeana**	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— **militaris**	Colombia	31*s.* 6*d.* and 42*s.*
C	—— —— **purpurea**	Colombia	42*s.* and 63*s.*
C	—— —— **splendens**	Colombia	63*s.* and 84*s.*
C	—— **penanthe**	Colombia	15*s.* and 21*s.*
C	—— **speciosa**	Colombia	
C	—— **Stobartiana**	Colombia	21*s.* and 31*s.* 6*d.*
C	**inflata**	Colombia	42*s.* and 63*s.*
C	**infracta**	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— **purpurea**	Colombia	21*s.* and 31*s.* 6*d.*
C	**ionocharis**	South America	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**leontoglossa**	Colombia	21*s.*
C	**Lindeni**	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	**macrura**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**maculata**	South America	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	—— **flava**	South America	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— **superba**	South America	

C	**MASDEVALLIA** muscosa	South America	
C	nycterina (Gorgona)	Colombia	10*s.* 6*d.* and 15*s.*
C	octhodes (Scaphosepalum)	Colombia	5*s.*
C	Parlatoreana	Colombia	
C	Peristeria	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	polysticta	Colombia	5*s.* and 7*s.* 6*d.*
C	—— brevior	Colombia	10*s.* 6*d.* and 15*s.*
C	—— caudata	Colombia	10*s.* 6*d.* and 15*s.*
C	porcelliceps	Colombia	31*s.* 6*d.* and 42*s.*
C	psittacina (Benedictii, Houtteana)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	racemosa (Crossii)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	radiosa	Colombia	21*s.* and 31*s.* 6*d.*
C	—— major	Colombia	
C	Reichenbachiana	South America	10*s.* 6*d.* and 15*s.*
C	rosea	Ecuador	10*s.* 6*d.* and 15*s.*
C	Schlimii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	Schroderiana splendens	Colombia	
C	severa	Colombia	42*s.* and 63*s.*
C	Shuttleworthii	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— xanthocorys	Colombia	15*s.* and 21*s.*
C	simula	South America	
C	swerticifolia	Colombia	10*s.* 6*d.* and 15*s.*
C	torta	Colombia	42*s.* and 63*s.*
*I	tovarensis (candida)	Venezuela	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	tridactylites	South Amerioa	21*s.* and 31*s.* 6*d.*
I	triangularis	Venezuela	7*s.* 6*d.* and 10*s.* 6*d.*
C	trichæte	Colombia	21*s.* and 31*s.* 6*d.*
C	Trochilus (Colibri, Ephippium)	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	Veitchiana	Peru	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflora	Peru	42*s.* and 63*s.*
C	—— magnifica	Peru	
C	Vespertilio	Colombia	21*s.* aud 31*s.* 6*d.*
I	Wagneriana	Venezuela	5*s.* aud 7*s.* 6*d.*
C	Wallisii, *vide* **M.** Chimæra Wallisii		
C	xanthina	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**MAXILLARIA** grandiflora	South America	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	(Lycaste) Harrisoniæ	South Amcrica	5*s.*, 7*s.* 6*d.* aud 10*s.* 6*d.*
C	(——) —— alba	South America	
C	(——) —— eburnea	South America	15*s.* and 21*s.*
C	(——) —— pubigera	South America	31*s.* 6*d.*
C	(——) —— purpurea	South America	31*s.* 6*d.*
I	leontoglossa, *vide* Xylobium		
*C	luteo-alba	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflora	Colombia	21*s.*
C	—— purpurea	Colombia	21*s.*
C	picta	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	Sanderiana	South America	21*s.*, 31*s.* 6*d.* and 42*s.*
I	squalens	South America	5*s.* and 7*s.* 6*d.*
I	tenuifolia	Mexico	10*s.* 6*d.* and 15*s.*
I	tetragona, *see* Lycaste tetragona		
C	Turneri	Mexico	15*s.* and 21*s.*
C	venusta	Colombia	10*s.* 6*d.* and 15*s.*
C	**MESOSPINIDIUM** roseum	Mexico	10*s.* 6*d.*
*C	sanguineum	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	vulcanicum	Ecuador	10*s.* 6*d.* and 15*s.*
C	—— grandiflorum	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
S	**MICROSTYLIS** calophylla	East Indies	10*s.* 6*d.* and 15*s.*
S	metallica	Borneo	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*

I	**MILTONIA candida**	Brazil	15*s.* and 21*s.*
I	candida punctata	Brazil	
I	Clowesii	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— major	Brazil	15*s.* and 21*s.*
I	—— pauciguttata	Brazil	42*s.* and 63*s.*
I	cuneata	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— platyglossa	Brazil	
I	flavescens (stellata)	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Moreliana	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— atropurpurea	Brazil	
I	(Odontoglossum) Phalænopsis	Ocaña	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	Regnellii (cereola)	Brazil	15*s.* and 21*s.*
I	—— purpurea	Brazil	42*s.* and 63*s.*
S	Roezlii (Odontoglossum)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— alba	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— Alexandræ	Colombia	
S	—— delicata	Colombia	10*s.* 6*d.* and 15*s.*
S	—— rosea	Colombia	21*s.* and 31*s.* 6*d.*
S	—— splendens	Colombia	63*s.* and 84*s.*
I	Russelliana	Brazil	
I	spectabilis	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— aspirata	Brazil	
I	—— bicolor	Brazil	15*s.*, 21*s.* and 31*s.* 6*d.*
I	—— marginata	Brazil	
I	—— virginalis	St. Catherine's	21*s.* and 31*s.* 6*d.*
I	vexillaria (Odontoglossum vexillarium)	Colombia	5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and various sizes from 21*s.* upwards.
I	—— albescens	Colombia	
I	—— amabilis	Colombia	
I	—— amœna	Colombia	
I	—— bicolor	Colombia	42*s.* and 63*s.*
I	—— Cobbiana	Colombia	84*s.* and 105*s.*
I	—— conspicua	Colombia	
I	—— erubescens	Colombia	
I	—— gigantea	Colombia	84*s.* and 105*s.*
I	—— illustris	Colombia	
I	—— insignis	Colombia	84*s.* and 105*s.*
I	—— maculata	Colombia	
I	—— marmorata	Colombia	
I	—— picta	Colombia	
I	—— picturata	Colombia	
I	—— pulcherrima	Colombia	42*s.* and 63*s.*
I	—— purpurascens	Colombia	
I	—— radiata	Colombia	
I	—— rosea	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
I	—— rubella (Autumn-flowering)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— rubra	Colombia	
I	—— splendens	Colombia	
I	—— superba	Colombia	
I	—— tricolor	Colombia	
I	—— venosa	Colombia	
I	**MORMODES Lawrenceanum**	Mexico	31*s.* 6*d.* and 42*s.*
I	luxatum	Mexico	21*s.* and 31*s.* 6*d.*
I	—— eburneum	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	**NANODES Medusæ**	South America	21*s.* and 31*s.* 6*d.*
S	**NEPHELAPHYLLUM pulchrum**	Java	15*s.* and 21*s.*

*C	**ODONTOGLOSSUM** Alexandræ, *vide* O. crispum		
C	amabile (*hybrid*)	Colombia	
C	Andersonianum	Bogota	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— lobatum	Bogota	
C	angustatum	Colombia	42*s.*
C	Arnoldianum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
*C	aspersum (*hybrid*)	Mexico	31*s.* 6*d.* and 42*s.*
C	astranthum	Colombia	
C	baphicanthum (*hybrid*)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
*C	bellinum (*hybrid*)	Colombia	
*C	bictonense	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— album	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
C	blandum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	blepharicanthum	Venezuela	42*s.* and 63*s.*
*C	Bluntii, *vide* O. crispum		
C	cariniferum	South America	15*s.* and 21*s.*
*C	Cervantesii	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— decorum	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— roseum	Mexico	
C	Chestertoni (*hybrid*)	Colombia	42*s.* and 63*s.*
C	cirrosum	Ecuador	7*s.* 6*d.* and 10*s.* 6*d.*
C	—— gemmatum	Ecuador	63*s.*
C	—— Hrubyanum	Ecuador	
C	—— Klabochorum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	citrosmum (pendulum)	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— album	Mexico	
C	—— carneum	Mexico	
C	—— grandiflorum	Mexico	
C	—— punctatum	Mexico	
C	—— maximum	Mexico	
C	—— roseum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— rubrum	Mexico	
C	—— —— grandiflorum	Mexico	
C	constrictum	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Coradinei	Colombia	15*s.* and 21*s.*
C	—— hemileucum	Colombia	
C	—— maculatum	Colombia	
C	—— stenoglossum	Colombia	31*s.* 6*d.*
*C	cordatum	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
*C	—— aureum	Mexico	
*C	—— Kienastianum	Mexico	84*s.* and 105*s.*
*C	—— nigrum	Mexico	84*s.*
*C	—— pictum	Mexico	63*s.*
*C	—— superbum	Mexico	42*s.* and 63*s.*
C	coronarium	Colombia	42*s.* and 63*s.*
C	—— Dayanum	Colombia	
C	—— miniatum	Colombia	63*s.*
*C	crispum (Alexandræ, Bluntii)	Colombia	3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*, and various sizes from 21*s.* upwards
*C	—— album	Colombia	
*C	—— amœnum	Colombia	42*s.* and 63*s.*
*C	—— concinnum	Colombia	
*C	—— flaveolum	Colombia	
*C	—— giganteum	Colombia	
*C	—— grandiflorum	Colombia	63*s.* and 84*s.*
*C	—— grande	Colombia	
*C	—— guttatum	Colombia	63*s.* and 84*s.*
*C	—— intermedium	Colombia	

*C	**ODONTOGLOSSUM** crispum Lehmanni	Colombia	
*C	crispum nivale	Colombia	
*C	—— pictum	Colombia	
*C	—— princeps	Colombia	
*C	—— punctatum	Colombia	
*C	—— purpureum	Colombia	
*C	—— roseum	Colombia	42*s.*, 63*s.* and 84*s.*
*C	—— signatum	Colombia	
*C	—— speciosum	Colombia	63*s.* and 84*s.*
*C	—— splendens	Colombia	63*s.*, 84*s.* and 105*s.*
*C	—— stupendum	Colombia	
*C	—— superbum	Colombia	63*s.* and 84*s.*
*C	—— virginale	Colombia	
C	cristatellum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	cristatum	Peru	10*s.* 6*d.*, 15*s.* and 21*s.*
C	crocatum	Colombia	
C	cuspidatum	Colombia	
C	decorum (*hybrid*)	Colombia	
C	deltoglossum (*hybrid*)	Colombia	
C	Diadema (*hybrid*)	Colombia	
C	Edouardii	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
		Fine strong specimens,	31*s.* 6*d.* to 105*s.*
*C	Ehrenbergii	Mexico	
C	eximium (*hybrid*)	Colombia	
C	facetum	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
C	flaveolum (*hybrid*)	Colombia	
C	gloriosum	Ocaña	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— album (nævium majus)	Ocaña	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— aurcum	Ocaña	
C	—— hybridum	Ocaña	
C	—— nigrum	Ocaña	42*s.* and 63*s.*
C	—— pictum	Ocaña	42*s.* and 63*s.*
C	—— superbum	Ocaña	21*s.* and 31*s.* 6*d.*
C	grande	Guatemala	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— ampliatum	Guatemala	
C	—— macrolobum	Guatemala	42*s.*
C	—— nigrum	Guatemala	
C	—— obtusum	Guatemala	
C	—— pictum	Guatemala	
C	—— superbum	Guatemala	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Hallii	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— chlorops	Ecuador	
C	—— illustre	Ecuador	
C	—— leucoglossum	Ecuador	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— nigrum	Ecuador	
C	—— xanthoglossum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Harryanum	South America	5*s.*, 7*s.* 6*d.* to 21*s.*
I	—— superbum	South America	
I	—— tigrinum	South America	
I	hastilabium	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— superbum	Colombia	
C	hebraicum (*hybrid*)	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	hieroglyphicum (*hybrid*)	Colombia	
C	Holfordianum	Colombia	
C	Hunnewellianum	Colombia	15*s.* and 21*s.*
C	hystrix (radiatum)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.*, and 15*s.*
C	illustre (*hybrid*)	Colombia	
C	ioplocon	Colombia	

*C	**ODONTOGLOSSUM insigne** (*hybrid*) ..	Colombia	
I	Insleayi leopardinum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— splendens	Mexico	21*s.*, 31*s.* 6*d.* to 63*s.*
I	Karwinskii	South America	15*s.* and 21*s.*
I	Krameri	Costa Rica	31*s.* 6*d.*, 42*s.* and 63*s.*
C	lanceans (*hybrid*)	South America	15*s.* and 21*s.*
C	lacteum (*hybrid*)	South America	
C	lepidum (*hybrid*)	South America	
C	ligulare	South America	
C	Lindeni	Colombia	15*s.* and 21*s.*
C	Lindleyanum	Colombia	3*s.* 6*d.* and 5*s.*
C	—— speciosum	Colombia	15*s.* and 21*s.*
C	luteo-purpureum	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— —— conspicuum	Colombia	
C	—— —— dentatum	Colombia	
C	—— —— giganteum	Colombia	
C	—— —— nobile	Colombia	
C	—— —— princeps	Colombia	
*C	maculatum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
*C	—— anceps	Mexico	63*s.* and 84*s.*
*C	—— erosum	Mexico	84*s.* and 105*s.*
*C	—— stenanthum	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— superbum	Mexico	21*s.* and 31*s.* 6*d.*
*C	—— triumphans	Mexico	
C	madrense (maxillare)	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— majus	Mexico	42*s.* and 63*s.*
C	membranaceum	Mexico	10*s.* 6*d.* and 15*s.*
C	mirabile (*hybrid*)	Colombia	
C	mirandum	Colombia	7*s.* 6*d.* and 10*s.* 6*d.*
C	mulus	Colombia	
C	—— crocatum	Colombia	
C	—— cuspidatum	Colombia	
C	nævium	Ocaña	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— majus, *vide* O. gloriosum album		
C	nebulosum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— candidum	Mexico	15*s.* and 21*s.*
C	—— grandiflorum	Mexico	
C	—— pardinum	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— punctatum	Mexico	31*s.* 6*d.* and 42*s.*
C	nevadense	Colombia	
C	Noezlianum, *vide* cochlioda		
C	odoratum	Colombia	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	Œrstedii	Costa Rica	5*s.* and 7*s.* 6*d.*
C	—— majus	Costa Rica	10*s.* 6*d.*, 15*s.* and 21*s.*
C	pendulum, *vide* O. citrosmum		
C	Pescatorei	Colombia	3*s.* 6*d.*, 5*s.* to 21*s.*
C	—— aurantiacum	Colombia	
C	—— formosum	Colombia	
C	—— grandiflorum	Colombia	42*s.* and 63*s.*
C	—— insigne	Colombia	
C	—— limbosum	Colombia	
C	—— nebulosum	Colombia	
C	—— nivale	Colombia	42*s.* and 63*s.*
C	—— oculatum	Colombia	63*s.* and 84*s.*
C	—— speciosum	Colombia	
C	—— splendens	Colombia	42*s.* and 63*s.*
C	—— tinctum	Colombia	

I	**ODONTOGLOSSUM** Phalænopsis, *vide* **Miltonia Phalænopsis**		
C	picturatum (*hybrid*)	Colombia	
C	polyxanthum	Ecuador	21*s.* and 31*s.* 6*d.*
C	pretiosum, *vide* **O. Schleiperianum**		
C	princeps (*hybrid*)	Colombia	
**C*	pulchellum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— Egertoni (tenue)	Mexico	3*s.* 6*d.* and 5*s.*
**C*	—— majus	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	radiatum, *vide* **O. hystrix**		
C	ramosissimum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	—— album	Colombia	42*s.* and 63*s.*
C	ramulosum	Ocaña	15*s.* and 21*s.*
C	Reichenheimii	Mexico	21*s.* and 31*s.* 6*d.*
S	Roezlii, *vide* **Miltonia Roezlii**		
C	roseum, *vide* **Mesospinidium roseum**		
**C*	Rossii majus	Mexico	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
**C*	—— —— musaicum	Mexico	
**C*	—— —— nivosum	Mexico	
**C*	—— —— splendens	Mexico	21*s.* and 31*s.* 6*d.*
**C*	—— —— virginale	Mexico	
C	Ruckerianum (*hybrid*)	Colombia	31*s.* 6*d.*, 42*s.* and 63*s.*
C	—— giganteum (*hybrid*)	Colombia	84*s.* and 105*s.*
C	Sanderianum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	sceptrum	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
C	Schillerianum	Venezuela	63*s.*
C	Schleiperianum (pretiosum)	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— flavidum	Costa Rica	84*s.* and 105*s.*
C	spectabile (*hybrid*)	South America	
**C*	tripudians	Peru	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— grandiflorum	Peru	15*s.* and 21*s.*
C	triumphans	Ocaña	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— chrysolorum	Ocaña	
C	Uroskinneri	Guatemala	21*s.* and 31*s.* 6*d.*
C	venustum (*hybrid*)	Colombia	
I	vexillarium, *vide* **Miltonia vexillaria**		
C	Victor (*hybrid*)	Colombia	
C	Wallisii	Colombia	10*s.* 6*d.* and 15*s.*
C	Wilckeanum (*hybrid*)	Colombia	42*s.*, 63*s.* and 84*s.*
C	—— albens (*hybrid*)	Colombia	
C	—— pallens (*hybrid*)	Colombia	
C	**ONCIDIUM** æmulum, *vide* **C. superbiens**		
S	ampliatum	Panama	7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	Panama	10*s.* 6*d.* and 15*s.*
I	anciferum	South America	15*s.* and 21*s.*
I	auriferum	South America	
C	aurosum (excavatum)	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Balderramæ	Colombia	
I	barbatum	Brazil	10*s.* 6*d.* and 15*s.*
**C*	Barkeri, *vide* **O. tigrinum**		
I	bifolium	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
S	bifrons	Trinidad	
C	cæsium	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	carthaginense	Mexico	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Cavendishianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**I*	cheirophorum	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	chrysomorphum	South America	21*s.* and 31*s.* 6*d.*
C	concolor	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*

I	**ONCIDIUM cornigerum**	Brazil	15*s.* and 21*s.*
I	cornigerum longiracemosum	Brazil	42*s.*
C	crispum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	—— grandiflorum	Brazil	15*s.* and 21*s.*
C	—— punctatissimum	Brazil	63*s.*
I	cristatum	South America	
I	cruciatum	Brazil	
C	cucullatum	South America	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— grandiflorum	South America	21*s.* and 31*s.* 6*d.*
C	—— maculosum	South America	21*s.* and 31*s.* 6*d.*
C	—— panduratum	South America	31*s.* 6*d.* and 42*s.*
C	—— purpureum	South America	42*s.* and 63*s.*
C	curtum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	dasytyle	Brazil	10*s.* 6*d.* and 15*s.*
C	Diadema, *vide* serratum		
I	divaricatum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Enoi	Colombia	
C	excavatum, *vide* aurosum		
C	falcipetalum	Venezuela	
C	flexuosum	Brazil	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
C	Forbesii	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
C	—— grandiflorum	Brazil	31*s.* 6*d.* and 42*s.*
I	Forstermannii	South America	21*s.* and 31*s.* 6*d.*
I	fuscatum	Colombia	7*s.* 6*d.* to 21*s.*
C	Gardnerianum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	grandiflorum	Colombia	
C	Gravesianum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Harrisonianum	Mexico	15*s.* and 21*s.*
C	hastatum, *vide* stelligerum		
C	incurvum	Oaxaca	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	insculptum	South America	63*s.*
I	janeirense, *vide* longipes		
S	Jonesianum	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
S	Kramerianum	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	lamelligerum	Ecuador	15*s.*, 21*s.* and 31*s.* 6*d.*
S	Lanceanum	Surinam	10*s.* 6*d.*, 15*s.* and 21*s.*
I	leucochilum	Mexico	21*s.* and 31*s.* 6*d.*
I	—— splendens	Mexico	63*s.* and 84*s.*
I	longipes (janeirense)	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	luridum (guttatum)	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
C	macranthum	Ecuador	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.* Fine large plants, 21*s.* to 10 guineas each.
C	—— aurosum	Ecuador	
C	—— grandiflorum	Ecuador	
C	—— hastiferum	Ecuador	31*s.* 6*d.*, 42*s.* and 63*s.*
C	maculatum	Mexico	
C	Marshallianum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
S	microchilum	Brazil	21*s.* and 31*s.* 6*d.*
I	micropogon	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
C	monachicum	South America	21*s* and 31*s.* 6*d.*
I	murinum	South America	
C	nubigenum	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	—— splendens	Ecuador	21*s.* and 31*s.* 6*d.*
I	oblongatum	Brazil	42*s.*
**C*	ornithorrhynchum	Guatemala	3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
S	Papilio	West Indies	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
S	—— majus	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*

C	**ONCIDIUM Phalænopsis**	Ecuador	10*s.* 6*d.*, 15*s.* and 21*s.*
C	phylloglossum	Colombia	
I	phymatochilum	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
C	pictum	South America	
C	plagianthum	Colombia	
C	prætextum	Brazil	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
C	—— aureum	Brazil	
C	—— superbum	Brazil	15*s.* and 21*s.*
I	pubes	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
C	pulchellum	Colombia	
I	pulvinatum	Brazil	10*s.* 6*d.* and 15*s.*
I	pumilum	Brazil	21*s.* and 31*s.* 6*d.*
I	pyramense	South America	15*s.* and 21*s.*
I	reflexum	Mexico	10*s.* 6*d.* and 15*s.*
I	roseum, *vide* carthaginense		
I	rotundatum	South America	
I	saltabundum	South America	
I	sarcodes	Brazil	10*s.* 6*d.* and 15*s.*
I	—— splendens	Brazil	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— superbum	Brazil	31*s.* 6*d.* and 42*s.*
I	Schillerianum	South America	15*s.* and 21*s.*
I	Schlimii	South America	10*s.* 6*d.* and 15*s.*
C	serratum (Diadema)	Peru	15*s.*, 21*s.* and 31*s.* 6*d.*
I	sessile	Santa Martha	15*s.*, 21*s.* and 31*s.* 6*d.*
I	sphacelatum	Mexico	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	sphegiferum	South America	15*s.* and 21*s.*
I	splendidum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	stelligerum (hastatum)	Mexico	15*s.* and 21*s.*
I	—— ornatum	Mexico	42*s.* and 63*s.*
I	—— pictum	Mexico	42*s.* and 63*s.*
C	superbiens (æmulum)	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	tetracopis	Colombia	
**C*	tigrinum (Barkeri)	Mechoacan	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	—— tenebrosum	Mechoacan	
C	undulatum	Colombia	15*s.*, 21*s.* and 31*s.* 6*d.*
**I*	unguiculatum	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
I	unicolor	South America	
C	unicorne	Brazil	5*s.* and 7*s.* 6*d.*
C	varicosum	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
C	—— pictum	Brazil	31*s.* 6*d.* and 42*s.*
C	—— Rogersii	Brazil	
C	Wallisii	Colombia	
I	Weltoni	Colombia	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	Wentworthianum	Guatemala	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	zebrinum	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**ORNITHOCEPHALUS** grandiflorus	Brazil	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	**ORNITHIDIUM** coccineum	Brazil	15*s.* and 21*s.*
I	**PALUMBINA** candida	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**PAPHINIA** cristata	West Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**PERISTERIA** elata (The Dove Flower)	Panama	10*s.* 6*d.*, 15*s.* and 21*s.*

El Espiritu Santo (Holy Ghost Flower) of the Spaniards. The centre of each blossom bears a striking resemblance to a waxen dove, hence its name.

S	Lindeni	South America	
I	**PESCATORIA** (Huntleya) cerina	South America	21*s.*
I	**PHAIUS** albus, *vide* Thunia alba		
S	Bensoniæ, *vide* Thunia Bensoniæ		
S	bicolor	Ceylon	42*s.*, 63*s.* and 84*s.*

I	**PHAIUS** Blumei	Assam	
**I*	grandifolius (Bletia Tankervilliæ)	Hong Kong	7*s.* 6*d.* and 10*s.* 6*d.*
S	Humblotii	Madagascar	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Marshallianus, *vide* Thunia Marshalliana		
C	Sieboldii	Japan	10*s.* 6*d.* and 15*s.*
C	—— maculatus	Japan	10*s.* 6*d.*, 15*s.* and 21*s.*
I	Wallichii	Sylhet	21*s.* and 31*s.* 6*d.*
I	Woodfordii	East Indies	10*s.* 6*d.* and 15*s.*
I	—— maculatus	East Indies	15*s.* and 21*s.*
S	**PHALÆNOPSIS** amabilis (Aphrodite)	Sunda Islands	10*s.* 6*d.* and 15*s.*
S	Boxallii	East Indies	
S	Esmeralda	Cochin China	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— Regnieri	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
S	grandiflora	Borneo	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Lowii	East Indies	21*s.*
S	Lüddemanniana	Philippine Islands	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	Parishii	East Indies	
S	rosea	East Indies	15*s.* and 21*s.*
S	Sanderiana	East Indies	21*s.*
**S*	Schilleriana	Manilla	10*s.* 6*d.*, 15*s.* and 21*s.*
S	speciosa	Andaman Islands	
S	Stuartiana	Philippine Islands	
S	—— cornuta	Philippine Islands	
S	—— nobilis	Philippine Islands	
S	**PHOLIDOTA** imbricata	East Indies	5*s.* and 7*s.* 6*d.*
**C*	**PILUMNA** (Trichopilia) fragrans	Merida	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	laxa, *vide* Trichopilia laxa		
**I*	nobilis	South America	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**PLATYCLINIS** (Dendrochilum) arachnites	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	Cobbiana	East Indies	10*s.* 6*d.* and 15*s.*
I	gigantea	East Indies	63*s.* and 84*s.*
I	cucumerina	East Indies	15*s.* and 21*s.*
S	filiformis	Manilla	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**S*	glumacea	Philippine Islands	7*s.*, 6*d.*, 10*s.* 6*d.* and 15*s.*
S	uncata	East Indies	10*s.* 6*d.* and 15*s.*
**C*	**PLEIONE** humilis	East Indies	10*s.* 6*d.*
**C*	humilis tricolor	Assam	21*s.*
**C*	lagenaria	Khasya	5*s.* and 7*s.* 6*d.*
**C*	maculata	Assam, Khasya	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
**C*	Wallichiana	Arracan Mountains	5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*
I	**PLEUROTHALLIS** Barberiana	South America	21*s.*
I	scapha	South America	105*s.*
I	tridentata	South America	10*s.* 6*d.*
I	velatocaulis	South America	
S	**POLYSTACHYA** leonensis	West Coast of Africa	7*s.* 6*d.*
S	**PROMENÆA** citrina	Brazil	10*s.* 6*d.* and 15*s.*
S	Rollissonii	Brazil	31*s.* 6*d.* and 42*s.*
S	stapelioides	Brazil	10*s.* 6*d.* and 15*s.*
S	**RENANTHERA** coccinea	Cochin China	21*s.* and 31*s.* 6*d.*
S	Storiei	Philippine Islands	
C	**RESTREPIA** antennifera	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	antennifera major	Colombia	
C	elegans	Colombia	10*s.* 6*d.*, 15*s.* and 21*s.*
C	leopardina	Colombia	10*s.* 6*d.* and 15*s.*
I	ophiocephala	Mexico	21*s.*

S	**RHYNCOSTYLIS** (Saccolabium)		
	cælestis	Cochin China	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**RODRIGUEZIA** planifolia	South America	7*s.* 6*d.* and 10*s.* 6*d.*
S	secunda	West Indies	7*s.* 6*d.* and 10*s.* 6*d.*
S	**SACCOLABIUM** ampullaceum	Rangoon	7*s.* 6*d.* and 10*s.* 6*d.*
S	ampullaceum moulmeinense	Moulmein	63*s.* and 84*s.*
S	bellinum	Burmah	21*s.*, 31*s.* 6*d.* and 42*s.*
S	Blumei	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— Dayanum	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— javanense	Java	21*s.* and 31*s.* 6*d.*
S	—— lilacinum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— longiracemosum	East Indies	21*s.* and 31*s.* 6*d.*
S	—— majus	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	—— pulchrum	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	—— rubrum	East Indies	31*s.* 6*d.* and 42*s.*
S	—— splendens	East Indies	42*s.* and 63*s.*
S	calceolare	Khasi Hills	42*s.* and 63*s.*
S	cæleste, *vide* Rhyncostylis cælestis		
S	curvifolium	Nepal, Ceylon	10*s.* 6*d.*, 15*s.* and 21*s.*
**S*	giganteum (Vanda densiflora)	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**S*	—— illustre	East Indies	15*s.*, 21*s.* and 31*s.* 6*d.*
S	guttatum	East Indies	7*s.* 6*d.*, 10*s.* 6*d.* to 31*s.* 6*d.*
S	—— giganteum	East Indies	
S	—— Holfordianum	East Indies	63*s.*
S	—— superbum	Ceylon	63*s.* and 84*s.*
S	Harrisonianum	Pulo, Copang	10*s.* 6*d.*, 15*s.* and 21*s.*
S	miniatum citrinum	Cochin China	
S	præmorsum	Java	42*s.* and 63*s.*
S	retusum	Java	42*s.* and 63*s.*
S	violaceum	Manilla	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
S	**SARCOCHILUS** Hartmanni	North Australia	
S	**SARCOPODIUM** Lobbii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	**SCHOMBURGKIA** Lyonsii	West Indies	
I	tibicinis	Mexico	21*s.*, 31*s.* 6*d.* and 42*s.*
I	**SCUTICARIA** Dodgsonii	West Indies	42*s.* and 63*s.*
I	Hadwenii	Brazil	10*s.* 6*d.*, 15*s.* and 21*s.*
I	—— bella	Brazil	
I	Steelei	Brazil	10*s.* 6*d.* and 15*s.*
	SELENIPEDIUM, *vide* Cypripedium		
I	**SOBRALIA** macrantha	Guatemala	10*s.* 6*d.*, 15*s.* and 21*s.*
I	macrantha nana	Guatemala	15*s.*, 21*s.* and 31*s.* 6*d.*
C	**SOPHRONITIS** cernua	Brazil	7*s.* 6*d.* and 10*s.* 6*d.*
**C*	grandiflora	Brazil	5*s.*, 7*s.* 6*d.* to 21*s.*
**C*	—— coccinea	Brazil	
**C*	—— militaris	Brazil	
**S*	—— rosea	Brazil	31*s.* 6*d.* and 42*s.*
**C*	—— superba	Brazil	
S	**SPATHOGLOTTIS** Fortunei	Hong Kong	21*s.* and 31*s.* 6*d.*
S	pacifica	Pacific Islands	
S	Regnieri	Cochin China	10*s.* 6*d.*, 15*s.* and 21*s.*
I	**STANHOPEA** Amesiana	South America	42*s.* and 63*s.*
I	chrysops	South America	
I	guttulata	South America	10*s.* 6*d.* and 15*s.*
I	inodora	South America	21*s.*
C	oculata	Xalapa	10*s.* 6*d.* and 15*s.*

I	**STANHOPEA Ruckeriana**	South America	15*s.*
I	saccata	Guatemala	15*s.* and 21*s.*
C	tigrina	Xalapa	10*s.* 6*d.* and 15*s.*
C	—— superba	Xalapa	10*s.* 6*d.* and 15*s.*
I	Wardii	South America	10*s.* 6*d.* and 15*s.*
S	**TAINIA latifolia (Ania)**	Assam	15*s.* and 21*s.*
S	**THRIXSPERMUM Berkeleyii**	Andaman Islands	31*s.* 6*d.* and 42*s.*
I	**THUNIA (Phaius) alba**	India	7*s.* 6*d.* and 10*s.* 6*d.*
I	alba striata	India	5*s.* and 7*s.* 6*d.*
S	Bensoniæ	Moulmein	10*s.* 6*d.*, 15*s.* and 21*s.*
S	—— acuminata	Moulmein	
S	—— splendens	Moulmein	21*s.* and 31*s.* 6*d.*
S	—— Winniana	Moulmein	31*s.* 6*d.* and 42*s.*
S	intermedia	India	
S	Marshalliana	India	7*s.* 6*d.*, 10*s.* 6*d.* to 21*s.*
S	—— citrina	India	21*s.*
S	—— ionophlebia	India	42*s.* and 63*s.*
S	—— sulphurea	India	
S	—— superba	India	
S	—— tricolor	India	63*s.* and 84*s.*
S	Veitchiana	Hybrid	21*s.*, 31*s.* 6*d.* and 42*s.*
C	**TRICHOPILIA coccinea**	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
C	coccinea marginata (very rare)	Costa Rica	
I	crispa (gloxiniæflora)	Costa Rica	21*s.*, 31*s.* 6*d.* and 42*s.*
I	—— marginata	Costa Rica	
C	fragrans, *vide* Pilumna fragrans		
I	Galeottiana (picta)	Costa Rica	10*s.* 6*d.*, 15*s.* to 42*s.*
I	—— luteola	Costa Rica	
I	(Pilumna) laxa	South America	5*s.* and 7*s.* 6*d.*
I	lepida	South America	
I	rosea	Costa Rica	42*s.* and 63*s.*
I	suavis	Costa Rica	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	—— alba	Costa Rica	
I	—— superba	Costa Rica	15*s.*, 21*s.* and 31*s.* 6*d.*
C	tortilis	Mexico	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
**C*	**TRICHOSMA suavis**	Assam	5*s.*, 7*s.* 6*d.* to 15*s.*
I	**TRIGONIDIUM ringens**	Assam	15*s.* and 21*s.*
I	**UROPEDIUM Lindeni**	Colombia	21*s.*, 31*s.* 6*d.* and 42*s.*
S	**VANDA Amesiana**	Eastern Archipelago	5*s.*, 7*s.* 6*d.* to 31*s.* 6*d.*
S	Batemanii	Moluccas	15*s.* and 21*s.*
S	Bensonii	Burmah	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Boxallii	East Indies	10*s.* 6*d.*, 15*s.* and 21*s.*
S	Cathcartii	Sikkim	42*s.* and 63*s.*
I	cærulea	Khasya	7*s.* 6*d.*, 10*s.* 6*d.* and 15*s.*
I	cærulescens	Burmah	21*s.* and 31*s.* 6*d.*
S	concolor	East Indies	31*s.* 6*d.*, 42*s.* and 63*s.*
S	Denisoniana	India	15*s.*, 21*s.* and 31*s.* 6*d.*
**S*	densiflora, *vide* Saccolabium giganteum		
S	gigantea	Moulmein & Rangoon	15*s.* and 21*s.*
S	Hookeriana	Borneo	21*s.*, 31*s.* 6*d.* and 42*s.*
S	insignis	Timor	21*s.* and 31*s.* 6*d.*
S	Kimballiana	Eastern Archipelago	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	Massaiana	East Indies	42*s.* and 63*s.*
S	Parishii	Burmah	10*s.* 6*d.*, 15*s.* to 31*s.* 6*d.*
S	—— Marriottiana	Burmah	15*s.*, 21*s.* to 42*s.*

S	**VANDA Roxburghii**	Bengal	15*s*., 21*s*. and 31*s*. 6*d*.
S	Roxburghii tessellata	Bengal	21*s*. and 31*s*. 6*d*.
S	Sanderiana	Eastern Archipelago	
S	suavis	Java	21*s*., 31*s*. 6*d*. and 42*s*.
S	—— (Chatsworth variety)	Java	31*s*. 6*d*. and 42*s*.
S	—— maxima	Java	
S	teres	Sylhet	7*s*. 6*d*., 10*s*. 6*d*. and 15*s*.
S	—— Andersoni	Sylhet	10*s*. 6*d*., 15*s*. and 21*s*.
I	tricolor	Java	15*s*., 21*s*. and 31*s*. 6*d*.
I	—— aurea	Java	
I	—— Chelsiensis	Java	
I	—— formosa	Java	31*s*. 6*d*. and 42*s*.
I	—— insignis	Java	15*s*., 21*s*. and 31*s*. 6*d*.
I	—— limbata	Java	
I	—— meleagris	Java	
I	—— nebulosa	Java	42*s*. and 63*s*.
I	—— splendens	Java	
I	—— superba	Java	31*s*. 6*d*. and 42*s*.
I	undulata	Assam	42*s*. and 63*s*.
S	**VANILLA** aromatica	Brazil	5*s*. and 7*s*. 6*d*.
S	planifolia	South America	5*s*. and 7*s*. 6*d*.
I	**WARREA** tricolor	Brazil	10*s*. 6*d*. and 15*s*.
I	**WARSCEWICZELLA** discolor	Colombia	15*s*. and 21*s*.
I	**XYLOBIUM** (Maxillaria) leontoglossum	South America	7*s*. 6*d*. and 10*s*. 6*d*.
I	**ZYGOPETALUM** Clayii	Hybrid	63*s*.
**I*	crinitum cœruleum	Brazil	10*s*. 6*d*., 15*s*. and 21*s*.
**I*	—— roseum	Brazil	15*s*., 21*s*. and 31*s*. 6*d*.
I	Gautieri	Brazil	21*s*. and 31*s*. 6*d*.
I	intermedium	Brazil	10*s*. 6*d*., 15*s*. and 21*s*.
**C*	Mackayi	Brazil	7*s*. 6*d*., 10*s*. 6*d*. & 15*s*.
**C*	—— majus	Brazil	15*s*., 21*s*. and 31*s*. 6*d*.
I	rostratum	South America	21*s*. and 31*s*. 6*d*.
I	Sedenii	Hybrid	63*s*. and 84*s*.
I	Wendlandi	Costa Rica	

CHOICE ORCHIDS.

EAST INDIAN | MEXICAN | WEST INDIAN | PERUVIAN | COLOMBIAN | BRAZILIAN

Collections made at 3, 4, 6, 9, and 12 guineas per dozen.

ORCHIDS FOR COOL HOUSES.

It being well known that many Orchids can be easily and successfully cultivated in a cool temperature, with scarcely any artificial heat during a great part of the year, Mr. W. B. has devoted several houses to this beautiful and desirable class, and will be pleased to make good selections of them at 3, 4, 6, 9, and 12 guineas per dozen.

SPHAGNUM MOSS FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.

BEST FIBROUS PEAT FOR ORCHIDS, 3s. 6d. per bushel, 12s. per sack.

NEW AND CHOICE ACHIMENES.

BRILLIANT, flowers reddish-scarlet, throat punctulated orange. 3*s.* 6*d.*

COQUETTE, flowers violet-purple, a fiery purple ring at mouth of throat. 3*s.* 6*d.*

VIOLETTA, rich violet-purple, the lobes and throat darkly veined. 2*s.* 6*d.*

Good selections made at 9*s.*, 12*s. and* 18*s. per dozen, according to sorts.*

ADMIRATION
ALEXANDRA
AMBROISE VERSCHAFFELT
ARGUS
AURORA
CARL WOLFARTH
CHARM
CHERUB
CHIRITA
DAZZLE
DENTONIANA
ECLIPSE
EDWARD BOISSIER
EVELINE
EXCELSIOR
FIREFLY
FRANCOIS CARDINAUX
FRAU BRUNOW
GEORGIANA
GIBSONII
HARRY WILLIAMS
HENDERSONI
JAREQUIA MAXIMA
LABYRINTHICUM
LADY LYTTLETON
LEOPARD
LONGIFLORA

LONGIFLORA MACRANTHA
—— MAJOR
—— ROSEA
LOUIS VAN HOUTTE
LOVELINESS
MADAME JEHENNE
MARGARITÆ
MARVEL
MAUVE PERFECTION
—— QUEEN
MASTERPIECE
METEOR
MINIATA
NESIDA
OBERON
ONDINE
PARSONSII
PURPUREA MULTIFLORA
RIVAL
ROSEA MAGNIFICA
ROSE QUEEN
SIR TREHERNE THOMAS
SKINNERI
STELLA
UNIQUE
VENUSTA
VIVIDANS

EUCODONIAS.

A free-flowering and dwarf-growing section of Gesneraceous plants, with attractive flowers intermediate between Tydæas and Gloxinias. 1*s.* and 1*s.* 6*d.* each.

EHRENBERGII
NÆGELIOIDES
NÆGELIOIDES DIAMANTINA
—— LILACINELLA
NÆGELIOIDES NANA MULTIFLORA
VAN HOUTTEI.

GESNERAS (NÆGELIAS).

The value of Gesneras as decorative plants can scarcely be over-estimated. Most of them have rich velvet-like foliage, which, in the respective kinds, varies from green to crimson. If only grown for the foliage they are very attractive, but they produce splendid pyramidal spikes of blossom, which are extremely handsome. Originally the principal colour was orange-scarlet; now, as the result of fertilisation, there are various colours and shades, added to which the spotting on the flowers of some of the varieties is extremely pretty.

Selections of good varieties at 30s. and 42s. per dozen, according to sorts.

HYBRID GESNERAS.

PYRAMIDAL, a vigorous growing variety, freely developing numerous lateral branches, which become covered with rose-coloured flowers, shaded with purple; the throat is golden-yellow with small crimson spots. 3*s.* 6*d.*

SOUVENIR DE MADAME JOIGNOT; this variety has handsome bronze-green leaves, the Achimenes-like flowers, which are abundantly produced, being of a rich carmine-purple colour. 3*s.*6*d.*

CHOICE GLOXINIAS.

WITH ERECT FLOWERS.

Alpha	Lydia
Amethyst	Melas
Baron de Rothschild	Modiola
	Mogul
Calypso	Neptune.
Casilda	Odin
Casino	Oscar
Chaucer	Parthenia
Cygnet	Prince de Galles
Dryden	Rubis
Ethel	Sparkler
Fantome	Tampico
Flore	Templar
Hecla	Terano
Hydra	Velindra
La Franoe	Virginalis

GLOXINIA.

Choice Selections made by Mr. W. B. at 18s., 24s., and 30s. per dozen, according to sorts.

Good blooming tubers, unnamed, of various colours, raised from handsome varieties, 6s., 9s. and 12s. per dozen; 40s., 50s., and 70s. per 100.

Good blooming tubers, unnamed, spotted and maculated kinds of various colours. 12s. & 18s. per doz.

TYDÆAS.

These can be cultivated so as to produce an abundance of bloom throughout the winter, their flowering season principally depending on the time of year their tubers are started into growth. With a little management a succession of blooming plants can be had nearly throughout the year. 18s. and 30s. per dozen, according to sorts.

Ailsa	Hotspur
Alarm	Lorenzo
Amarante et Cannelle	Marquis de Guiadiaro
	Minerve
Amazon	M. Richard Larios
Apollon	Ophyr
Cecilia	Parepa
Clovis	Pluton
Commandant J. B. Sella	Portia
	Robert le Diable
Coquette	Sabina
Daphne	Thalie
Elaine	Ukara
Gigantea	

TYDÆA.

NEW AND CHOICE
REGAL AND DECORATIVE PELARGONIUMS.

ALBERT VICTOR, flowers very attractive, rich rosy-carmine, margined with white, light centre. 1*s.* 6*d.*

BEAUTY OF OXTON, upper petals rich maroon, darkly blotched; under petals dark crimson, shaded with maroon; light centre, tinted with rose; petals margined white. 1*s.*

BLUSH ROSE, flowers blush-rose, with crimson-red blotch on upper petals. 3*s.* 6*d.*

BRILLIANT, bright salmon-scarlet; upper petals shaded orange-crimson, blotched maroon. 1*s.*

CAPTAIN RAIKES, a fine large full flower; upper petals deep fiery crimson, flaked with purplish-black, and bordered with carmine; lower petals clear bright fiery crimson. 1*s.*

CHAMPION, fine trusses of beautifully crimped flowers, blush rose, lower petals spotted crimson lake; upper petals blotched maroon, surrounded fiery crimson. 1*s.*

CHARLES E. PEARSON, rich scarlet flowers, feathered with mauve. 2*s.* 6*d.*

DR. MASTERS, the upper petals have large black blotches in the centre, with a narrow margin of rich crimson. 1*s.*

DOROTHY, fine large flower, full and round, of a soft shade of carmine-rose, white centre surrounded with a lilac shade, all the petals margined white and elegantly fringed; upper petals blotched maroon. 1*s.* 6*d.*

DUCHESS OF BEDFORD, a very useful and charming variety; its blossoms are of the purest white, prettily fringed, with feathered spot of delicate rose on upper petals. 1*s.*

DUCHESS OF FIFE, flowers of a clear lake shade, pure white margins and centre. 1*s.*

DUCHESS OF YORK, a very distinct and pretty variety, bearing large trusses of elegantly crimped and undulated flowers of a soft and pleasing shade of purplish-magenta edged with white, the upper petals feathered with a darker shade of the same colour; light centre. 7*s.* 6*d.*

DUKE OF PORTLAND, fine salmon-rose flowers, upper petals blotched crimson. 3*s.* 6*d.*

DUKE OF YORK, crimson, shaded with rosy-purple, edged with white, veined with maroon, light centre. 5*s.*

EMPEROR OF RUSSIA, petals dark maroon, surrounded with crimson-purple, margined with blush white. 1*s.*

EMPRESS FREDERICK, pure snow-white, semi-double flowers, the petals being elegantly crisped; blooms full and regular. 3*s.* 6*d.*

EMPRESS OF INDIA, salmon-scarlet, upper petals blotched with dark crimson, light centre. 1*s.* 6*d.*

FIMBRIATUM ALBUM, pure white flowers, beautifully crimped, free-flowering and of good habit. 1*s.* 6*d.*

H. M. STANLEY, bright rosy-crimson, upper petals shaded scarlet, and beautifully blotched. Very free flowering. 1*s.* 6*d.*

JUBILEE, fine full flowers, petals blush pink; upper petals blotched with maroon, surrounded with fiery crimson. 1*s.*

LADY DUFF, beautifully fringed flowers, crimson-cerise edged with white; light centre. 3*s.* 6*d.*

LORD ROBERTS, bright salmon-rose flowers with plum coloured blotch. 5*s.*

MADAME THIBAUT, white blotched and marbled with rose; upper petals marked with crimson-maroon; large white centre. 1*s.*

MARIE MALET, white spotted with maroon on crimson-scarlet ground; upper petals blotched maroon, surrounded with crimson-scarlet, margined white. 1*s.*

PRINCE GEORGE, white suffused with blush, all the petals spotted with purplish lake, upper petals more heavily marked than the others. 1*s.*

PRINCE OF PELARGONIUMS, large flowers with elegantly fringed margins; vermilion-scarlet relieved by a blush-white centre, upper petals flushed crimson. 2*s.* 6*d.*

PRINCE OF TECK, rich deep crimson, shaded with violet; upper petals blotched and feathered with dark blackish maroon; centre shaded with violet. 1*s.* 6*d.*

PRINCE OF WALES, bright vermilion with light centre and edge to the petals, the superior ones marked with light crimson and darkly blotched. 1*s.*

PRINCESS ALEXANDRA, beautiful snow-white flowers of irregular form, petals prettily crisped and undulated. 3*s.* 6*d.*

PRINCESS OF WALES, rosy-lake, marbled and reticulated with white; white centre; all the petals margined white, upper ones blotched maroon. 1*s.* 6*d.*

PRINCESS MAUD, full orange carmine flowers, margined with white, white centre surrounded with violet; upper petals blotched and feathered with maroon. 1*s.*

PRINCESS MAY, flowers delicate salmon-rose, upper petals blotched maroon. 2*s.* 6*d.*

PRINCESS VICTORIA, large trusses of semi-double crispy flowers, of a delicate shade of blush pink. 3*s.* 6*d.*

QUEEN ELEANOR, lower petals pale blush, upper petals heavily blotched with maroon. 3*s.* 6*d.*

QUEEN VICTORIA, rich vermilion, broadly margined with pure white, the upper ones blotched with maroon. 1*s.* 6*d.*

SCARLET GEM, a pretty shade of rosy-scarlet; white centre, very attractive. 3*s.* 6*d.*

THE BARD, crimson, upper petals blotched maroon; lower petals deep rosy-purple. 1*s.*

VOLONTE NATIONALE ALBUM, a sport from the well-known favourite *Volonté Nationale*, with large and beautifully fringed flowers of the purest white. 1*s.*

NEW AND CHOICE ATTRACTIVE COLOURED AND SPOTTED PELARGONIUMS.

For New Varieties *vide* page 8.

AMMON, upper petals blotched deep maroon surrounded with rosy-magenta, margined with blush; lower petals blush, lightly veined with rose. 3*s*. 6*d*.

ARDENS, upper petals fiery crimson, heavily blotched maroon; lower petals soft crimson; spotted maroon; light centre. 2*s*. 6*d*.

ARGUS, blush ground suffused with pink, a maroon blotch on all the petals, surrounded by fiery crimson, feathered base. 2*s*. 6*d*.

CHARGER, upper petals dark maroon, surrounded with crimson and edged rose; under petals deep rose, blotched with maroon. 1*s*. 6*d*.

COMPACTUM, upper petals rich maroon, edged crimson; lower petals carmine-salmon, marked with maroon. 1*s*.

CYPRIA, a fine flower of a rich rosy-crimson colour; upper petals blotched with maroon; under petals spotted dark crimson. 1*s*. 6*d*.

DACIA, upper petals dark maroon shaded with bright crimson, margined rose; under petals rosy-pink, spotted with crimson. 1*s*. 6*d*.

DAMON, upper petals bright crimson, blotched with maroon; under petals rosy-crimson, white centre; petals edged white. 1*s*. 6*d*.

DAURUS, flower rich crimson, shaded with maroon; light centre, shaded rosy-purple. 1*s*. 6*d*.

DOLPHIN, flower salmon-pink, upper petals blotched with maroon, surrounded with fiery crimson; under petals spotted crimson. 2*s*. 6*d*.

EBOR, upper petals maroon margined with white; lower petals white veined violet-purple, spotted crimson; light centre. 2*s*. 6*d*.

ELVINA, upper petals rich bright crimson, blotched maroon and margined white; under petals blush, spotted crimson. 1*s*. 6*d*.

HECLA, light rosy-purple, veined with deep purple, upper petals blotched with maroon, surrounded with crimson and rose. 1*s*. 6*d*.

HERMINE, nice round flower, upper petals bright carmine shaded with crimson, blotched and feathered with maroon; lower petals clear carmine; light centre. 3*s*. 6*d*.

JESSICA, upper petals dark maroon, surrounded with crimson and margined with rose; under petals rosy-pink, spotted dark crimson. 1*s*. 6*d*.

KENNETH, upper petals purplish-crimson, margined and feathered crimson; under petals violet-crimson, edged with rosy-lavender; white centre. 1*s*. 6*d*.

LADY ISABEL, soft rosy-purple; upper petals blotched with maroon, lower petals lightly spotted with purple. 1*s*.

LEONIS, soft rosy-purple with palo rose, the upper petals blotched maroon. 1*s*. 6*d*.

MAGPIE, white, with distinct dark purple spots on each petal. 1*s*.

MALCOLM, upper petals rosy pink, blotched with maroon; under petals soft rosy-pink, spotted with deep crimson. 1*s*.

MELAS, a well shaped flower, upper petals heavily blotched with rich crimson maroon, surrounded with fiery crimson shading to rose at the margin, lower petals rose, very distinctly spotted with maroon on crimson: light centre. 5*s*.

MINARET, upper petals crimson with maroon blotch; under petals rosy-crimson marked and spotted with maroon. 1*s*. 6*d*.

MINDORO, upper petals velvety maroon surrounded with crimson, edged white; lower petals rosy-carmine spotted and feathered with crimson; light centre. 3*s*. 6*d*.

MONARCH, soft rose; upper petals blotched maroon ou fiery crimson. 1*s*.

MRS. STANLEY, an attractive variety, with heliotrope-coloured flowers, upper petals blotched rich purple. 1*s*. 6*d*.

PERA, upper petals bright crimson edged with white and spotted maroon; lower petals white, spotted with crimson. 2*s*. 6*d*.

PHŒNIX, deep rosy-purple, upper petals blotched and feathered with dark crimson: under petals edged with white, light centre. 1*s*. 6*d*.

PINNACE, light scarlet-crimson; upper petals blotched with maroon and edged with rose; under petals carmine, spotted crimson. 1*s*. 6*d*.

PIONEER, fiery crimson, upper petals blotched with maroon; under petals slightly spotted with crimson; light centre. 1*s*. 6*d*.

PLACIDA, blush shaded with rose: upper petals feathered with maroon on a crimson ground; flower prettily crimped and undulated. 3*s*. 6*d*.

PLATEAU, upper petals rich bright crimson, blotched maroon; under petals bright crimson, shaded dark crimson; light centre. 1*s*. 6*d*.

REGGIO, flower bright carmine, shaded rose; upper petals blotched and feathered with dark maroon; light centre. 3*s*. 6*d*.

RUMOUR, upper petals carmine-crimson, blotched with maroon and margined with rose; under petals rose-pink, spotted dark crimson. 1*s*. 6*d*.

SOCRATES, a large decorative flower, white tinted with blush, upper petals blotched and feathered with maroon on a ground colour of crimson lake, petals prettily undulated. 5*s*.

SPOTTED BEAUTY, soft rose, bottom petals with small rosy-crimson spots. 1*s*.

VINCENT, upper petals maroon, edged with rosy-crimson; under petals rich rosy-crimson; the centre shaded with violet. 1*s*. 6*d*.

ZENOBIA, upper petals blackish-maroon, surrounded with fiery crimson and edged with rose; under petals rosy-crimson spotted with maroon, rose centre. 2*s*. 6*d*.

Selections of other good varieties can be made from Mr. W. B.'s general collection at 18s., 24s. and 30s. per dozen, according to sorts.

NEW AND CHOICE SHOW PELARGONIUMS.

ACHIEVEMENT, orange-scarlet lower petals, dark top, scarlet edge, white centre. 1*s*.

AGRA, upper petals maroon, surrounded crimson and rose; lower petals carmine. 3*s*. 6*d*.

ALTAIR, upper petals rosy carmine, heavily blotched and feathered with blackish maroon surrounded with fiery crimson, lower petals clear rose pink; light centre. 5*s*.

AMPHION, upper petals blackish-maroon, surrounded crimson; lower petals rose. 1*s*. 6*d*.

ATALANTA, upper petals maroon, edged bright rose; under petals deep rose. 1*s*. 6*d*.

BLUE BEARD, very large light purple flowers with white eye; upper petals dark. 1*s*.

CARMINE, lower petals crimson-scarlet, upper petals darker; good habit. 2*s*. 6*d*.

CECILIA, upper petals dark velvety maroon, surrounded with bright crimson. 1*s*. 6*d*.

CHARTER, rich maroon, upper petals margined with violet-rose; under petals violet-rose, shaded crimson; large white centre. 1*s*. 6*d*.

CLAUDIA, upper petals dark maroon, surrounded with crimson and edged bright pink; lower petals bright pink; light centre. 2*s*. 6*d*.

CONSPIRATOR, upper petals dark maroon, lower petals rosy salmon; light centre. 1*s*.

COSSACK, upper petals very dark maroon, surrounded with bright crimson; under petals bright rose; large white centre. 1*s*. 6*d*.

CREUSA, light rose; the upper petals blotched with dark crimson; light centre. 1*s*. 6*d*.

CRUSADER, lower petals bright crimson; dark upper petals, light eye; very dwarf. 2*s*. 6*d*.

DELVINO, blush veined with rose, the upper petals having a central blotch of blackish maroon, surrounded with bright crimson; light centre. 5*s*.

DEVOTION, bright pink, upper petals blotched maroon on crimson; light centre. 3*s*. 6*d*.

DIANA, upper petals deep blackish-maroon, surrounded with bright crimson and edged with rose; lower petals bright rose. 2*s*. 6*d*.

EDIE, upper petals blackish-maroon, surrounded with crimson, edged with rose; lower petals pale pink, light centre. 1*s*. 6*d*.

EMBASSY, pure white, the two upper petals blotched with deep violet-maroon. 1*s*. 6*d*.

EMMA HAYES, fine trusses of blush rose-coloured flowers, crimson blotch; very pretty. 3*s*. 6*d*.

ENTERPRISE, deep rose, dark blotch, purple edge, light eye. 1*s*. 6*d*.

EXPRESS, lower petals purplish-rose, upper petals black, with rose edge. 2*s*. 6*d*.

EXQUISITE, deep orange scarlet, dark top, white eye, fine shape and quality. 2*s*. 6*d*.

H. J. JONES, bright rose flowers with mauve blotch; white centre. 2*s*. 6*d*.

HUMPHREY, upper petals dark maroon, bordered with rose; under petals bright rose, shaded with crimson; light centre. 1*s*. 6*d*.

INDIAN YELLOW, light orange-salmon, darker top petals; light centre. 2*s*. 6*d*.

JAMES DOUGLAS, light clear rose flowers; upper petals blotched with dark mauve. 5*s*.

JOSEPHINE, warm rose, shaded orange; dark-top petals, light centre. 2*s*. 6*d*.

LEANDER, upper petals dark maroon, surrounded with rosy-purple, margined with pale rose; under petals pale blush. 2*s*. 6*d*.

LORA, upper petals maroon, margined with scarlet and edged with rose, under petals rosy-pink, white eye. 1*s*. 6*d*.

MADELINA, upper petals blotched with maroon, surrounded with fiery crimson; under petals rosy-lake; white centre. 1*s*. 6*d*.

MAGNATE, top petals black with narrow, fiery red edge, shaded white centre. 2*s*. 6*d*.

MARION, soft carmine pink, upper petals blotched in centre with maroon, surrounded with bright crimson; light centre. 3*s*. 6*d*.

MATHON, upper petals blackish-maroon, surrounded with rosy-crimson; under petals white, feathered with soft purple. 1*s*. 6*d*.

MAY QUEEN, salmon-rose flowers with dark crimson blotch. 3*s*. 6*d*.

MIRANA, upper petals dark maroon, surrounded with crimson, margined with rose; lower petals rose, suffused with pink. 2*s*. 6*d*.

MISS LOUISA COOMBS, light rose lower petals, very dark top with light edges; white centre. 5*s*.

OPARO, flower deep carmine, upper petals blotched with blackish maroon and shaded with crimson; light centre. 3*s*. 6*d*.

ORIENT, rose shaded orange, dark top petals, light edges and white centres; large bold flower; good habit. 2*s*. 6*d*.

PAREPA, upper petals bright crimson shading off to a margin of rose, blotched with maroon; lower petals blush-pink. 2*s*. 6*d*.

PELICAN, lower petals deep lilac rose very dark upper petals, rose edges, white centre. 1*s*.

PERIM, upper petals blackish-maroon, margined with lavender-rose; under petals deep rose, shaded with crimson. 1*s*. 6*d*.

RESOLUTE, deep rose lower petals with shade of purple, dark maroon blotch on upper petals, margin shaded with rose, large pure white centre; bright and distinct; habit dwarf and free. 5*s*.

ROMEO, upper petals very dark, with narrow crimson edge; lower petals rosy-crimson; large white eye; a fine flat, bold flower. 5*s*.

RUSTIC, a fine flower; upper petals rich crimson, blotched and shaded maroon; under petals rich crimson; light centre. 1*s*. 6*d*.

SYMMETRY, lilac rose lower petals; upper petals maroon; pale edges, light centre. 2*s*. 6*d*.

TEMPLAR, upper petals white blotched with maroon and feathered with crimson-lake; lower petals blush-white. 2*s*. 6*d*.

TRIUMPH, deep rich scarlet, dark top, a bright shining flower of good quality. 1*s*.

Selections of other good varieties can be made from Mr. W. B.'s general collection, at 18s., 24s. and 30s. per dozen.

NEW AND CHOICE FANCY PELARGONIUMS.

Selections made by Mr. W. B. from general collection at 18s., 24s., and 30s. per dozen, according to sorts.

NEW AND CHOICE DOUBLE-FLOWERED IVY-LEAVED PELARGONIUMS.

AUGUSTE VITU, large double rose flowers; a great improvement on *Galilée*. 1*s*.
CAMILLE DOUCET, large salmon-rose flowers, marked with bright red on each petal. 3*s*. 6*d*.
CENTENAIRE, enormous dark rosy violet flowers; good habit. 1*s*.
CHARLES MONSELET, large trusses of bright rose flowers; upper petals maculated. 1*s*.
CHATRIAN, very large bright carmine-scarlet flowers. 1*s*.
CHIMÈNE, large double flowers, of a clear amaranth colour, shaded with crimson. 1*s*.
CLOVIS, good trusses of bright rosy carmine flowers, upper petals feathered with crimson. 5*s*.
DAPHNE, carmine rose, prettily marked in the upper petals with crimson maroon. 5*s*.
DE BRAZZA, large double flowers of a reddish-crimson colour, maculated scarlet. 1*s*.
DE MIRIBEL, very large double flowers of good form, clear violet, very floriferous. 1*s*.
DIAMANT, large lilac-mauve double flowers; dwarf habit. 1*s*.
ERNEST COUTANT, brilliant orange-red double flowers; large imbricated petals. 1*s*.
FLOURENS, large irregular flowers, salmon shaded with rose; large petals. 1*s*.
FORMOSISSIMA, bright purplish-rose flowers, of perfect form. 1*s*.
GENERAL CHAMPIONNET, very large Camellia-shaped flowers, of an orange-red colour. 1*s*. 6*d*.
GLOIRE DE LORRAINE, bright cerise, brightened with scarlet, large and double; extra. 1*s*.
HENRI LITOLFF, enormous double satiny-rose flowers, with undulated petals. 1*s*.
INCOMPARABLE, large trusses of rosy red flowers; very striking. 1*s*. 6*d*.
JOSEPH DE MAISTRE, large trusses of well-shaped satin amaranth flowers. 3*s*. 6*d*.
JULES JANIN, very large rosy-violet flowers, cup shaped. 3*s*. 6*d*.
KELUNG, bright rosy-purple flowers maculated with crimson. 1*s*.
LA FOUDRE, fine trusses of bright orange scarlet flowers. 1*s*.
MADAME AGAR, large trusses of rosy-lilac flowers, full and double, very floriferous. 1*s*.
MENCIO, large semi-double flowers of a rich shade of rosy carmine, shaded with magenta. 5*s*.
MÉRIMÉE, trusses of nearly white flowers, veined with black. 3*s*. 6*d*.
SIR RICHARD WALLACE, flowers vinous rose-carmine; very floriferous. 1*s*.
TARTAR, handsome trusses of magenta-rose flowers. 3*s*. 6*d*.
TROPHEE, trusses of bright reddish vermilion flowers. 1*s*. 6*d*.
WINIFRED, compact flowers of an attractive shade of mauve-purple. 3*s*. 6*d*.

Many other Choice Sorts can be supplied at 9s. and 12s. per dozen.

CHOICE SINGLE FLOWERING IVY-LEAVED PELARGONIUMS.

For New Varieties *vide* page 8.

Ivy-leaved Pelargoniums, on account of their graceful drooping growth, are extremely useful for vases, and rustic or suspended baskets; the rich wax-like foliage alone is ornamental, but added to that, they have pretty flowers, and the different varieties present a contrast and charm obtained by few other plants.

Selections, 12*s*. *and* 18*s*. *per dozen*.

NEW AND CHOICE NOSEGAY PELARGONIUMS.

This section is admirably adapted for bedding, as the flowers are borne in the greatest profusion and in immense trusses, and hence produce great effect.

Selections made by Mr. W. B. at 9s., 12s., 18s. and 24s. per dozen, according to sorts.

NEW AND CHOICE ZONAL PELARGONIUMS.

AMY, fine trusses of very bright fiery-scarlet flowers. 3*s*. 6*d*.
ADMIRAL AVELLAN, large trusses of reddish salmon flowers, shaded violet. 2*s*. 6*d*.
ALFRED CAPUS, large trusses of rosy-magenta flowers, upper petals bright orange; light centre. 1*s*. 6*d*.
ALFRED MAURY, large trusses of orange-yellow flowers. 2*s*. 6*d*.
ALLIANCE, very large trusses of soft lilac flowers, the lower petals edged carmine. 3*s*. 6*d*.
ALSACE-LORRAINE, large trusses of white flowers of perfect form. 3*s*. 6*d*.
ANDRÉ THEURIET, brilliant orange-salmon flowers of perfect shape; light centre. 2*s*. 6*d*.
AURELIEN SCHOLL, rose, centre shaded violet, maculated with white on the upper petals. 1*s*.
CARMEN SYLVA, enormous trusses of pure white flowers; extra. 1*s*. 6*d*.
CECIL, rich crimson-scarlet flowers of good shape; fine truss. 3*s*. 6*d*.
CERES, fine trusses of very bright orange-scarlet flowers. 3*s*. 6*d*.
CH. YIARTE, enormous trusses of orange-red flowers, shading to minium. 1*s*. 6*d*.
CICERO, flowers bright orange-scarlet, large trusses and flowers of good shape. 3*s*. 6*d*.
CLEMENT MAROT, compact trusses of fiery-scarlet flowers; white centre. 1*s*. 6*d*.
CUIRASSÉ, large trusses of orange-apricot flowers of great size. 3*s*. 6*d*.
DETAILLE, fiery-scarlet flowers, immense trusses. 1*s*. 6*d*.
DEUIL DE MIRIBEL, enormous trusses of brilliant crimson-scarlet flowers; extra. 1*s*.
DR. CROZAT, large trusses of well-shaped pale salmon flowers, with orange-salmon aureole; white centre. 5*s*.
DUKE OF YORK, reddish magenta, deeper in upper petals; enormous flowers and trusses. 2*s*. 6*d*.
EMILE GEBHART, immense trusses of orange-scarlet flowers, violet centre. 1*s*.
EUGÈNE LIÉBERT, large trusses of bright salmon flowers, lighter at the margins; large white centre. 5*s*.
EUGÈNE NUS, large reddish-crimson flowers, with brighter maculations; large trusses. 5*s*.
GENERAL DE MARBOT, bright amaranth, shot with violet; large trusses. 1*s*.
GIRONDIN, large flowers, rose with golden orange centre. 3*s*. 6*d*.
GUSTAVE MOREAUX, extra large trusses of silvery lilac rose flowers, lighter in the centre; a new shade. 1*s*. 6*d*.
GYP, large trusses of pure white flowers of perfect shape. 1*s*. 6*d*.
JACQUES BERTILLON, brilliant orange-red flowers, bordered salmon. 1*s*. 6*d*.
JANUS, dark salmon, striped and spotted with rosy-white. 1*s*.
JULES BRETON, enormous trusses of salmon-rose flowers, centre bright pink. 2*s*. 6*d*.
JULES LEMAITRE, enormous scarlet-crimson flowers, very floriferous. 5*s*.
LA LORRAINE, enormous trusses of soft rose flowers; good habit. 1*s*.
LE CONTE DE LISLE, large trusses of bright orange flowers, maculated with white on the upper petals, a very bright colour. 5*s*.
LOUIS CHANTRIER, large clear rose flowers of good shape. 2*s*. 6*d*.
MADAME JULES CHRETIEN, bright rosy-scarlet, shaded with magenta; white centre. 2*s*. 6*d*.
MADAME KŒCHLIN-SCHWARTZ, enormous trusses of pure white flowers, reverse cream-coloured. 5*s*.
MADAME A. PAILLET, creamy-white, shaded with rosy-violet. 1*s*.
MADAME A. RIVOIRE, large truss and flowers of a brilliant satiny white. 1*s*.
MAGENTA, large trusses of magenta flowers; upper petals maculated salmon. 3*s*. 6*d*.
MDLLE. ANNA KAPFF, porcelain white, shaded lilac on the margins. 1*s*.
MRS. W. WRIGHT, large trusses of rich purplish-magenta flowers; upper petals blotched with orange-scarlet at the base. 1*s*. 6*d*.
MURILLO, fine trusses of scarlet-vermilion flowers; very bright and attractive. 3*s*. 6*d*.
NEW STAR, rosy-salmon, occasionally mottled, very large star-like white centre. 2*s*. 6*d*.
PATRIOT, flowers rosy-carmine flushed with magenta. 3*s*. 6*d*.
PAUL GINISTY, large clear magenta flowers, upper petals shaded with orange. 1*s*.
PAUL LAFFITTE, fine trusses of cinnabar-coloured flowers; large white eye. 5*s*.
PIERRE DUCHARTRE, large trusses of round flowers rose-carmine, with dark rose eye, large bright aureole. 5*s*.
PINK DOMINO, bold trusses of pink flowers of fine shape; good habit and attractive. 2*s*. 6*d*.
PUVIS DE CHAVANNES, fine trusses of orange-carmine flowers, rose centre. 2*s*. 6*d*.
REINE BLANCHE, immense trusses of pure white flowers. 1*s*. 6*d*.
RENOWN, large trusses of orange-scarlet flowers. 3*s*. 6*d*.
SOLFERINO, amaranth solferino colour, mixed with scarlet, large white centre. 3*s*. 6*d*.
TIBER, rich orange-vermilion flowers; good truss. 3*s*. 6*d*.
TOULON, large trusses of enormous fiery orange flowers. 3*s*. 6*d*.
VICTOR FOURNEL, very large round flowers, very bright carmine-vermilion. 5*s*.
ZELINDA, flowers of good shape, lower petals reddish-scarlet, shaded with magenta; upper petals fiery-scarlet. 3*s*. 6*d*.

Many other Choice Varieties can be supplied from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

NEW AND CHOICE DOUBLE-FLOWERED ZONAL PELARGONIUMS.

ARMAND SILVESTRE, large trusses of rosy-lilac flowers, shading to carmine. 2*s*. 6*d*.
BÉRANGER, globular trusses of magenta-red flowers; dwarf habit. 2*s*. 6*d*.
BOUGEREAU, large trusses of beautiful rose flowers, the upper petals maculated with white. 1*s*.
BOULE DE NEIGE, enormous trusses of pure white flowers. 1*s*. 6*d*.
CATULLE MENDES, rosy-purple, upper petals marked with white, very floriferous. 1*s*.
CHARLES JOLY, of good habit and very floriferous; very bright orange-red. 1*s*.
CHELSEA GEM, of compact and free growth, a most profuse bloomer, and an excellent bedder; the foliage is bright green, with a broad marginal variegation of pure white; large trusses; full double flowers of a charming rose-pink colour. 1*s*.; 9*s*. per dozen.
COLOSSUS, splendid trusses of large rich reddish-crimson flowers. 1*s*.
DAUBRAY, large semi-double ochreous-red flowers. 2*s*. 6*d*.
DR. BEHRING, large trusses of magenta-carmine flowers, shaded salmon. 5*s*.
DR. BLANCHE, large bright capucine orange flowers. 3*s*. 6*d*.
DR. ROUX, large double mauve-violet flowers; white centre. 5*s*.
DR. YERAIN, flowers rose mauve, passing to carmine rose. 5*s*.
FRANCISQUE SARCEY, fine trusses of rosy-mauve flowers, maculated orange. 1*s*.
F. V. RASPAIL, Improved, fine trusses of immense rich dazzling scarlet flowers; good habit. 1*s*.
GAMBETTA, erect trusses of large bright rosy magenta flowers. 3*s*. 6*d*.
GRINGOIRE, fine round trusses of clear salmon flowers, bright centre. 1*s*.
HEDWIGE BUCHNER, well shaped snow-white flowers, very floriferous. 5*s*.
HENRI CHABRILLAT, large trusses of rosy-mauve flowers. 5*s*.
HENRI DE BORNIER, large trusses of blush white flowers; dwarf habit and very floriferous. 1*s*.
JULES FERRY, very large orange-salmon flowers; a new shade. 3*s*. 6*d*.
LA FAVORITE, large trusses of well-made pure white flowers. 1*s*.
LE CID, fine trusses of very bright crimson flowers; vigorous habit. 1*s*.
LUCIFER, large trusses of a peculiar shade of red, very floriferous. 1*s*.
MADAME BRANDÈS, globular trusses of shaded white flowers; dwarf and very floriferous. 3*s*. 6*d*.
MADAME ROZAIN, very large pure white double flowers, exterior petals of excellent shape. 1*s*.
MADEMOISELLE DEA-DIEUDONNÉ, white shaded with rose, fine trusses. 2*s*. 6*d*.
MAURICE BOUCHOR, large trusses of blush flowers, of perfect shape. 1*s*. 6*d*.
MELCHIOR DE VOGUÉ, large trusses soft rose flowers, shaded lilac. 1*s*.
M. JOVIS, centre bright salmon, margins yellowish-white. 1*s*.
M. LOCKROY, large trusses of bright minium red flowers. 3*s*. 6*d*.
PASTEUR, large trusses of beautiful rose flowers. 5*s*.
PIERRE LOTI, very large trusses of silvery rosy-lilac flowers; a new colour. 1*s*.
PRESIDENT CARNOT, bright vermilion, shaded cardinal. 1*s*.
REINE NATHALIE, large trusses of white flowers; plant of good habit. 1*s*.
RUY BLAS, centre bright salmon, the rest of the flower peach-rose. 1*s*.
SACHER-MASOCH, immense trusses of dark rose-coloured flowers. 1*s*.
SAINT-SAENS, large trusses of bright red flowers, margined with salmon. 1*s*.
SCHÆLCHER, fine trusses of velvety-crimson flowers. 5*s*.
SULLY-PRUDHOMME, large trusses of bright carmine flowers. 1*s*.
TOLSTOI, clear rose carmine; good trusses. 2*s*. 6*d*.
TOURGUENIEFF, large soft rose flowers with salmon centre. 2*s*. 6*d*.

Many other good varieties can be supplied from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

SWEET-SCENTED LEAVED PELARGONIUMS.

Selections made by Mr. W. B. at 18s. and 24s. per dozen, according to sorts.

NEW HYBRID PELARGONIUM.

LUCINDA, a pretty new hybrid variety with scented leaves, producing trusses of medium sized, well shaped white flowers, the upper petals being marked and feathered with purplish crimson. 5*s*.

NEW AND CHOICE VARIEGATED, GOLD AND SILVER TRICOLOR PELARGONIUMS.

Selections made by Mr. W. B. at 12s., 18s. and 24s. per dozen, according to sorts.

NEW AND CHOICE BRONZE, GOLD, AND SHADED YELLOW PELARGONIUMS.

Selections made by Mr. W. B. at 12s. and 18s. per dozen, according to sorts.

TREE FERNS.

Of these majestic plants the stock is very large. They have stems varying in height from one foot to twelve feet, and having been imported from Australia and New Zealand, they are such as will succeed well in any ordinary greenhouse. Their fine graceful habit and singularly distinct appearance render them peculiarly adapted for the decoration of conservatories. They range in price according to sorts, sizes, and strength of the specimens. It may, however, be as well to remark that they are not merely newly imported trunks, but well-established plants, many of them having been grown in this country several years.

Prices on application, or an inspection invited.

CHOICE STOVE FERNS.

MR. WILLIAM BULL'S general collection of these elegant decorative plants is of considerable extent, and comprises kinds that are moderate in price, as well as many that are extremely rare and unique.

Selections for the Stove can be supplied at 24s., 30s. and 42s. per dozen.

ACROPHORUS AFFINIS, 2*s.* 6*d.* and 3*s.* 6*d.*
PULCHRA, 2*s.* 6*d.* and 3*s.* 6*d.*
ACROSTICHUM DRYNARIOIDES, 3*s.* 6*d.*
LATIFOLIUM CALLÆFOLIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ACTINOPTERIS RADIATA, 3*s.* 6*d.*
ADIANTOPSIS RADIATA, 3*s* 6*d.*
ADIANTUM ÆMULUM, 1*s.* 6*d.*
ÆTHIOPICUM, 1*s.* 6*d.*
AMABILE, 1*s.* 6*d.*
ANETTENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
ASSIMILE CRISTATUM, *vide* page 101.
BAUSEI, 2*s.* 6*d.*
BELLUM, 2*s.* 6*d.*
BIRKENHEADII, 3*s.* 6*d.*
BRASILIENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
CARDIOCHLÆNA, 3*s.* 6*d.*
CAUDATUM, 3*s.* 6*d.*
CILIATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
COLLISII, 2*s.* 6*d.* and 3*s.* 6*d.*
CONCINNUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— LATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
CRISTATUM, 5*s.*
CURVATUM, 3*s.* 6*d.*
DIGITATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
DOLABRIFORME, 2*s.* 6*d.* and 3*s.* 6*d.*
ELEGANTISSIMUM, 3*s.* 6*d.* and 5*s.*
EXOISUM MULTIFIDUM, 3*s.* 6*d.*
FARLEYENSE, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
FERGUSONII, 2*s.* 6*d.*
FULVUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FUNCKII, 1*s.* 6*d.* and 2*s.* 6*d.*
GHIESBREGHTII (SCUTUM), 1*s.* 6*d.* and 2*s.* 6*d.*
—— ROSEUM, 3*s.* 6*d.*
KAULFUSSI, 3*s.* 6*d.*
LAMBERTIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
LATHOMII, 3*s.* 6*d.*
LEGRANDII, 2*s.* 6*d.* and 3*s.* 6*d.*
LUDDEMANNIANUM, 3*s.* 6*d.*
LUNULATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MACROPHYLLUM, 3*s.* 6*d.*
—— ALBO-STRIATUM, 3*s.* 6*d.* and 5*s.*
—— BIPINNATUM, 3*s.* 6*d.*
OBLIQUUM, 2*s.* 6*d.*
PENTADACTYLON, 3*s.* 6*d.*
PERUVIANUM, 3*s.* 6*d.*
REGINÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
RHODOPHYLLUM, 3*s.* 6*d.* and 5*s.*
RHOMBOIDEUM, 3*s.* 6*d.*
RUBELLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SANCTÆ CATHERINÆ, 2*s.* 6*d.* and 3*s.* 6*d.*

ADIANTUM SCHIZOPHYLLUM, 2*s.* 6*d.* and 3*s.* 6*d.*
SCUTUM, *vide* Ghiesbreghtii.
SEEMANNII, 3*s.* 6*d.*
SPECIOSUM, 3*s.* 6*d.*
TENERUM, 2*s.* 6*d.*
TETRAPHYLLUM ACUMINATUM, 3*s.* 6*d.*
—— GRACILE, 3*s.* 6*d.* and 5*s.*
TINCTUM, 3*s.* 6*d.*
TRAPEZIFORME, 3*s.* 6*d.* and 5*s.*
VEITCHII, 3*s.* 6*d.*
VICTORIÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
VILLOSUM, 2*s.* 6*d.*
WALTONII DIFFUSUM, 2*s.* 6*d.* and 3*s.* 6*d.*
WEIGANDII, 2*s.* 6*d.* and 3*s.* 6*d.*
WILSONII, 3*s.* 6*d.*
AGLAMORPHA MEYENIANA (The Bear's Foot Fern), 3*s.* 6*d.*
ALEURITOPTERIS MEXICANA, 5*s.*
ALSOPHILA REBECCÆ, 3*s.* 6*d.* and 5*s.*
ANEMEDICTYON PHYLLITIDIS, 1*s.* 6*d.* and 2*s.* 6*d.*
ANEMIA COLLINA, 2*s.* 6*d.*
ANGIOPTERIS EVECTA, 5*s.*
ANTIGRAMMA BRASILIENSIS, 7*s.* 6*d.* and 10*s.* 6*d.*
ASPIDIUM DILACERATUM, 3*s.* 6*d.*
LEPIDOCAULON, 3*s.* 6*d.*
MACROPHYLLUM, 3*s.* 6*d.*
POLYMORPHUM, 1*s.* 6*d.* and 2*s.* 6*d.*
PUNGENS, 3*s.* 6*d.*
RIGIDUM, 2*s.* 6*d.*
TRIFOLIATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
ASPLENIUM ALATUM, 2*s.* 6*d.*
ANISOPHYLLUM, 3*s.* 6*d.*
ATTENUATUM, 3*s.* 6*d.*
BANTAMENSE, 3*s.* 6*d.*
BAPTISTII, 3*s.* 6*d.*
BELANGERI, 2*s.* 6*d.*
BIFIDUM, 2*s.* 6*d.*
CICUTARIUM, 2*s.* 6*d.*
CULTRIFORME, 2*s.* 6*d.* and 3*s.* 6*d.*
ELATUM, 1*s.* 6*d.*
ERECTUM, 3*s.* 6*d.*
FABIANUM (*fœniculaceum of gardens*), 2*s.* 6*d.*
FERNANDEZIANUM, 2*s.* 6*d.*
FORMOSUM, 3*s.* 6*d.*
FRAGRANS, 2*s.* 6*d.*
GEMMIFERUM, 2*s.* 6*d.* and 3*s.* 6*d.*
HOOKERIANUM, 3*s.* 6*d.*
INÆQUALIFOLIUM, 2*s.* 6*d.*
LONGISSIMUM, 3*s.* 6*d.*

DAVALLIA EPIPHYLLA.

A specially elegant Fern in the way of *D. fijiensis*, but quite distinct from it. The rootstock is creeping and covered with brown scales from which ascend wiry purple stipes as thick as a crow-quill, glabrous and deeply channelled. The fronds are subcoriaceous, deltoid in outline, three to four times pinnately divided, the larger pinnæ deltoid-lanceolate, the pinnules narrow, wedge-shaped and deeply pinnately divided. It has been introduced from New South Wales. 5*s*. and 7*s*. 6*d*.

GYMNOGRAMMA ELEGANTISSIMUM.

GYMNOGRAMMA ELEGANTISSIMUM.

A very elegant new Stove Fern, with beautifully arching finely cut fronds of a pleasing green colour and firm texture. The rachides are of a dark reddish brown colour, the pinnæ being divided and subdivided into numberless minute emarginate segments, the whole plant presenting a most attractive appearance.

From its graceful habit of growth, and its long, elegantly recurving fronds, this variety is admirably adapted for cultivation in suspended baskets, as well as for other decorative and ornamental purposes. *5s.*, *7s. 6d.* and *10s. 6d.*

ASPLENIUM NIDUS, 2*s.* 6*d.*
NODILÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
PROLONGATUM, 3*s.* 6*d.* and 5*s.*
SHEPHERDII, 2*s.* 6*d.* and 3*s.* 6*d.*
VIVIPARUM, 2*s.*6*d.* and 3*s.* 6*d.*
ZEYLANICUM, 2*s.* 6*d.*
BLECHNUM BRASILIENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
LATIFOLIUM, 3*s.* 6*d.*
POLYPODIOIDES, 2*s.* 6*d.* and 3*s.* 6*d.*
OCCIDENTALE, 1*s.* 6*d.* and 2*s.* 6*d.*
BRAINEA INSIGNIS, 5*s.*

CHEILANTHES ALABAMENSIS, 5*s.*
EOKLINIANA, 3*s.* 6*d.* and 5*s.*
ELEGANS, 2*s.* 6*d.* and 3*s.* 6*d.*
HIRTA ELLISIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
TENUIS, 3*s.* 6*d.*
TOMENTOSA, 2*s.* 6*d.*
VISCOSA, 3*s.* 6*d.*
CIBOTIUM BAROMETZ, 3*s.* 6*d.*
SCHIEDEI, 3*s.* 6*d.* and 5*s.*
CYATHEA (CIBOTIUM) PRINCEPS, *vide* page 102.

DAVALLIA CONCINNA.

An elegant growing overgreen Stove Fern introduced from North Australia. It has a stout creeping rootstock, from which rise purplish leaf stalks, bearing subcoriaceous fronds of a palo olive-green colour, glabrous on both surfaces, deltoid-acuminate, compoundly divided in a tripinnate manner into pinnæ and pinnulæ, the ultimate segments being oblong-obovate, wedge-shaped at the base, and remotely crenate at the apex. 10*s.* 6*d.*

DAVALLIA BULLATA, 1*s.* 6*d.* and 2*s.* 6*d.*
OHÆBOPHYLLA, 3*s.* 6*d.*
DECORA, 3*s.* 6*d.*
ELEGANS, 2*s.* 6*d.*
—— POLYDACTYLA, 3*s.* 6*d.* and 5*s.*
—— RUFA, 3*s.* 6*d.*
EPIPHYLLA, *vide* page 97.

DAVALLIA FÆNICULACEA, 3*s.* 6*d.*
FIJIENSIS, 3*s.* 6*d.* and 5*s.*
—— MAJOR, 3*s.* 6*d.* and 5*s.*
—— PLUMOSA, 3*s.* 6*d.* and 5*s.*
HIRSUTA, 3*s.* 6*d.* and 5*s.*
HEMIPTERA, 3*s.* 6*d.*
KUNZII, 3*s.* 6*d.* and 5*s.*

DAVALLIA LUCIDA.

A bold-looking handsome Fern with deep shining-green coriaceous fronds. The rootstock is of the thickness of the finger, and is covered with soft fibrillose scales. The stipes are wiry and support deltoid bipinnate fronds, the primary pinnæ wedge-shaped at base, lanceolate-acuminate; the secondary pinnæ are broadly oblong, wedge-shaped and deeply lobed at the base, gradually less so towards the apex; ultimate segments oblong obtuse, remotely and shallowly toothed at the margin. 5*s.* and 7*s.* 6*d.*

DAVALLIA LAWSONIANA, 3*s.* 6*d.*
MEMBRANULOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
MOOREANA, 2*s.* 6*d.* and 3*s.* 6*d.*
NOVA ZEALANDIÆ, 2*s.* 6*d.*
ORNATA, 3*s.* 6*d.* and 5*s.*
PARVULA, 5*s.*
PENTAPHYLLA, 3*s.* 6*d.*
POLYANTHA, 3*s.* 6*d.*
SOLIDA, 3*s.* 6*d.*
TYERMANNI (HUMATA), 2*s.* 6*d.*
See also page 102.
DENNSTÆDTIA DAVALLIOIDES, 3*s.* 6*d.*
DIPLAZIUM ARNOTTII, 7*s.* 6*d.*
DORYOPTERIS GERANIFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
HASTATA, 2*s.* 6*d.* and 3*s.* 6*d.*
LUDENS, 5*s.*
PALMATA, 1*s.* 6*d.* and 2*s.* 6*d.*
PEDATA, 2*s.* 6*d.* and 3*s.* 6*d.*
SAGGITTÆFOLIA, 3*s.* 6*d.* and 5*s.*
DRYNARIA BILLARDIERII, 2*s.* 6*d.* and 3*s.* 6*d.*
DIVERSIFOLIA, 3*s.* 6*d.* and 5*s.*
MUSÆFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
PROPINQUA, 2*s.* 6*d.* and 3*s.* 6*d.*
ELAPHOGLOSSUM CONFORME, 3*s.* 6*d.* and 5*s.*
GLABRATUM, 7*s.* 6*d.*
FADYENIA PROLIFERA, 3*s.* 6*d.*
GLEICHENIA DICARPA, 3*s.* 6*d.* and 5*s.*
DICARPA LONGIPINNATA, *vide* illustration, page 100, 7*s.* 6*d.* and 10*s.* 6*d.*
DICHOTOMA, 7*s.* 6*d.*
FLABELLATA, 5*s.* and 7*s.* 6*d.*
MENDELII, 10*s.* 6*d.* and 15*s.*
MICROPHYLLA, 5*s.* and 7*s.* 6*d.*
RUPESTRIS GLAUCESCENS, 10*s.* 6*d.*
SEMIVESTITA, 5*s.* and 7*s.* 6*d.*
SPELUNCÆ, 7*s.* 6*d.*

GONIOPHLEBIUM APPENDICULATUM, 3*s.* 6*d.*
DISERIALE, 3*s.* 6*d.*
FRAXINIFOLIUM, 5*s.*
GLAUCOPHYLLUM, 3*s.* 6*d.* and 5*s.*
LACHNOPUS, 2*s.* 6*d.*
RUPESTRIS, 3*s.* 6*d.*
SUBAURICULATUM, 2*s.* 6*d.*
VERRUCOSUM, 3*s.* 6*d.*
GYMNOGRAMMA ALSTONII, one of the best golden Ferns, 2*s.* 6*d.* and 3*s.* 6*d.*
CHRYSOPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GRANDICEPS, 3*s.* 6*d.* and 5*s.*
DECOMPOSITUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ELEGANTISSIMUM, *vide* page 98.
LAUCHEANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MAYI, 2*s.* 6*d.*
MASSONI, 3*s.* 6*d.*
MERTENSII, 2*s.* 6*d.* and 3*s.* 6*d.*
MULTICEPS, 3*s.* 6*d.*
PARSONSII, 3*s.* 6*d.*
PEARCEI ROBUSTUM, 3*s.* 6*d.* and 5*s.*
PERUVIANUM ARGYROPHYLLUM, 2*s.* 6*d.* & 3*s.* 6*d.*
—— MAYII, 2*s.* 6*d.* and 3*s.* 6*d.*
SCHIZOPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GLORIOSUM, 3*s.* 6*d.*
TARTAREUM, 2*s.* 6*d.*
TOMENTOSUM, 2*s.* 6*d.*
TRIFOLIATUM, 3*s.* 6*d.*
WETENHALLIANUM, 2*s.* 6*d.* and 3*s.* 6*d.*
GYMNOPTERIS QUERCIFOLIA, 3*s.* 6*d.*
GYMNOTHECA RADDIANA, 2 and 3 guineas.
HEMIONITIS CORDATA, 2*s.* 6*d.*
PALMATA, 2*s.* 6*d.* and 3*s.* 6*d.*
HYMENODIUM CRINITUM, 3*s.* 6*d.* and 5*s.*
HYPOLEPIS BERGIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
REPENS, 1*s.* 6*d.* and 2*s.* 6*d.*

GLEICHENIA DICARPA LONGIPINNATA, *vide* page 99.

LASTREA JENMANI, 3*s.* 6*d.*
QUINQUANGULARIS, 3*s.* 6*d.*
RICHARDSII MULTIFIDA, 3*s.* 6*d.*
See also page 102.
LOMARIA GIBBA, 1*s.* 6*d.* and 2*s.* 6*d.*
LYGODIUM DICHOTOMUM, 3*s.* 6*d.*
LANCEOLATUM, 5*s.*
MICROPHYLLUM, 3*s.* 6*d.*
POLYMORPHUM, 3*s.* 6*d.*
SCANDENS. 1*s.* 6*d.* and 2*s.* 6*d.*
MARATTIA COOPERI, 10*s.* 6*d.*
MENISCIUM RETICULATUM, 3*s.* 6*d.*
SIMPLEX, 3*s.* 6*d.*
MICROLEPIA HIRTA CRISTATA, 3*s.* 6*d.*
PLATYPHYLLA, 2*s.* 6*d.* and 3*s.* 6*d.*
STRIGOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
NEPHRODIUM TRUNCATUM, 7*s.* 6*d.*
NEPHROLEPIS ACUTA, 3*s.* 6*d.*
BARTERII, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
BAUSEI, 3*s.* 6*d.*
CORDATA COMPACTA, 2*s.* 6*d.*
DAVALLIOIDES, 3*s.* 6*d.*
—— FURCANS, 3*s.* 6*d.*
—— MULTICEPS, 3*s.* 6*d.* and 5*s.*
DUFFII, 2*s.* 6*d.* and 3*s.* 6*d.*
ENSIFOLIA, 3*s.* 6*d.*
EXALTATA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— PLUMOSA, 5*s.*
PECTINATA, 2*s.* 6*d.* and 3*s.* 6*d.*
PHILIPPINENSIS, 2*s.* 6*d.*
PLUMOSA, 3*s.* 6*d.* and 5*s.*
RECURVATA, 2*s.* 6*d.* and 3*s.* 6*d.*
RUFESCENS TRIPINNATIFIDA, 3*s.* 6*d.*
TUBEROSA, 1*s.* 6*d.* and 2*s.* 6*d.*
NOTHOCHLÆNA CHRYSOPHYLLA, 2*s.* 6*d.* & 3*s.* 6*d.*
NIVEA, 2*s.* 6*d.* and 3*s.* 6*d.*
SINUATA, 2*s.* 6*d.* and 3*s.* 6*d.*
ONYCHIUM AURATUM, 3*s.* 6*d.*
PHLEBODIUM AUREUM, 1*s.* 6*d.* and 2*s.* 6*d.*
GLAUCUM, 1*s.* 6*d.* and 2*s.* 6*d.*
SPORODOCARPUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PLATYCERIUM GRANDE, 5*s.* and 7*s.* 6*d.*
STEMARIA, 7*s.* 6*d.* and 10*s.* 6*d.*
PLATYLOMA FLEXUOSUM, 3*s.* 6*d.*
See also page 103.
PLEOPELTIS FOSSA, 3*s.* 6*d.* and 5*s.*
PELTIDEA, 2*s.* 6*d.* and 3*s.* 6*d.*
PHYMATODES CRISTATA, 5*s.*
PICTA, 5*s.*
PUSTULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
POLYPODIUM AREOLATUM, 5*s.*
CRASSIFOLIUM, 3*s.* 6*d.*
GRANDIDENS, 3*s.* 6*d.*
NIGRESCENS, 3*s.* 6*d.*
PECTINATUM, 3*s.* 6*d.*
VENOSUM, 3*s.* 6*d.*
See also page 103.
POLYSTICHUM LENTUM, 5*s.*
TRIANGULARE, 2*s.* 6*d.*
—— LAXUM, 2*s.* 6*d.* and 3*s.* 6*d.*
VIVIPARUM, 3*s.* 6*d.* and 5*s.*
See also page 103.
PTERIS ASPERICAULIS, 1*s.* 6*d.* and 2*s.* 6*d.*
BAUSEI, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
BIAURITA, 2*s.* 6*d.*
LUDENS, 3*s.* 6*d.*
MOLUCCANA, 3*s.* 6*d.*
TRICOLOR, 3*s.* 6*d.*
VICTORIÆ, 2*s.* 6*d.* and 3*s.* 6*d.*
of sorts, 2*s.* 6*d.* and 3*s.* 6*d.*
See also page 103.
RHIPIDOPTERIS PELTATA GRACILLIMA, 3*s.* 6*d.* and 5*s.*
SELLIGUEA CAUDIFORME, 2*s.* 6*d.* and 3*s.* 6*d.*
STENOCHLÆNA SCANDENS, 3*s.* 6*d.*
STRUTHIOPTERIS GERMANICA, 1*s.* 6*d.* and 2*s.* 6*d.*

CHOICE GREENHOUSE FERNS.

Selections of good kinds can be supplied from Mr. W. B.'s general collection at 24s., 30s. and 42s. per dozen.

ADIANTUM ASSIMILE CRISTATUM.

A very elegant and handsomely crested form of the well-known greenhouse Fern *A. assimile*. It is of light and graceful appearance, and strikingly different from the typical species, the fronds being much more elongate, and terminated with dense tassellate growths. 3*s.* 6*d.*

ADIANTUM ASSIMILE, 1*s.* 6*d.*
CAPILLUS-VENERIS, 1*s.* 6*d.*
—— —— CORNUBIENSE, 2*s.* 6*d.*
—— —— DAPHNITES, 2*s.* 6*d.*
—— —— FISSUM, 2*s.* 6*d.*
—— —— GRANDE, 2*s.* 6*d.*
—— —— IMBRICATUM, 3*s.* 6*d.* and 5*s.*
—— —— MAGNIFICUM, 2*s.* 6*d.*
—— —— MARIESII, 1*s.* 6*d.* and 2*s.* 6*d.*
—— —— O'BRIENI, 2*s.* 6*d.*
—— —— PACOTTI, 1*s.* 6*d.* and 2*s.* 6*d.*
CUNEATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— ELEGANS, 2*s.* 6*d.*
—— GRANDICEPS, 1*s.* 6*d.* and 2*s.* 6*d.*
—— GRANDIS, 3*s.* 6*d.*
—— VARIEGATUM, 5*s.*
DECORUM, 1*s.* 6*d.* and 2*s.* 6*d.*
FORMOSUM, 1*s.* 6*d.*
ADIANTUM FRAGRANTISSIMUM, 1*s.* 6*d.* and 2*s.* 6*d.*
GLAUCOPHYLLUM, 2*s.* 6*d.*
GRACILLIMUM, 1*s.* 6*d.* and 2*s.* 6*d.*
HISPIDULUM, 1*s.* 6*d.*
MUNDULUM, 2*s.* 6*d.* and 3*s.* 6*d.*
PENTAPHYLLUM, 1*s.* 6*d.* and 2*s.* 6*d.*
PUBESCENS, 2*s.* 6*d.*
RENIFORME, 3*s.* 6*d.*
SETULOSUM, 1*s.* 6*d.* and 2*s.* 6*d.*
TENELLUM, 3*s.* 6*d.*
VENUSTUM, 2*s.* 6*d.*
VERSAILLENSE, 3*s.* 6*d.*
WILLIAMSII, 2*s.* 6*d.* and 3*s.* 6*d.*
See also page 96.
ALSOPHILA AUSTRALIS, 2*s.* 6*d.* and 3*s.* 6*d.* Large specimens, 31*s.* 6*d.* and 42*s.*, and upwards.
EXCELSA, 3*s.* 6*d.*
ASPIDIUM MUCRONATUM, 2*s.* 6*d.*

ASPLENIUM BULBIFERUM, 1*s.* 6*d.* and 2*s.* 6*d.*
CAUDATUM, 3*s.* 6*d.*
COLENSOI, 2*s.* 6*d.*
DIMORPHUM (*biforme*), 1*s.* 6*d.* and 2*s.* 6*d.*
DIVARICATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
EBENEUM, 1*s.* 6*d.* and 2*s.* 6*d.*
ELEGANTULUM, 2*s.* 6*d.* and 3*s.* 6*d.*
ERECTUM, 2*s.* 6*d.*
FALCATUM, 7*s.* 6*d.*
FLABELLIFOLIUM, 2*s.* 6*d.*
FLACCIDUM, 1*s.* 6*d.* and 2*s.* 6*d.*
HEMIONITIS, 3*s.* 6*d.*

ASPLENIUM LANCEOLATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
LAXUM PUMILUM, 1*s.* 6*d.* and 2*s.* 6*d.*
LUCIDUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MARGINATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
NEO-CALEDONICUM, 3*s.* 6*d.*
PALMATUM, 3*s.* 6*d.*
BLECHNUM GRACILE, 2*s.* 6*d.*
INTERMEDIA, 2*s.* 6*d.*
CHEILANTHES, *vide* page 99.
CIBOTIUM REGALE, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SCHIEDEI, *vide* page 99.

CYATHEA DEALBATA.

The Silver Fern of New Zealand. 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* Large specimens of this beautiful Tree Fern can be supplied. Sizes and prices on application.

CYATHEA DREGEI.

A very fine South African greenhouse Fern, with bipinnate fronds of stoutish texture, and having the pinnules lanceolate, with oblong-ovate falcate segments, bluntish at the point, and the sori in the lower half immersed in rufous wool. 3*s.* 6*d.* and 5*s.* Large specimens, sizes and prices on application.

CYATHEA SMITHII.

Fine specimens of this handsome Tree Fern. Sizes and prices on application.

CYATHEA SPINULOSA.

A handsome Tree Fern, found throughout India and in Japan. The stipes are dark brown, strongly aculeated, the rachis being muricated. The fronds are large, glabrous, and bipinnate, the lobes of the pinnules oblong acute and serrulate. An ornamental and desirable species. 10*s.* 6*d.*

CYATHEA MEDULLARIS, 2*s.* 6*d.* and 3*s.* 6*d.* to 21*s.*
Large specimens from 2 guineas upwards.
(CIBOTIUM) PRINCEPS, 3*s.* 6*d.* and 5*s.*
CYRTOMIUM CARYOTIDEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
FALCATUM, 1*s.* 6*d.* and 2*s.* 6*d.*
—— FENSOMII, this handsome Fern is a great improvement on the old variety. Awarded First-class Certificate. 2*s.* 6*d.*
FORTUNEI, 2*s.* 6*d.*
DAVALLIA CANARIENSIS, 2*s.* 6*d.*
DISSECTA, 2*s.* 6*d.* and 3*s.* 6*d.*
GRIFFITHIANA, 3*s.* 6*d.*
MARIESII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— CRISTATA, 3*s.* 6*d.* and 5*s.*
PYXIDATA, 3*s.* 6*d.*
TENUIFOLIA, 2*s.* 6*d.*

DAVALLIA TENUIFOLIA STRICTA, 2*s.* 6*d.*
TENUIFOLIA VEITCHIANA, 3*s.* 6*d.*
of sorts, 3*s.* 6*d.* and 5*s.*
DICKSONIA ANTARCTICA, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
Magnificent specimens of this well-known Tree Fern, sizes and prices on application.
APIIFOLIA, 3*s.* 6*d.*
SQUARROSA, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
DICTYOGRAMMA CAUDIFORME, 2*s.* 6*d.*
ELLIPTICA, 2*s.* 6*d.*
JAPONICUM, 2*s.* 6*d.*
—— VARIEGATUM, 2*s.* 6*d.*
DIDYMOCHLÆNA TRUNCATULA, 3*s.* 6*d.*
DIPLAZIUM, *vide* page 99.
DORYOPTERIS PALMATA, *vide* page 99.
DOODIA ASPERA, 2*s.* 6*d.*
ASPERA AMŒNA.

DOODIA ASPERA MULTIFIDA.

A handsome crested Fern, of neat dwarf evergreen habit, with prettily arched fronds rendered drooping by the dense tassel at the apex; the young fronds are prettily tinted with pink. This was one of the twelve New Plants with which Mr. W. B. gained the First Prize at the Provincial Show of the Royal Horticultural Society held at Preston. 2*s.* 6*d.* and 3*s.* 6*d.*

DOODIA CAUDATA, 1*s.* 6*d.*
KUNTHIANA, 3*s.* 6*d.*
MEDIA, 1*s.* 6*d.* and 2*s.* 6*d.*
ELAPHOGLOSSUM, *vide* page 99.
HYMENOPHYLLUM DEMISSUM, 5*s.* and 7*s.* 6*d.*
MULTIFIDUM, 21*s.*
LASTREA ARISTATA, 2*s.* 6*d.*
ARISTATA VARIEGATA, 1*s.* 6*d.* and 2*s.* 6*d.*
ATRATA, 1*s.* 6*d.* and 2*s.* 6*d.*
CORUSCA, 5*s.*
CUSPIDATA, 2*s.* 6*d.*
DECOMPOSITA, 2*s.* 6*d.* and 3*s.* 6*d.*

LASTREA ERYTHROSORA, 1*s.* 6*d.*
GLABELLA, 2*s.* 6*d.* and 3*s.* 6*d.*
HISPIDA, 3*s.* 6*d.*
LEPIDA, 1*s.* 6*d.* and 2*s.* 6*d.*
MEMBRANIFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
PATENS, 1*s.* 6*d.*
PROLIFICA, 2*s.* 6*d.* and 3*s.* 6*d.*
SIEBOLDII, 2*s.* 6*d.*
STANDISHII, 3*s.* 6*d.*
TRIANGULARE, 2*s.* 6*d.*
VARIA, 2*s.* 6*d.*
LEUCOSTEGIA IMMERSA, 2*s.* 6*d.*

LITOBROCHIA (PTERIS) VESPERTILIONIS, 2*s.* 6*d.* and 3*s.* 6*d.*
LOMARIA ATTENUATA, 3*s.* 6*d.* and 5*s.*
CYCADÆFOLIA, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
DALGAIRNSIÆ, 1½ and 2 guineas.
DISCOLOR BIPINNATIFIDA.
GIBBA, *vide* page
NUDA, 3*s.* 6*d.*
PATERSONII, 1*s.* 6*d.*, 2*s.* 6*d.* and 3*s.* 6*d.*
—— ELONGATA, 3*s.* 6*d.* and 5*s.*
ZAMIÆFOLIA, 2*s.* 6*d.* and 3*s.* 6*d.*
NEPHRODIUM CICUTARIUM, 3*s.* 6*d.*
DECURRENS, 2*s.* 6*d.*
MOLLE CORYMBIFERUM, 2*s.* 6*d.*
—— CRISTATUM, 3*s.* 6*d.*
—— RAMOSUM, 3*s.* 6*d.*
RECEDENS, 2*s.* 6*d.*
NIPHOBOLUS HETERACHTIS, 2*s.* 6*d.* and 3*s.* 6*d.*
LINGUA CORYMBIFERA, 3*s.* 6*d.* and 5*s.*
ONYCHIUM JAPONICUM, 1*s.* 6*d.*
OSMUNDA JAPONICA CORYMBIFERA, 2*s.*6*d.* & 3*s.*6*d.*
PALUSTRIS, 1*s.* 6*d.* and 2*s.* 6*d.*
PELLÆA INVOLUTA, 2*s.* 6*d.* and 3*s.* 6*d.*
TERNIFOLIA, 3*s.* 6*d.* and 5*s.*
PLATYCERIUM ALCICORNE, 3*s.* 6*d.*
ALCICORNE MAJUS, 7*s.* 6*d.*
WILLINOKII, 7*s.* 6*d.*
PLATYLOMA FALCATUM, 3*s.* 6*d.*
ROTUNDIFOLIUM, 2*s.* 6*d.* and 3*s.* 6*d.*
See also page 101.
PLEOCNEMIA LEUZEANA, 3*s.* 6*d.*
POLYPODIUM PECTINATUM, 3*s.* 6*d.*
REFRACTUM, 3*s.* 6*d.* and 5*s.*
TRICHODES (LASTREA TENERICAULIS), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*
See also page 101.
POLYSTICHUM CAPENSE, 1*s.* 6*d.* and 2*s.* 6*d.*
CORIACEUM, 2*s.* 6*d.* and 3*s.* 6*d.*
MUCRONATUM, 2*s.* 6*d.* and 3*s.* 6*d.*
POLYBLEPHARUM, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SETOSUM, 1*s.* 6*d.* and 2*s.* 6*d.*
TSUS-SIMENSE, 2*s.* 6*d.* and 3*s.* 6*d.*
VENUSTUM, 5*s.*
See also page 101.

PTERIS ADIANTIFOLIA, 1*s.* 6*d.* and 2*s.* 6*d.*
ALOUTA, 2*s.* 6*d.*
ARGYREIA, 1*s.* 6*d.* and 2*s.* 6*d.*
CRETICA, 1*s.* 6*d.*
—— ALBO-LINEATA, 1*s.* 6*d.*
—— —— CRISTATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— —— TORRANCEI, 5*s.*
—— MAYII, 2*s.* 6*d.* and 3*s.* 6*d.*
—— NOBILIS, 1*s.* 6*d.* and 2*s.* 6*d.*
—— —— VARIEGATA, 3*s.* 6*d.* and 5*s.*
—— WIMSETTII, 5*s.* and 7*s.* 6*d.*
ENSIFORMIS, 1*s.* 6*d.* and 2*s.* 6*d.*
HASTATA, 1*s.* 6*d.* and 2*s.* 6*d.*
INTERNATA, 1*s.* 6*d.*
LEPTOPHYLLA, 1*s.* 6*d.* and 2*s.* 6*d.*
LONGIFOLIA, 1*s.* 6*d.* and 2*s.* 6*d.*
NEMORALIS VARIEGATA, 2*s.* 6*d.*
NIVALIS, 5*s.*
OUVRARDII, 1*s.* 6*d.*
PEDATA, 3*s.* 6*d.*
REGINÆ, 3*s.* 6*d.*
—— CRISTATA, 5*s.*
REX, 3*s.* 6*d.* and 5*s.*
SCABERULA, 2*s.* 6*d.* and 3*s.* 6*d.*
SEMIPINNATA, 2*s.* 6*d.* and 3*s.* 6*d.*
SERRULATA, 1*s.*
—— CRISTATA, 1*s.* 6*d.*
—— —— COMPACTA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— DENSA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— GLORIOSA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— —— MAJOR, Chiswick variety, 5*s.*
—— —— UNDULATA, 2*s.* 6*d.*
—— —— VARIEGATA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— GRACILIS, new, 1*s.* 6*d.* and 2*s.* 6*d.*
—— UNDULATA, 2*s.* 6*d.* and 3*s.* 6*d.*
STRAMINEA, 3*s.* 6*d.*
TREMULA, 1*s.* 6*d.* and 2*s.* 6*d.*
—— ELEGANS, 3*s.* 6*d.* and 5*s.*
—— FLACCIDA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— FOLIOSA, 2*s.* 6*d.*
—— SMITHIANA, 2*s.* 6*d.* and 3*s.* 6*d.*
—— VARIEGATA, 5*s.*
UMBROSA, 3*s.* 6*d.*
Vide also page 101.

PTERIS TREMULA GRANDICEPS.

This handsome greenhouse Fern, which is well adapted to become a very useful one for decorative purposes, is a hybrid between *Pteris tremula* and *P. serrulata cristata*. The plant forms a dense tuft of evergreen fronds of an elegant semi-dependent character, an appearance which is chiefly induced by the graceful manner in which the ends of the pinnules are crested and tasselled. 7*s.* 6*d.*

TODEA AFRICANA, 2*s.* 6*d.* and 3*s.* 6*d.*

TODEA ARBOREA, 1*s.* 6*d.* and 2*s.* 6*d.*

TODEA (LEPTOPTERIS) HYMENOPHYLLOIDES.

This pretty New Zealand Filmy Fern, commonly called *Todea pellucida*, can be supplied in nice plants at 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

TODEA MOOREI.

A distinct and attractive new Filmy Fern introduced from Lord Howe's Island. It bears a crown of handsome glabrous fronds, broadly lanceolate and thrice pinnately divided, the primary pinnæ lanceolate and spreading horizontally, central ones about 4 inches long by 1¼ wide, those at the base and apex shorter; secondary pinnules oblong, decurrent along the winged rachis, the lower pinnule of each pinna turned downwards, appressed against the main rachis, and overlapping the corresponding pinnule of the neighbouring pinna; ultimate or tertiary segments linear oblong, obtuse crenately toothed. The sori are circular, and placed at the base of some of the lowermost segments near the midrib. 21*s.*

TODEA (LEPTOPTERIS) SUPERBA.

Any attempt at description must fall far short of conveying an adequate notion of the exquisite beauty of this lovely Fern, which should be seen to be justly appreciated. The fronds, which are fifteen to eighteen inches in length, are of a bright green, spreading, beautifully arching and feathered down to the very base; the pinnæ are crowded and cut into narrow segments, which are turned upwards, giving the fronds a frilled surface, and producing an effect distinct from that of any Fern in cultivation. This is probably the most beautiful of all the dwarf-growing New Zealand Ferns. Strong imported plants, 21*s*., 31*s*. 6*d*. and 42*s*.

TRICHOMANES RADICANS.

(THE KILLARNEY OR IRISH BRISTLE FERN).

This is a British species, but it must, as far as culture is concerned, be included among the greenhouse kinds, as it is almost impossible to succeed with it if treated as an ordinary hardy Fern. 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

WOODWARDIA ORIENTALIS, 2*s*. 6*d*. and 3*s*. 6*d*. | **WOODWARDIA** RADICANS, 2*s*. 6*d*. and 3*s*. 6*d*.

CHOICE HARDY FERNS.

Selections of good kinds can be supplied at 18s., 30s. and 42s. per dozen.

SELAGINELLAS (LYCOPODIUMS).

G, greenhouse; *H*, hardy; *S*, stove.

	s.	*d*.		*s*.	*d*.
S **AFRICANA**	2	6	*G* **KRAUSSIANA AUREA** ....1*s*. 6*d*. &	2	6
S **ALBO-SPICA**	3	6	*G* —— **VARIEGATA**	1	6
S **AMŒNA** ....2*s*. 6*d*. &	3	6	*S* **LÆVIGATA** (CÆSIA ARBOREA)	3	6
S **APUS (APODA)**	1	6	*S* **LOBBII**	2	6
S **ATROVIRIDIS**	2	6	*S* **LYALLII**	2	6
S **CANALICULATA**	5	0	*S* **MARTENSII**	1	6
S **CAULESCENS**	2	6	*S* —— **ALBO-VARIEGATA**	1	6
S **COGNATA**	3	6	*S* **RUBRICAULIS**	2	6
S **CUSPIDATA**	2	6	*S* **SERPENS** (MUTABILIS and VARIABILIS)	1	6
S **EMILIANA**	3	6	*S* **SETOSA**	2	6
S **FILICINA** (DICHROUS)	2	6	*S* **TASSELLATA**	5	0
S **FLAGELLIFERA**	3	6	*S* **UNCINATA** (CÆSIA)	1	6
S **GALEOTTII** (SCHOTTII)	2	6	*S* **USTA** ....3*s*. 6*d*. &	5	0
S **GRANDIS** ....3*s*. 6*d*. &	5	0	*S* **VICTORIÆ**	3	6
S **INÆQUALIFOLIA** ....1*s*. 6*d*. &	2	6	*S* **WALLICHII**	3	6
G **KRAUSSIANA** (DENTICULATA)	0	9	*G* **WILDENOVII** (PUBESCENS)	2	6

Selection of good kinds can be supplied at 18s. per dozen.

PALMS, CYCLANTHS & CYCADS,

Including ENCEPHALARTOS, MACROZAMIA, &c.

The Palms constitute the most noble family in the vegetable kingdom, and afford sufficient diversity of aspect to allow of selections being made from them for the greenhouse, stove, or conservatory, to either of which Palms impart a richer tropical character than any other plants. Some of the miniature dwarf-growing kinds are, from their light and graceful forms, admirably adapted for table decoration, for vases, and for almost every purpose in which ornamentation is desired. The more hardy and larger kinds can be used for sub-tropical gardening, to which they impart a most luxuriant grandeur, evidence of which has been given in Battersea Park, and in other places where Palms have been thus used.

Selections of Stove Palms, 6, 9 and 12 guineas per dozen.

Selections for the Greenhouse, at 6, 9 and 12 guineas per dozen.

Larger specimens, from 2, 3, 4 and 5 to 10 guineas each.

Those marked with an asterisk (*) are kinds that will succeed in a greenhouse.

ACANTHOPHŒNIX CRINITA (ARECA CRINITA), fine plants ..... 1 and 1½ guinea.

ACANTHORHIZA ACULEATA (CHAMÆROPS STAURACANTHA) ..... 10*s.* 6*d.* and 15*s.*

***ARCHONTOPHŒNIX** ALEXANDRÆ (PTYCHOSPERMA ALEXANDRÆ) ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

* CUNNINGHAMIANA (SEAFORTHIA ELEGANS, PTYCHOSPERMA CUNNINGHAMIANA), a most useful conservatory or cool greenhouse plant, possessing a highly decorative character; scarcely anything can equal the effect of a large plant of this noble Palm.
In all sizes ..... 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.* to 1, 1½ and 2 guineas.

ARECA ALBA, *vide* DICTYOSPERMA ALBUM.
AUREA, *vide* DICTYOSPERMA AUREUM.
* BAUERI, *vide* RHOPALOSTYLIS BAUERI.
CRINITA, *vide* ACANTHOPHŒNIX CRINITA.
LUTESCENS, *vide* CHRYSALIDOCARPUS LUTESCENS.
MADAGASCARIENSIS ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SAPIDA, *vide* RHOPALOSTYLIS SAPIDA.
TRIANDRA ..... 10*s.* 6*d.* and 15*s.*
VERSCHAFFELTII, *vide* HYOPHORBE VERSCHAFFELTII.

***ARENGA** WIGHTII ..... 1 guinea.

ASTROCARYUM MALYBO (A. AROENTEUM) ..... 1½ and 2 guineas.

***BRAHEA** FILAMENTOSA ..... 1*s.* 6*d.* and 2*s.* 6*d.*

CALAMUS AUSTRALIS .....
MICRANTHUS ..... 7*s.* 6*d.* and 10*s.* 6*d.*
ROXBURGHII ..... 10*s.* 6*d.*

CARLUDOVICA DRUDEI ..... 10*s.* 6*d.* and 15*s.*
PALMATA ..... 10*s.* 6*d.* and 15*s.*
PLUMIERI ..... 10*s.* 6*d.*
WALLISII ..... 7*s.* 6*d.* and 10*s.* 6*d.*

CARYOTA URENS, "Wine Palm" ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

CATAKIDOZAMIA HOPEI .....
DENISONI, *vide* LEPIDOZAMIA.

CERATOZAMIA FUSCO-VIRIDIS, a noble species, introduced from Mexico, and belonging to the Cycads. The leaves are broadly pinnate, and of arching habit, the pinnæ deep green, sessile, lanceolate, and tapering to a longish point. The young leaves are of a rich bronzy-chocolate colour, gradually changing to olive-green, and ultimately developing into deep green ..... 3 and 4 guineas.

CEROXYLON NIVEUM, *vide* DIPLOTHEMIUM CAUDESCENS.



GEONOMA ACAULIS.

GEONOMA ACAULIS.

A dwarf, nearly stemless Brazilian Palm, with short, dilated, sheathing leaf stalks, destitute of spines, the young leaves roundish, deeply two-lobed at the apex, plicated erose, adult leaves deeply pinnately divided, pinnæ lanceolate. It is a native of Northern Brazil, and should be grown in the stove. 4 and 5 guineas.

CHAMÆDOREA ELEGANTISSIMA ..... 7*s.* 6*d.* and 10*s.* 6*d.*
* POLITA ..... 10*s.* 6*d.*

***CHAMÆROPS** ELEGANS ..... 3*s.* 6*d.* and 5*s.*
* EXCELSA, *vide* TRACHYCARPUS EXCELSUS.
* FORTUNEI, *vide* TRACHYCARPUS FORTUNEI.
* HUMILIS, this useful decorative Palm can be supplied in all sizes, from 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.* to 2, 3 and 4 guineas each.
* —— GRACILIS ..... 15*s.* and 21*s.*
* —— ROBUSTA ..... 15*s.* and 21*s.*
* —— TOMENTOSA ..... 15*s.* and 21*s.*
STAURACANTHA, *vide* ACANTHORHIZA ACULEATA.

CHRYSALIDOCARPUS LUTESCENS (AREOA LUTESCENS, HYOPHORBE INDICA, H. COMMERSONIANA), in all sizes ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.* to 21*s.*

***COCOS** AUSTRALIS (DIPLOTHEMIUM CAMPESTRE), 3*s.* 6*d.* and 5*s.*
* FLEXUOSA ..... 3*s.* 6*d.* and 5*s.*
INSIGNIS (GLAZIOVA INSIONIS), 7*s.* 6*d.* and 10*s.* 6*d.*
PLUMOSA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
PROCOPEANA ..... 5*s.* and 7*s.* 6*d.*
* WEDDELLIANA (GLAZIOVA ELEOANTISSIMA, LEOPOLDINA PULCHRA), one of the most elegant Palms, of which so many charming species are now to be found in cultivation. In all sizes, 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 21*s.*

***CORYPHA** AUSTRALIS, *vide* LIVISTONA AUSTRALIS.

COCOS WEDDELLIANA.

CYCAS ARMSTRONGII .....
CIRCINALIS ..... 1½ and 2 guineas.
MEDIA, a noble Cycad. Trunks in various sizes. Prices on application.
* REVOLUTA, in all sizes, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 21*s.*; fine specimens, 3, 4 and 5 guineas. each.
RUMPHII .....
SIAMENSIS .....

CYCLANTHUS DISCOLOR ..... 21*s.*

DÆMONOROPS, *vide* CALAMUS.

DICTYOSPERMA ALBUM (ARECA ALBA) ..... 3*s.* 6*d.* and 5*s.*
AUREUM (ARECA AUREA) a fine and graceful Palm, with yellowish stems ..... 10*s.* 6*d.* and 15*s.*
FIBROSUM (PISSAVA OF MADAGASCAR) ..... 1½ guinea.

DIOON EDULE ..... 1½, 2 and 3 guineas.

DIPLOTHEMIUM CAMPESTRE, *vide* COCOS AUSTRALIS.
CAUDESCENS (CEROXYLON NIVEUM) ..... 5*s.* and 7*s.* 6*d.*

***ENCEPHALARTOS** CAFFRA .....
FREDERICI GUILIELMI .....
* HILDEBRANDII. This fine Cycadaceous plant has been introduced from Eastern Africa.
* HORRIDUS .....
* —— MULTIFLEXUS .....
* (ZAMIA) LEHMANNI .....
* (——) —— GLAUCUS .....
* (——) —— SPINOSUS .....
* (——) REGALIS. This handsome species forms a most desirable ornamental plant for the decoration of conservatories, imparting a grandeur that few other plants are capable of producing. Price on application.
* (——) VILLOSUS .....
* (——) —— AMPLIATUS .....
* (——) —— DENTICULATUS .....
* (——) —— GRACILIS .....
* (——) —— VROOMII ..... 4 and 5 guineas.

EUTERPE EDULIS, "ASSAI PALM" (OREODOXA SANCONA) ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

GEONOMA AGAULIS, *vide* page 107.
GRACILIS ..... 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*
INTERMEDIA ..... 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*
SCHOTTIANA ..... 3*s.* 6*d.* and 5*s.*

GLAZIOVA ELEGANTISSIMA, *vide* COCOS WEDDELLIANA.
INSIGNIS, *vide* COCOS INSIONIS.

GRISEBACHIA BELMOREANA, *vide* HOWEA BELMOREANA.
FORSTERIANA, *vide* HOWEA FORSTERIANA.

***HEDYSCEPE** CANTERBURYANA, "Umbrella Palm" (KENTIA CANTERBURYANA), 3*s.* 6*d.*, 5*s.* and 7*s.* 6*d.*

*HOWEA BELMOREANA, "Curley Palm" (KENTIA BELMOREANA, GRISEBACHIA BELMOREANA), in all sizes, 2*s.* 6*d.*, 3*s.* 6*d.*, 5*s.* to 21*s.*

* FORSTERIANA, "Flat or Thatch-Leaf Palm" (KENTIA FORSTERIANA, GRISEBACHIA FORSTERIANA), 2*s.* 6*d.*, 3*s.* 6*d.* and 5*s.*

HYDRIASTELE WENDLANDIANA (KENTIA WENDLANDIANA).

HYOPHORBE COMMERSONIANA, *vide* CHRYSALIDOCARPUS LUTESCENS.

INDICA, *vide* CHRYSALIDOCARPUS LUTESCENS.

(ARECA) VERSCHAFFELTII, 10*s.* 6*d.*, 15*s.* and 21*s.*

*KENTIA AUSTRALIS.

* BELMOREANA, *vide* HOWEA BELMOREANA.

* CANTERBURYANA, *vide* HEDYSCEPE CANTERBURYANA.

ELEGANTISSIMA

* FORSTERIANA, *vide* HOWEA FORSTERIANA.

MACARTHURII, *vide* PTYCHOSPERMA MACARTHURII.

* RUPICOLA.

SAPIDA, *vide* RHOPALOSTYLIS SAPIDA.

WENDLANDIANA, *vide* HYDRIASTELE WENDLANDIANA.

*LATANIA BORBONICA, *vide* LIVISTONA CHINENSIS.

* COMMERSONI (L. RUBRA), 1 and 1½ guinea.

LEOPOLDINA PULCHRA, *vide* COCOS WEDDELLIANA

LEPIDOZAMIA PEROFFSKYANA (MACROZAMIA DENISONI).

LICUALA GRANDIS, *vide* page 9.

LIVISTONA ALTISSIMA, 10*s.* 6*d.*, 15*s.* and 21*s.*

* AUSTRALIS (CORYPHA AUSTRALIS), 1*s.* 6*d.*, 2*s.* 6*d.*, 3*s.* 6*d.* to 10*s.* 6*d.*

* CHINENSIS (LATANIA BORBONICA, L. SINENSIS, L. MAURITIANA), in all sizes, from 2*s.* 6*d.* 3*s.* 6*d.*, 5*s.*, 7*s.* 6*d.*, 10*s.* 6*d.*, 15*s.* and 2 to 3, 4 and 5 guineas each.

HOOGENDORPII. The leaves, which are nearly three feet broad, are palmately divided, the segments being broad, giving the leaves a bold and distinctive character. 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

INERMIS, an elegant and ornamental species introduced from Queensland. 10*s.* 6*d.*, 15*s.* and 1 guinea.

* MAURITIANA, *vide* L. CHINENSIS.

ROTUNDIFOLIA (SUBOLOBOSA), 5*s.*

* SINENSIS, *vide* L. CHINENSIS.

*MACROZAMIA CYLINDRICA.

* DENISONI, *vide* LEPIDOZAMIA PEROFFSKYANA.

MAXIMILIANA REGIA, 7*s.* 6*d.* and 10*s.* 6*d.*

ONCOSPERMA FASCICULATUM, an ornamental and elegant Stove Palm from Ceylon, which in the adult condition attains considerable size. In the young plants, the leaflets are lanceolate-acuminate in shape, and gradually attain a pinnate form as fresh leaves develop. The rachis is covered with brown fluffy scales, and is provided with long black spines. 21*s.*

OREODOXA SANCONA, *vide* EUTERPE EDULIS.

PHŒNICOPHORIUM SECHELLARUM, *vide* STEVENSONIA GRANDIFOLIA.

GEONOMA GRACILIS.

HOWEA (KENTIA) BELMOREANA.

*PHŒNIX COMPACTA, a dwarf-growing hybrid, the result of a cross between *P. æquinoctialis* and *P. leonensis*; its dense compact habit of growth will render it extremely useful for decorative purposes ..... 5*s.*, 7*s.* 6*d.* and 10*s.* 6*d.*

* DACTYLIFERA (THE DATE PALM) ..... 10*s.* 6*d.*, 15*s.* and 21*s.*

HYBRIDA. This elegant Palm is a hybrid between *P. dactylifera* and *P. farinifera*. It has a short stout stem, somewhat similar to *P. dactylifera*, but with the more slender and less rigid fronds of *P. farinifera*. The fruits are not much larger than the last named, and are of a glaucous red colour when mature ..... 21*s.* and 31*s.* 6*d.*

PHŒNIX INTERMEDIA, an interesting hybrid between *P. sylvestris* and *P. æquinoctialis*. It is of dwarf compact habit, and will be found a useful and effective Palm for the decoration of the greenhouse and conservatory, 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

* RECLINATA .... 3*s*. 6*d*., 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.

* RUPICOLA, one of the most graceful of greenhouse Palms, very useful for every decorative purpose. *Vide* illustration.
Fine plants.....21*s*., 31*s*. 6*d*. and 42*s*.

* SYLVESTRIS, a Sugar-yielding Palm 1*s*. 6*d*., 2*s*. 6*d*., 3*s*. 6*d*. and 5*s*.

* TENUIS, 3*s*. 6*d*. and 5*s*.

PHŒNIX RUPICOLA.

PINANGA KUHLEI ..... 5*s*. and 7*s*. 6*d*.
LEPIDA ..... 21*s*.
MACULATA ..... 10*s*. 6*d*. to 21*s*.
SPECTABILIS ..... 21*s*.

PRITCHARDIA AUREA, 1½, 2 and 3 guineas.
ORANDIS, *vide* LICUALA ORANDIS, page 9.

PTYCHOCOCCUS PARADOXUS, an elegant Palm from New Guinea, originally described under the genus *Ptychosperma*. In the young state the leaves are sheathing at the base and two-lobed, the lobes being oblong wedged-shape, oblique at the summit and jagged at the margins. When mature, the leaves are deeply pinnately divided, the pinnæ lanceolate, attached by a broad base to the triangular rachis, oblique at the apex and jagged, the two upper pinnæ confluent at the base. 21*s*.

***PTYCHOSPERMA** ALEXANDRÆ, *vide* ARCHONTOPHŒNIX ALEXANDRÆ.

* CUNNINGHAMIANA, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA.
MACARTHURII (KENTIA MACARTHURII) ..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

RAPHIA VINIFERA, "AFRICAN WINE PALM" ..... 21*s*.

***RHAPIS** FLABELLIFORMIS ..... 5*s*., 7*s*. 6*d*. to 21*s*.
HUMILIS ..... 21*s*. and 31*s*. 6*d*.

RHOPALOBLASTE HEXANDRA, a very handsome and remarkably graceful palm, with dark olive-green pinnate leaves, composed of numerous narrow elongated segments. It is admirably adapted for table and other decorative purposes. Price on application

***RHOPALOSTYLIS** BAUERI (ARECA BAUERI, SEAFORTHIA ROBUSTA)..... 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
SAPIDA, "NIKAU PALM" (ARECA SAPIDA, KENTIA SAPIDA) ..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

SABAL ADANSONI, "DWARF PALMETTO" ..... 3*s*. 6*d*. and 5*s*.
GLAUCESCENS ..... 7*s*. 6*d*. and 10*s*. 6*d*.
UMBRACULIFERA (BLACKBURNIANA), noble and very distinct ..... 3*s*. 6*d*. and 5*s*.

***SEAFORTHIA** ELEGANS, *vide* ARCHONTOPHŒNIX CUNNINGHAMIANA.

* ROBUSTA, *vide* RHOPALOSTYLIS BAUERI.

STANGERIA PARADOXA ..... 21*s*, 31*s*. 6*d*., and 42*s*.

STEVENSONIA GRANDIFOLIA (PHŒNICOPHORIUM SECHELLARUM). Small plants, 3*s*. 6*d*.; larger, 1, 1½ and 2 guineas.

THRINAX CHUCO ..... 5*s*. and 7*s*. 6*d*.
ELEGANS, very handsome for exhibition purposes ..... 5*s*., 7*s*. 6*d*. and 10*s*. 6*d*.
ELEGANTISSIMA, an exceedingly elegant and graceful Palm ..... 15*s*. and 21*s*.

* PARVIFLORA..... 3*s*. 6*d*., 5*s*. and 7*s*. 6*d*.

TRACHYCARPUS EXCELSUS (CHAMÆROPS EXCELSA), in all sizes, from 3*s*. 6*d*., 5*s*., 7*s*. 6*d*., 10*s*. 6*d*. and 15*s*. to 2, 3, 4 and 5 guineas each.
FORTUNEI (CHAMÆROPS FORTUNEI), in all sizes, from 2*s*. 6*d*., 3*s*. 6*d*., 5*s*., 7*s*. 6*d*., and 10*s*. 6*d*. to 1, 2, 3, 4 and 5 guineas each.

WALLICHIA DENSIFLORA ..... 21*s*. and 31*s*. 6*d*.
NANA .....

***ZAMIA** BREVIFRONS..... 1½ and 2 guineas.

* FURFURACEA ..... 2 and 3 guineas.

* INTEGRIFOLIA..... 2 and 3 guineas.

* LEHMANNI, *vide* ENCEPHALARTOS LEHMANNI.
LINDENI.....
PRASINA ..... 1½ guinea.

* ROEZLII .....
SKINNERI .....

* VILLOSA, *vide* ENCEPHALARTOS VILLOSUS.

* VROOMII, *vide* ENCEPHALARTOS VROOMII.

NEW AND CHOICE CALADIUMS.

Mr. WILLIAM BULL'S Selection of Twelve Varieties, 18s., 30s. and 42s.

Mr. WILLIAM BULL has the pleasure to offer many magnificent and beautiful New Varieties distinguished in the following list by the names being printed In darker type. See also page 8.

ACQUISITION, *vide* page 8.
AD MADSEN, yellowish-white leaf, with rosy veins. 10*s.* 6*d.*
ADOLPHE ADAMS. 2/6 & 3/6.
ADOLPHE ANDRIEU. 3*s.* 6*d.*
ADRIAN, small red leaves, margined with greenish-yellow. 31*s.* 6*d.*
AGRIPPINE DIMITRY. 3*s.* 6*d.*
AÏDA. 3*s.* 6*d.*
ALBO-LUTEUM. 3*s.* 6*d.*
ALCIBIADE. 3*s.* 6*d.*
ALCIDE MICHAUX. 3*s.* 6*d.*
ALFRED BLEU. 2*s.* 6*d.*
ALFRED MAME. carmine-red, bordered with white and spotted with rose. 7*s.* 6*d.*
ALICE FLEMMING. 3*s.* 6*d.*
ALICE VAN GEERT. 3*s.* 6*d.*
ALPHAND. 2*s.* 6*d.* & 3*s.* 6*d.*
ALPHONSE KARR. 3*s.* 6*d.*
ALTAIR, metallic red shaded with magenta and spotted dark green. 7*s* 6*d.*
ALZIRE, bright reddish violet, transparent leaves. 5*s.*
AMALTHÉE. 3*s.* 6*d.*
AMŒNUM. 3*s.* 6*d.*
ANDROMAQUE, pure white with green veins, crimson nerves. 7*s.* 6*d.*
ANGELO, small pink, bright carmine leaves, yellowish green margin. 31*s.* 6*d.*
ANNA DE CONDEIXA. 3*s.* 6*d.*
ANNIBAL. 3*s.* 6*d.*
ANTONIO, dwarf; reddish-pink leaves, yellowish edge; very pretty. 31*s.* 6*d.*
APELLES, dark green, with rosy-carmine nerves. 5*s.*
ARAPONGO, white, blotched and marmorated with green; very distinct. 31*s.* 6*d.*
ARASSUAHY, lovely rose leaves, green veins. 7*s.* 6*d.*
ARETHUSE. 3*s.* 6*d.*
ARGYRITES. 1*s.* 6*d.* & 2*s.* 6*d.*
ARIADNE, whitish ground interlaced with red veins; ribs red. 31*s.* 6*d.*
ARISTÉE. 3*s.* 6*d.*
ARISTIDE. 3*s.* 6*d.*
ARSINOË. 3*s.* 6*d.*
ARTEMISE. 3*s.* 6*d.*
ASSUNGUY, transparent leaves, with black green veins, entire leaf suffused with deep rose-pink. 7*s.* 6*d.*
ATALA. 3*s.* 6*d.*
AUGUSTE CARPENTIER, carmine-red centre, surrounded with reddish-maroon and margined golden-green. 5*s.*
AUGUSTE LEMOINIER. 3*s.* 6*d.*
AUGUSTE RIVIÈRE. 3*s.* 6*d.*
AURORE BOREALE, dark red, spotted with bronzy-green, reddish carmine ribs. 7*s.* 6*d.*
AYMORE, ivory white centre, green border spotted with rose pink. 21*s.*
AZULAO, centre transparent, light violet with bluish tint, bright green border. 7*s.* 6*d.*
BACURY, large leaf, greenish yellow ground, centre rosy-red; ribs and veins bright rosy-crimson. 7*s.* 6*d.*

BARAO DE MAMORE, white ground reticulated with green; centre and ribs marked with dark brown red; narrow green border. 7*s*. 6*d*.

BARAQUINII BUCEPHALE. 3*s*. 6*d*.

BARAQUINII SUPERBUM. 3*s*. 6*d*. and 5*s*.

BARBACENA, rose and green, with black ribs; very distinct. 21*s*.

BARBARA, dwarf; dark violet-red leaves. 31*s*. 6*d*.

BARILLET. 3*s*. 6*d*. and 5*s*.

BARON ADOLPHE de ROTHSCHILD, reddish crimson with lighter centre, ornamented with bright rose spots. 21*s*.

BARON DE ROTHSCHILD. 3/6

BARONEZA DE OLIVEIRA CASTRO, blush pink leaves. 10*s*. 6*d*. and 15*s*.

BARONNE CLARA de HIRSCH, long creamy-white leaves, ornamented with groups of rose-coloured dots, rich brownish-red nerves. 7*s*. 6*d*.

BARONNE JAMES DE ROTHSCHILD, delicate rose with red veins. 5*s*. and 7*s*. 6*d*.

BARRAL. 3*s*. 6*d*. and 5*s*.

BEETHOVEN. 2*s*. 6*d*.

BEIJA-FLOR, a lovely variety, transparent rose-pink shading to white, carmine ribs, broad green margin mottling to centre. 10*s*. 6*d*.

BELLEYMEI. 2*s*. 6*d*.

BELLINI. 3*s*. 6*d*.

BELLONE. 3*s*. 6*d*.

BENEVENTE, transparent glossy pink leaves. 21*s*.

BENJAMIN CONSTANT, white ground, shaded and maculated rosy-red. 21*s*.

BERNHARD WAGNER, most beautiful dark crimson leaves; extra. 15*s*.

BEROSE. 3*s*. 6*d*.

BICOLOR. 1*s*. 6*d*.

BICOLOR FULGENS. 3*s*. 6*d*.

BICOLOR SERICEUM, dark crimson-red with green margin. 5*s*. and 7*s*. 6*d*.

BICOLOR SPLENDENS. 2*s*. 6*d*.

BILONTRA, white centre, shaded rose, broad green margin. 31*s*. 6*d*.

BOIELDIEU. 3*s*. 6*d*.

BOSPHORE, reddish-rose, margined green. 5*s*.

BOTAFOGO, a splendid variety, centre bright red, intensified in the veins, distinct margin of greenish primrose. 7*s*. 6*d*.

B. S. WILLIAMS, dark rose, veined with carmine. 5*s*.

BRONGNIARTII. 2*s*.6*d*.& 3*s*.6*d*.

BUREL. 3*s*. 6*d*.

CACAPAVA, creamy yellow with broad red ribs. 10*s*. 6*d*.

CAJUBI, centre rosy red, surrounded with a darker zone; green bordor. 10*s*. 6*d*.

CALABAR, centre dark reddish-violet, margined green. 21*s*.

CALYPSO. 3*s*. 6*d*.

CANDIDUM. 3*s*. 6*d*.

CANNÆRTII. 2*s*. 6*d*.

CAPIBARIBE, centre dark fiery red, the yellowish edge laced with dark red veins; magnificent variety. 21*s*.

CARACAS, white, spotted yellow; soft rose veins. 7*s*. 6*d*.

CARAMURU, magnificent pink leaves with vivid crimson ribs. 15*s*.

CARDINALE, brilliant red, dotted with golden-yellow and greenish-yellow. 5*s*.

CASSANDRA, dull purplish-lake centre, narrow green margin; dwarf. 21*s*.

CAVALIER, transparent rose centre, with metallic blue shade; dwarf and distinct. 31*s*. 6d.

C. E. DAHLE, transparent leaf, suffused and blotched rose; green margin. 7*s*. 6*d*.

CERES. 3*s*. 6*d*.

CHACTAS, deep red with green margin. 5*s*.

CHANTINII. 2*s*. 6*d*.

CHANTINII FULGENS. 3*s*. 6*d*. and 5*s*.

CHARLEMAGNE, large rosy-red leaves, nerves dark red. 5*s*.

CHARLES VERDIER. 2*s*. 6*d*. and 3*s*. 6*d*.

CHELSONI. 2*s*. 6*d*.

CHICORINHA, dark rose ground, spotted red, green veins and margin. 15*s*.

CHLOE, pale green, spotted with white and veined with rose. 5*s*. and 7*s*. 6*d*.

CHLORIS. 3*s*. 6*d*.

CLAUDIUS, red centre with carmine ribs; greenish-yellow margin. 31*s*. 6*d*.

CLIO. 3*s*. 6*d*.

COIMBRA, yellowish ground, lilac-rose ribs and veins; bordered rich green. 10*s*. 6*d*.

COMTE DE GERMINY, dull-red leaves with brighter veins, maculated white. 7*s*. 6*d*.

COMTESSE DE BROSSE, leaves deep rose, veins carmine. 7/6

COMTESSE DE CONDEIXA, white shaded rose; red veins; green margin. 5*s*.

COMTESSE DE MAILLE. 3/6.

COMTESSE DU BERTHIER. 3*s*. 6*d*.

COMTESSE FERD. DE MAILLE. 3*s*. 6*d*.

COMTESSE FERD. de LESSEPS. 3*s*. 6*d*.

CONCORD, coppery-rose leaves with bronze shade; very dwarf. 3*s*. 6*d*.

CONDOR, leaf almost entirely red; a magnificent variety. 31*s*. 6*d*.

CONQUEROR, *vide* page 8.

CORINTH, dwarf grower, with beautiful pinkish-purple leaves. 42*s*.

CORSAIR, magenta-red centre, leaf mottled with white and green; green margin. 31*s*. 6*d*.

COYPEL. 3*s*. 6*d*.

CRYSTAL, gauze-like transparent leaves, milk-white with pink sheen, ribs and veins cream coloured; very beautiful. 15*s*.

CYPRIS. 3*s*. 6*d*.

DAMON, *vide* page 8.

DARIUS. 3*s*. 6*d*.

DE CANDOLLE. 3*s*. 6*d*.

DE HUMBOLDT. 3*s*. 6*d*.

DELICATISSIMUM, pearl-white, flushed carmine. 5*s*.

DEVINCK. 3*s*. 6*d*.

DIADEM, fine red leaves, shaded and bordered with yellow. 31*s*. 6*d*.

DIAMANTINA, transparent bright red centre, breaking into the green margin in a series of maculations; carmine red veins. 10*s*. 6*d*.

DIANE. 3*s*. 6*d*.

DONA CARMEN MACEDO. transparent pink leaves with black-green veins. 10*s*. 6*d*.

DONIZETTI. 3*s*. 6*d*.

DON PEDRO D'ALCANTARA, creamy-yellow ground and veins, heavily suffused and marmorated with deep rose-pink, light green edge. 10/6.

DR. BOISDUVAL. 3*s*. 6*d*.

DR. FELIPPE MEYER, green with white centre, freckled red with transparent spots, carmine-rose veins. 10*s*. 6*d*.

DR. LINDLEY. 3*s*. 6*d*.

DR. L. WITTMACK, leaves pink and green, black ribs. 10*s*. 6*d*.

DR. SINGELMANN, ivory-coloured leaf, shaded red. 10*s*. 6*d*.

DUCHESS, dwarf; peculiar small narrow red leaves, margined with greenish yellow. 31*s*. 6*d*.

DUCHESSE DE MORTEMART, transparent pearl-white leaves. 5*s*.

DUCHESS OF PORTLAND, creamy-white, suffused with green, palo rose centre, veined white. 7*s*. 6*d*.

DUC DE CLEVELAND. 3*s*. 6*d*.

DUC DE MORNY. 3*s*. 6*d*.

DUC DE MORNY SPLENDIDUM, crimson centre, rayed into green border. 5*s*.
DUC DE NASSAU. 2/6 & 3/6.
DUC DE RATIBOR. 2/6 & 3/6.
DUCHARTRE. 3*s*. 6*d*.
DUKE OF DEVONSHIRE, bronze veined, deep crimson and spotted with red. 7*s*. 6*d*.
DUKE OF PORTLAND, carmine, veined with dark crimson, pale green margin. 7/6.
EDOUARD ANDRE. 3*s*. 6*d*.
EDOUARD MOREAUX. 3/6.
E. G. HENDERSON. 2*s*. 6*d*.
ELFRIDA, transparent cherry-red, glossy leaves; very beautiful. 31*s*. 6*d*.
ELSA, pale rose maculated with rosy-red. 5*s*.
ELVINA. 3*s*. 6*d*.
EMBLEM, beautiful glossy leaves of a transparent cherry-red shade, margined green. 42*s*.
EMILIE VERDIER. 3*s*. 6*d*.
ERNEST CAILLE, delicate rose, green margin with white spots, veins deep rose. 5*s*.
ERNST BENARY, leaves crimson, shaded violet. 10*s*. 6*d*.
ERNST SCHMIDT, white with green tinged rose; distinct. 7/6
E. SALADIN, soft rose spotted with dark rose, violet veins. 5*s*. and 7*s*. 6*d*.
ETOILE D'ARGENT, bright green with white veins. 5*s*.
EUCHARIS, rose centre with violet reflections margined with bright green. 3*s*. 6*d*.
EURYDICE, transparent white leaves spotted red. 15*s*.
EUTERPE. 3*s*. 6*d*. and 5*s*.
EXCELLENT. 3*s*. 6*d*.
FAIRBAIRN, red veins and white ribs. 7*s*. 6*d*.
FAUST. 3*s*. 6*d*.
FELICIEN DAVID. 3/6 & 5/-
FELIX PETIT, dark carmine with green border. 5*s*.
FERDINAND DE LESSEPS, dark carmine-red ground with violet-rose ribs and deep green spots. 5*s*.
FLAMMANT ROSE, large brilliant rose leaves and nerves, reticulated with yellowish green. 42*s*.
FLORE. 3*s*. 6*d*.
FLORIAN, leaf bright carmine rose, edged green. 31/6.
FRANZ JOSST, yellowish white with rose centre. 5*s*.
FRED. BAUSE. 3*s*. 6*d*.
FRUCTAL, light copper-red, edge greenish yellow; dwarf. 10*s*. 6*d*.
FULGIDUM, large rose centre, green margin. 5*s*.
GABRIELLE LEMOINIER. 3/6.
GARNET, *vide* page 8
GARTEN-DIRECTOR GIREOUD, brownish red spots on an ivory-white ground, ornamented with rose dots. 10*s*. 6*d*.
GASPARD CRAYER. 3*s*. 6*d*.
GASTON CHANDON. 3*s*. 6*d*.
GAZE DE PARIS. 3*s*. 6*d*.
GENERAL, *vide* page 8
GEORGES BERGER, dwarf variety with long leaves, centre brilliant scarlot, marginod with golden-green mixed with red. 21*s*.
GERARD DOW, pale yellow ground, carmine midrib, deep red veins, narrow green margin. 5*s*. and 7*s*. 6*d*.
GLUCK. 3*s*. 6*d*.
GOLDEN QUEEN. 3*s*. 6*d*. & 5*s*.
GOSSEC. 3*s*. 6*d*.
GRATIOSUM. 3*s*. 6*d*.
GRETRY. 3*s*. 6*d*.
GUARAREMA, green with white spots, crimson veins, clouded black. 7*s*. 6*d*.
GUIL-MAR, cream coloured ground, mingled with dark salmon; a magnificent variety. 21*s*.
GURUPA, dark blood-red in centre, surrounded with whitish green; green margin, fine. 15*s*.
HALEVY. 3*s*. 6*d*.
HEBE, whitish ground, with rose spots, veined rose. 7*s*.6*d*.
HENRIETTE BASSET, netted and veined rose, margined with yellow. 7*s*. 6*d*.
HERMIONE, large silvery rose leaves, margined green. 10/6.
HERMON, dwarf grower, leaves a peculiar brownish red; green margin. 31*s*. 6*d*.
HEROLD. 3*s*. 6*d*.
HOMERE, red centre, green margin. 7*s*. 6*d*.
HORACE, red centre, spotted yellow, green margin. 5*s*. and 7*s*. 6*d*.
HOULLETTI. 2*s*. 6*d*. and 3*s*. 6*d*.
HRUBYANUM. 3*s*. 6*d*. and 5*s*.
IANTHE, magnificent crimson leaves, green edge. 42*s*.
IBICUHY, creamy-yellow, shaded with rose. 10*s*. 6*d*.
IBIS ROSE, a magnificent variety, with rich rose-coloured foliage. 10*s*.6*d*.and 15*s*.
IBIS ROUGE, deep rose, netted carmine. 10*s*. 6*d*. and 15*s*.
ICARUS, *vide* page 8
IDA, white and green ground with rose veins. 10*s*. 6*d*.
IGUATU, rose and green, with blue-black leaves. 10*s*.6*d*.
IMPERATRICE EUGENIE. 3/6
IMPERATRIZ THEREZA, chalk-white heavily suffused with rose, black veins. 10*s*.6*d*.
INDEPENDENCIA, transparent leaf, ground colour creamy white, suffused and mottled with reddish rose; emerald green veins. 10*s*. 6*d*.
ISADORE LEROY. 3*s*. 6*d*.
ISIS, bright rose, veins violet-carmine. 5*s*.
JAGUARUNA, creamy-yellow with dark red; magnificent. 21*s*.
JAMES H. LAING. 3*s*. 6*d*.
J. C. SCHMIDT, dark red, with metallic lustre. 7*s*. 6*d*.
JESSICA, dwarf grower, with small vivid red leaves, margined with yellowish-green. 31*s*. 6*d*.
JOAQUIM NABUCO, dark crimson-red centre and ribs, surrounded with creamy white; green margin. 21*s*.
JOHN LAING, centre bright rosy-red, bordered with creamy-white. 7*s*. 6*d*.
JOHN PEED, reddish scarlet with light green border. 31*s*. 6*d*.
JOHN R. BOX. 3*s*. 6*d*.
JOINVILLE, fine leaves with dark red centre; margin golden yellow. 10*s*. 6*d*.
JULES DUPLESSIS. 3*s*. 6*d*.
JULES PUTZEYS. 3*s*. 6*d*.
JULIUS, *vide* page 8
JUMNA, greenish yellow leaf marmorated with deep rose pink. 42*s*.
JUNON. 3*s*. 6*d*.
JUPITER. 3*s*. 6*d*.
KETELEER. 3*s*. 6*d*.
LAINGII. 3*s*. 6*d*.
L'ALBANE. 3*s*. 6*d*.
LA LORRAINE, rosy-carmine, narrow green margin; a brilliant variety. 10*s*. 6*d*. & 15*s*.
LAMARTINE. 3*s*. 6*d*.
LA NACRE. 3*s*. 6*d*. and 5*s*.
LA PERLE DU BRESIL. 3/6.
L'AURORE, orange-red, carmine veins, creamy-white margin. 5*s*. and 7*s*. 6*d*.
L'AUTOMNE, creamy-white, with bluish maculations. 5*s*.
L'INSOLITE, dark yellowish green, margined with apple-green, spotted with bright red. 10*s*. 6*d*.
LE CARAVAGE, white ground, shaded with reddish carmine, interseeted with bright green veins, ribs reddish brown. 21*s*.
LE CORREGE, bright metallic red. 5*s*.
LE GRAND SUCCÈS, large opaline white leaves. 5*s*.
LE NAIN ROUGE, dwarf variety with copper-red leaves. 7*s*. 6*d*.
LEOPOLD ROBERT. 3*s*. 6*d*.
LEPESCHKINEI. 3*s*. 6*d*.
LEPLAY. 3*s*. 6*d*.

LE TITIEN. 3*s.* 6*d.*

LILLIE BURKE, leaves greenish white, suffused rose in centre, nerves and veins bright rose. 7*s.* 6*d.* and 10*s.* 6*d.*

LINNÉ, a dwarf variety, forming elegant tufts of clear grey leaves, marked with network of rose veins, and maculated with white. 31*s.* 6*d.*

LOUISE DUPLESSIS. 3*s.* 6*d.*

LOUIS POIRIER. 3*s.* 6*d.*

LOUIS VAN HOUTTE, large copper-red leaves, veins dark violet. 7*s.* 6*d.*

LUCIDUM, transparent leaves, silvery-white with network of green veins. 15*s.*

LUCY. 3*s.* 6*d.*

LUDDEMANNI. 3*s.* 6*d.*

LULLII. 3*s.* 6*d.* and 5*s.*

LURLINE, pale green, white blotches. 7*s.* 6*d.*

LUTEUM AURATUM, glittering yellow, shaded with green, dark centre. 10*s.* 6*d.* and 15*s.*

LYMINGTON, centre ivory-white, surrounded with dark green prettily spotted. 5*s.*

MADAME ALFRED BLEU. 2*s.* 6*d.* and 3*s.* 6*d.*

MADAME ALFRED BLEU MAJOR, large round white leaves, shaded rose, nerves rosy-red and green. 5*s.*

MADAME ALFRED MAGNE, transparent leaves, dark carmine red, with yellowish white margin, centre vein violet red. 10*s.* 6*d.*

MADAME ALFRED MAME. 2*s.* 6*d.* and 3*s.* 6*d.*

MADAME ANDRIEU. 3*s.* 6*d.*

MADAME DE LA DEVANSAYE. 3*s.* 6*d.*

MADAME D'HALLOY, silver white, suffused with rose, veined carmine. 5*s.*

MADAME DOMBRAIN. 3*s.* 6*d.*

MADAME ED. PYNAERT, a splendid variety, with reddish carmine leaves. 10*s.* 6*d.*

MADAME FRITZ KŒCHLIN. 3*s.* 6*d.*

MADAME GROULT, rosy-red leaves, bordered with dark green, spotted white. 5*s.*

MADAME HEINE. 3*s.* 6*d.*

MADAME HOULLET. 3*s.* 6*d.*

MADAME HUBER, bright red, margin soft green. 5*s.*

MADAME HUNNEBELLE. 3*s.* 6*d.*

MADAME IMBERT KŒCHLIN, green with large dark red spots. 5*s.* and 7*s.* 6*d.*

MADAME JEAN DYBOWKI, very bright reddish rose leaves, the nerves carmine-rose. 42*s.*

MADAME J. R. BOX, rose veins, green margin. 5*s.*

MADAME JULES MENOREAU. 3*s.* 6*d.*

MADAME JULES PICOT, translucid rosy-violet. 5*s.*

MADAME LAFORGE. 3*s.* 6*d.*

MADAME LEMOINIER, pale rose with darker ribs; veins and centre encircled with creamy-white. 5*s.*

MADAME LEON SAY, leaves carmine-red margined with creamy-white. 10*s.* 6*d.*

MADAME MARCHAND, violet-red, margin green. 5/- & 7/6

MADAME MARJOLIN SCHEFFER. 3*s.* 6*d.*

MADAME MERCIER, green, rose centre and veins, pink spots. 7*s.* 6*d.*

MADAME MITJANA, transparent reddish crimson, rose centre. 5*s.* and 7*s.* 6*d.*

MADAME SCHMITT. 3/6 & 5/-

MADAME T. DE VIGIER. 3*s.* 6*d.*

MADAME WILLAUME. 3*s.* 6*d.*

MANACAPURU, centre silvery white with green veins; margin green. 31*s.* 6*d.*

MARAPATA, dwarf grower, small fiery-red leaves. 15*s.*

MARCHANDII, deep green, yellow centre, violet veins. 10*s.* 6*d.*

MARGUERITE GELINIER, bright rose centre, with zone of greyish white, nerves rosy-violet. 10*s.* 6*d.* & 15*s.*

MARIA MITJANA, very bright rose, translucid leaves. 7*s.* 6*d.*

MARIE FREEMAN, rosy-carmine. 7*s.* 6*d.*

MARQUIS DE CAZAUX. 3*s.* 6*d.*

MARQUIS F. D'ALBERTAS. 3*s.* 6*d.* and 5*s.*

MARS. 3*s.* 6*d.*

MARTHA. 3*s.* 6*d.*

MARTHA LAFORGE, rosy-carmine leaves, spotted with light green, and maculated with white. 15*s.* and 21*s.*

MASACCIO, red spotted with green. 7*s.* 6*d.*

MAXIME DUVAL. 3*s.* 6*d.*

MAX KOLB. 2*s.* 6*d.* & 3*s.* 6*d.*

MEM DE SA, greenish yellow leaves, heavily suffused with rose pink. 21*s.*

MERCADANTE. 3*s.* 6*d.*

MERCÉDÈS DARGENT, white leaves, marked with a network of rose-coloured nerves, veins bright rose. 10*s.* 6*d.*

MEYERBEER. 2*s.* 6*d.* & 3*s.* 6*d.*

MICHEL BUCHNER, leaves brilliant red. 7*s.* 6*d.*

MINERVE. 3*s.* 6*d.*

MINUS ERUBESCENS. 1*s.* 6*d.* and 2*s.* 6*d.*

MIRACEMA, an exceedingly beautiful variety, large milk-white leaves, veins feathered with soft pink. 7*s.* 6*d.*

MIRITY, very dwarf; purple-lake centre, broad greenish white margin. 10*s.* 6*d.*

MITHRIDATE. 3*s.* 6*d.*

MONSIEUR A. HARDY, 3*s.* 6*d.*

MONSIEUR BRIAN WYNNE, a dwarf variety, centre violet blue, the margin marked with white maculations. 10*s.* 6*d.*

MONSIEUR CHABER, large golden-yellow leaves, maculated with white. 15*s.*

MONSIEUR DEGLOS, transparent crimson leaves. 5*s.*

MONSIEUR D'HALLOY. 3*s.* 6*d.*

MONSIEUR J. LINDEN. 3/6.

MONSIEUR LEON SAY, copper-red leaves, maculated violet-rose. 10*s.* 6*d.*

MONSIEUR PANHARD, green with carmine veins. 7*s.* 6*d.*

MONSIEUR S. WALTER, large purplish-violet leaves spotted with greenish grey and white. 10*s.* 6*d.*

MONSIEUR WILLAUME, carmine veins, green margin with red spots. 5*s.*

MOSSORO, white centre with many large rose spots on a green margin. 31*s.* 6*d.*

MOZART. 3*s.* 6*d.*

MRS. HARRY VEITCH, fine reddish-gold leaves. 10*s.* 6*d.*

MRS. LAING. 3*s.* 6*d.*

MUCURIPE, centre rose-pink, surrounded with greenish white, green margin. 7*s.* 6*d.*

MUNDURUCU, centre amaranth red surrounded with white maculations, margined pale green. 21*s.*

MURILLO. 3*s.* 6*d.*

NAPOLEON III. 3*s.* 6*d.*

NOBILE. 3*s.* 6*d.*

ŒDIPE, white flushed with rose; veins rosy red. 7*s.* 6*d.*

OMBRELLE PARISIENNE, crimson-red, veins red, and green margin. 5*s.*

ONSLOW. 3*s.* 6*d.*

ORACLE, dark red centre, surrounded with a darker shade; green border. 31*s.* 6*d.*

ORIFLAMME, brilliant red, margined with green. 5*s.*

ORNATUM. 3*s.* 6*d.*

ORPHÉE, leaves rosy-white, veined carmine. 15*s.* and 21*s.*

OURO FINO, white ground, carmine-red ribs, green margin. The young leaves are very beautiful. 10*s.* 6*d.* and 15*s.*

PÆCILE ANGLAIS. 3*s.* 6*d.*

PAILLET. 2*s.* 6*d.*

PASHA, *vide* page 8.

PAUL VERONÈSE. 3*s.* 6*d.*

PEDRO ALVARES CABRAL, yellowish green leaves, deep red centre and crimson veins. 21*s.*

PERIPERI, rose red ribs and centre ou a white and green ground, shaded with red. 10/6

PERIQUITO, transparent rose-pink leaves, irregularly marmorated and blotched with white and green. 10*s.* 6*d.*

PETROPOLIS. 3*s.* 6*d.*

PHILIPPE HERBERT. 2*s.* 6*d.*

PHILIPPE SCHULDT. 3*s.* 6*d.*

PHŒBUS. 3*s.* 6*d.*

PIANCO, transpareut red, ribs dark crimson. 10*s.* 6*d.*

PINTADO, creamy yellow, transparent purplish-rose spots between the veins. 15*s.*

PORTIA, white ground veined green, dark crimson ribs. 31*s.* 6*d.*

POURPRE ROYALE, bright purple-red leaves, margined with golden green; very brilliant. 42*s.*

PREFET BERGER, 5*s.*

PRESIDENT DE LA DEVANSAYE, leaves bright rosy-carmine, bordered with golden-green. 31*s.* 6*d.*

PRIAM, lovely dark rose coloured leaves, margined green; dwarf. 21*s.*

PRINCE ALBERT EDWARD. 2*s.* 6*d.*

PRINCE OF WALES, large golden-yellow leaves. 5*s.*

PRINCESS ALEXANDRA. 3/6 and 5*s.*

PRINCESS BEATRICE, 5*s.* and 7*s.* 6*d.*

PRINCESSE OLGA, a dwarf variety with reddish gold leaves, with pale rose maculations; distinct. 42*s.*

PRINCESS OF TECK. 3*s.* 6*d.* and 5*s.*

PRINCESS OF WALES, golden-yellow, spotted with crimson. 5*s.*

PRINCESS ROYAL, leaves of a golden ground colour, with crimson centre. 5*s.*

PROBUS, very dark crimson with metallic lustre. 21*s.*

PROSERPINE. 3*s.* 6*d.*

PURUS, leaves white, veined blackish green and reticulated with bright green. 5/- & 7/6

PUVIS DE CHAVANNES, deep greyish-blue leaves with large brownish-red nerves and numerous large white spots. 31*s.* 6*d.*

PUTUMAYO, very dark pink transparent leaves, pea-green midrib and veins; very beautiful. 21*s.*

PYRRHUS. 3*s.* 6*d.*

QUADRICOLOR. 3*s.* 6*d.*

RACINE, bright rose and green, set off with prominent bright reddish-carmine veins. 31/6.

RAMEAU. 3*s.* 6*d.*

RAOUL PUGNO. 3*s.* 6*d.* and 5*s.*

RAULINII. 3*s.* 6*d.*

RAYMOND LEMOINIER. 3/6 and 5*s.*

RAYON D'OR, very large golden-yellow leaves, fine and of vigorous growth. 21*s.*

REINE DE DANEMARK. 5*s.*

REINE MARIE DE PORTUGAL. 3*s* 6*d.*

REINE VICTORIA. 2*s.* 6*d.*

RICCI. 3*s.* 6*d.*

RIO CLARO, soft rose, margined with green, spotted with pearly white. 31*s.* 6*d.*

RIO DE JANEIRO, transparent pink leaves, green margin dotted with pink. 10*s.* 6*d.*

ROBERT BROWN, red centre shaded with rose; dwarf. 10*s.* 6*d.* and 15*s.*

ROMA, dark copper-red leaves, edged with greenish yellow; dwarf. 21*s.*

RONCADOR, glossy dark rose leaves, with green veins. 10/6

RONURA, *vide* page 8.

ROSE LAING, white ground with blush veins. 15*s.*

ROSINHA, small fiery red leaves. 10*s.* 6*d.*

ROSSINI. 3*s.* 6*d.*

ROSSINI SUPERBUM. 3*s.* 6*d.*

ROUILLARD. 3*s.* 6*d.*

RUBENS. 3*s.* 6*d.*

RUBRUM AURATUM, bronzy red leaves; very striking. 15*s.*

RUBRUM METALLICUM, violet-red, rose centre, margin copper-red. 7*s.* 6*d.*

SANCHONIATHON. 3*s.* 6*d.*

SALVATOR ROSA. 3*s.* 6*d.*

SEMIRAMIS. 3*s.* 6*d.*

SENATOR, large red leaves shaded with bronze; red leaf stalk. 31*s.* 6*d.*

SIEBOLD. 3*s.* 6*d.*

SIR EDWIN SMITH, dark rose mixed with bluish-grey shaded with violet, rosy-violet veins and white maculations; dwarf. 42*s.*

SIRIUS, centre scarlet-red, spotted with rosy-red and golden-green. 5*s.* and 7*s.* 6*d.*

SIR WALTER SCOTT. 3*s.* 6*d.*

SOCRATES. 5*s.*

SOFIA. 3*s.* 6*d.*

SOPHOCLE, very bright red, bronzy green margin. 7*s.* 6*d.*

SOUVENIR DE LILLE, translucid delicate rose leaves, nerves bright rose. 7*s.* 6*d.*

SOUVENIR DE MADAME BERNARD. 3*s.* 6*d.*

SOUVENIR DE MADAME E. ANDRE. 3*s.* 6*d.*

SOUVENIR DE MADAME GIBEZ, dark violet shaded with bluish grey; very distinct and remarkable. 42*s.*

SOUVENIR DE PARA. 3/6&5/-

SOUVENIR DES TOUCHES, carmine shaded violet; red veins, rose spots surrounded with white. 7*s.* 6*d.*

SOUVENIR DU DOCTEUR BLEU, reddish scarlet centre; green border shaded red. 7*s.* 6*d.*

SPLENDIDUM. 3*s.* 6*d.*

SPONTINI. 3*s.* 6*d.*

SUASSUHY, magnificent crimson leaves. 21*s.*

SUYA, leaves acute, rose centre, surrounded with white mottling, green margin. 10*s.* 6*d.*

TENIERS, rosy-red, light green margin, carmine veins. 7*s.* 6*d.*

THERESA, *vide* page 8.

TRAHIRAS, striking pearl-white leaves. 10*s.* 6*d.*

TRICOLOR. 5*s.*

TRIOMPHE DE COMTE, bright carmine shading to dark reddish-purple, green margin 10*s.* 6*d.* and 15*s.*

TRIOMPHE DE L'EXPOSITION. 2*s.* 6*d.*

TRIUMPHO, centre dull red, crimson veins, yellow-green margin. 10*s.* 6*d.*

TUPA, magnificent fiery crimson leaves. 21*s.*

TYMBIRA, peculiar leaves, clouded with rose. 10*s.* 6*d.*

URANUS. 3*s.* 6*d.*

VAN DEN HECK. 3*s.* 6*d.*

VAN DYCK. 3*s.* 6*d.*

VELASQUEZ. 3*s.* 6*d.*

VELLEDA. 3*s.* 6*d.*

VERDI. 3*s.* 6*d.*

VERONA, *vide* page 8.

VESTA. 3*s.* 6*d.*

VICOMTESSE DE LA ROQUEORDAN. 2*s.* 6*d.*

VILLE DE HAMBOURG. 5*s.*

VILLE DE LAON, green, maculated with rosy red, ribs and veins bright red. 21*s.*

VILLE DE MULHOUSE. 3*s.* 6*d.*

VIOLACEUM. 3*s.* 6*d.*

VIRGILE. 3*s.* 6*d.*

VIRGINALE. 3*s.* 6*d.*

VIUVA SANT ANNA NERY, creamy-white, finely reticulated with pale green. 7*s.* 6*d.*

VIVIAN, young leaves expand with a yellowish border, but become quite red. 31*s.* 6*d.*

WEBER. 5*s.* and 7*s.* 6*d.*

WIGHTII. 2*s.* 6*d.*

WIGHTII SUPERBUM. 3*s.* 6*d.*

WILH ZIEGLER, fiery red centre, with dark veins, light golden margin. 10*s.* 6*d.*

WILLIAM BULL. 5*s.*

WILLIAM F. DREER, crimson-red leaves, with border of bronzy green. 7*s.* 6*d.*

WILLIAM MARSHALL, bright rosy-red leaves, stamped with golden green. 31*s.* 6*d.*

XENOPHON. 3*s.* 6*d.*

XERES. 5*s.*

SINGLE-FLOWERED BEGONIA.

DOUBLE-FLOWERED BEGONIA.

BEGONIAS.

HANDSOME FLOWERED TUBEROUS-ROOTED SECTION.

The immense size to which the flowers of this popular race of plants have now attained considerably enhances their value for decorative and bedding purposes. Of nearly every shade of colour, from deepest crimson-scarlet to white, the blooms are produced in the utmost profusion, thus rendering them extremely showy and attractive.

SINGLE-FLOWERED.

Selections of good single-flowering named varieties can be made by Mr. W. B. at 12s., 18s. and 30s. per dozen.

Single-flowered unnamed Seedlings of various colours can be supplied when dormant, 4s., 6s. & 9s. per dozen; 1½, 2 and 3 guineas per 100.

DOUBLE-FLOWERED.

Named Varieties with double flowers, at 30s., 42s. and 60s. per dozen.

Double-flowered unnamed Seedlings of various colours, when dormant, 6s., 9s. and 12s. per dozen.

35s., 50s. and 75s. per 100.

BEGONIAS.

VARIEGATED-FOLIAGED SECTION.

These are remarkable for their variegated and beautifully coloured ornamental foliage.

ACUMINATA SPLENDIDA, 2/6.
AMAZON, 3/6.
ANNETTE, 2/6.
ARCTURUS, 2/6.
ARGENTEA SPLENDIDA, 3/6.
ARTHUR MALET, 2/6
ATTRACTION, 3/6.
CALLIOPE, 3/6.
CHARLES HOVEY, 3/6
CHERUBIN, 2/6.
COMTESSE LOUISE D'ERDODY, 2/6.
CRYSTALLINA, 2/6.
DIADEM, 2/6.
DR. LE GUILLON, 3/6.
DUCHESS, 1*s.*
DUCHESS DE BRABANT, 3/6.
HELEN UHDER, 3/6.
LADY STUART LOW, 3/6.
LA PERLE DE PARIS, 2/6.
LEDA, 5*s.*
LE POUSSIN, 2/6.

LE SCHAH, 2/6.
MADAME CROUSSE, 3/6.
—— EYEN, 2/6.
—— GILKINET, 3/6.
—— GRISAR, 3/6.
—— HENRI GACHE, 2/6.
—— ISABELLE BELLON, 2/6.
MALETTA, 2/6.
MARQUIS DE PERALTO, 3/6.
M. DEFEU, 3/6.
MDLLE. EMMA, 3/6.
MISS OGATHE, 2/6.
NAOMI MALET, 3/6.
OTTO FORSTER, 2/6.
PECTINATA, 2/6.
PRESIDENT DE BOUREUILLES, 3/6.
PROGNE, 2/6.
PULCHELLA, 2/6.
STELLATA, 2/6.

The following are effective decorative kinds, many of them winter-flowering species and varieties. 18s., 30s. and 42s. per dozen, according to the selection.

ALBO PICTA
ARGENTEO GUTTATA
ARGYROSTIGMA ELEGANTISSIMA
BIJOU DE GAND
CARRIERI
—— VILLOSA
DECORA
DIGSWELLIANA
DREGEI
EGREGIA
FLORIBUNDA ROSEA.
GLOIRE DE LORRAINE, 5*s.*
HYBRIDA CORBEILLE DE FEU, 5*s.*
—— ILLUSTRATION, 5*s.*
IMPERIALIS
MADAME CHARRATT
—— ISABELLA BELLON.
MARGARITÆ
METALLICA
OLBIA
POLYANTHA
PRESIDENT CARNOT, 3*s.* 6*d.*
RUBELLA
SCEPTRA
SCHARFFII
SEMPERFLORENS ELEGANS
—— COMPACTA NANA
—— GIGANTEA ROSEA
SIEBERIANA
SOUVENIR DE F. GAULIN
SUTHERLANDII

CHRYSANTHEMUMS.

These popular plants have now become so numerous that to give detailed particulars of each they would of themselves form a catalogue, and by giving descriptions purchasers could form but little idea of the comparative merit of varieties; it has therefore been thought best to give simply a list of the most select of the newer kinds in the various soctions. Besides those named, Mr. W. B. has a very large collection comprising many hundreds of varioties, which can be supplied at 6*d.* each, 4*s.* per dozen, or 28*s.* per 100. When the selection is left to Mr. W. B., the utmost care will be takon to send only varieties of the greatest merit.

For New kinds *see* next page.

SELECT NEW CHRYSANTHEMUMS.

JAPANESE.

ALICE SEWARD, 1*s.* 6*d.*
BRIDE OF MAIDENHEAD, 1*s.* 6*d.*
CHAS. BLICK, 1*s.* 6*d.*
CHAS. DAVIS, 1*s.*
COL. CHASE, 3*s.* 6*d.*
COL. T. C. BOURNE, 5*s.*
COMMANDANT BLUSSET, 1/6.
C. SHRIMPTON, 1*s.*
DUCHESS OF WELLINGTON, 3*s.* 6*d.*
DUCHESS OF YORK, 6*s.*
DUKE OF YORK, 1*s.* 6*d.*
EDA PRASS, 1*s.*
EDITH ROWBOTTOM, 1*s.*
EMILY LADENBURG, 2*s.* 6*d.*
EVA KNOWLES, 5*s.*
FRANK WELLS, 2*s.* 6*d.*
G. C. SCHWABE, 1*s.*
GEORGE W. CHILDS, 1*s.*
GOLDEN GATE, 1*s.* 6*d.*
GOLDEN WEDDING, 1*s.*
GOOD GRACIOUS, 1*s.* 6*d.*
GUIRLANDE, 3*s.* 6*d.*
HERBERT FOWLER, 5*s.*
H. L. SUNDERBRUCH, 2*s.* 6*d.*
JAMES BEGGS, 5*s.*
JOHN LIGHTFOOT, 5*s.*
JOHN MACHAR, 7*s.* 6*d.*
JOHN SHRIMPTON, 1*s.*
KENTISH WHITE, 5*s.*
KING OF PLUMES, 2*s.* 6*d.*
LA MEIJE, 2*s.* 6*d.*
LE PRINCE DU BOIS, 1*s.*
LIZZY SEWARD, 1*s.* 6*d.*
LORD BROOKE, 1*s.*
LORD TENNYSON, 1*s.* 6*d.*
LOUISE, 1*s.* 6*d.*
MADAME CARNOT, 3*s.* 6*d.*
MADAME C. MOLIN, 1*s.* 6*d.*
MADAME EDOUARD REY, 1*s.*
MADAME RICAUD, 1*s.* 6*d.*
M. AUGUSTE DE LACVIVIER, 2*s.* 6*d.*
M. CHARLES MOLIN, 2*s.* 6*d.*
MDLLE. THERESE REY, 1/6.
M. G. GRUNERWALD, 1*s.*
MIDDLETON CLARKE, 2*s.* 6*d.*
MISS DOROTHY FRANKLAND, 6*s.*
MISS DOROTHY SHEA, 1*s.*
MISS DULCIE SCHROETER, 7*s.* 6*d.*
MISS GOSCHEN, 6*s.*
MISS MAGGIE BLENKIRON, 2*s.* 6*d.*
MISS RITA SCHROETER, 7/6.
MISS WATSON, 1*s.*
M. MEG, 5*s.*
M. PANKOUCHE, 1*s.* 6*d.*
MRS. A. G. HUBBUCK, 1*s.*
MRS. BRUCE FINDLAY, 2*s.* 6*d.*
MRS. C. HARMAN PAYNE, 1*s.*
MRS. E. G. HILL, 2*s.* 6*d.*
MRS. E. S. TRAFFORD, 1*s.*
MRS. HENSZEY, 2*s.* 6*d.*
MRS. NEVILLE, 1*s.* 6*d.*
MRS. NISBET, 1*s.*
MRS. P. BLAIR, 1*s.* 6*d.*
MRS. T. DENNE, 1*s.* 6*d.*
MRS. W. FILKINS, 3*s.* 6*d.*
MRS. W. H. LEES, 3*s.* 6*d.*
NIVEUM, 1*s.* 6*d.*
OWEN'S BRILLIANT, 5*s.*
OWEN THOMAS, 5*s.*
PALLANZA, 7*s.* 6*d.*
PHILADELPHIA, 5*s.*
PREFET ROBERT, 1*s.*
PRESIDENT BOREL, 1*s.*
PRIMROSE LEAGUE, 1*s.*
PRINCESS MAY, 2*s.* 6*d.*
R. BALLANTINE, 2*s.*
ROBERT OWEN, 2*s.*
ROSE WYNNE, 2*s.* 6*d.*
RYECROFT GLORY, 1*s.*
SARAH HILL, 1*s.* 6*d.*
SIR EDWIN T. SMITH, 3*s.* 6*d.*
SOUVENIR DE PETITE AMIE, 2*s.* 6*d.*
TH. DENIS, 1*s.* 6*d.*
THE QUEEN, 2*s.*
THE TRIBUNE, 1*s.*
THOMAS HEWITT, 1*s.*
THOMAS WILKINS, 1*s.* 6*d.*
VIOLETTA, 3*s.* 6*d.*
VISCTSS. HAMBLEDON, 1*s.* 6*d.*
W. G. NEWITT, 1*s.*
W. H. ATKINSON, 1*s.*
WILFRED MARSHALL, 1*s.* 6*d.*
WILLIAM SEWARD, 1*s.*

Besides the above, Mr. W. B.'s collection comprises hundreds of other varieties, from which selections can be made by Mr. W. B. at 6d. each, 4s. per doz., or 28s. per 100. Any new kinds in commerce supplied at current prices.

LARGE FLOWERED CHINESE or INCURVED.

ARISTINE ANDERSON, 1*s.*
BARON HIRSCH, 1*s.*
C. B. WHITNALL, 1*s.*
C. H. CURTIS, 7*s.* 6*d.*
GEORGE COCKBURN, 1*s.* 6*d.*
GLOBE D'OR, 2*s.* 6*d.*
HENRY PERKINS, 2*s.* 6*d.*
J. AGATE, 5*s.*
JOHN FULFORD, 5*s.*
LORD ROSEBERY, 1*s.* 6*d.*
LUCY KENDALL, 1*s.*
M. B. SPAULDING, 2*s.* 6*d.*
MISS M. SIMPKINS, 3*s.* 6*d.*
MRS. CLIBRAN, 1*s.*
MRS. J. GARDINER, 1*s.* 6*d.*
MRS. J. MITCHELL, 1*s.*
MRS. LAY, 1*s.* 6*d.*
MRS. R. C. KINGSTON, 5*s.*
OETA, 1*s.* 6*d.*
OWEN'S CRIMSON, 7*s.* 6*d.*
ROBERT PETFIELD, 2*s.* 6*d.*
SIR TITUS, 1*s.*
UTOPIA, 1*s.* 6*d.*
WILLIAM TUMINGTON, 7/6.

Many other varieties can be selected by Mr. W. B. from his large collection at 6d. each, 4s. per dozen, or 28s. per 100. Any new kinds in commerce supplied at current prices.

CHRYSANTHEMUMS—continued.

HIRSUTE or PLUMOSE VARIETIES.

ADAM DE CRAPONNE, 3*s.* 6*d.*
AMI CH. RABUTOT, 3*s.* 6*d.*
BARON D'HERICOURT, 2*s.* 6*d.*
BELLE ARLESIENNE, 2*s.* 6*d.*
CHAMPS ELYSEES, 3*s.* 6*d.*
CHRYSANTHEMISTE DELAUX, 1*s.*
EDITH WALTON, 1*s.* 6*d.*
ENFANTS DES GAULES, 2*s.* 6*d.*
GARTEN - INSPECTOR UMLAUFT, 1*s.* 6*d.*
GOLDEN HAIR, 3*s.* 6*d.*
HAIRY BEAUTY, 2*s.* 6*d.*
HAIRY WONDER, 3*s.* 6*d.*
H. BALLANTINE, 1*s.*
JEAN D'ARC, 2*s.* 6*d.*
KING OF THE HIRSUTES, 2/6
LADY OF THE LAKE, 3*s.* 6*d.*
LOUIS BOEHMER, 6*d.*
MRS. A. HARDY, 6*d.*
MRS. DR. WARD, 1*s.* 6*d.*
MRS. WM. TRELEASE, 1*s.* 6*d.*
MRS. W. J. GODFREY, 10/6.
MR. W. H. CALDWELL, 3*s.* 6*d.*
MONSIGNOR GOUTHE-SOULARD, 2*s.* 6*d.*
NACRE, 1*s.*
SAPHO, 2*s.* 6*d.*
SAUTEL, 1893, 1*s.* 6*d.*
SPARTEL, 1*s.*
W. A. MANDA, 6*d.*
WHITE PLUME (*syn.* L'Enfant des deux Mondes), 1*s.*
WILLIAM FALCONER, 6*d.*
ZAMBESI, 1*s.*

ANEMONE.

ADA STRICKLAND, 2*s.* 6*d.*
CALEDONIA, 3*s.* 6*d.*
DESCARTES, 3*s.* 6*d.*
JOHN BUNYAN, 1*s.* 6*d.*
JUNON, 2*s.* 6*d.*
OWEN'S PERFECTION, 3*s.* 6*d.*
RIDER HAGGARD, 2*s.* 6*d.*
SHE, 1*s.* 6*d.*
W. W. ASTOR, 3*s.* 6*d.*

Many older varieties can be supplied by Mr. W. B. at 6d. each, 4s. per dozen, or 28s. per 100. Any new kinds in commerce supplied at current prices.

POMPONS.

ELSIE WALKER, 1*s.* 6*d.* | LITTLE PET, 1*s.* 6*d.*

Selections from his large collection of all the best kinds can be made by Mr. W. B. at 6d. each, 4s. per dozen, or 28s. per 100. Any new kinds in commerce supplied at current prices.

EARLY-FLOWERING.

A large collection of all the best kinds. Selections made by Mr. W. B. at 6d. each, 4s. per dozen, or 28s. per 100. Any new kinds in commerce supplied at current prices.

SINGLE-FLOWERING.

A large collection of all the best kinds. Selections made by Mr. W. B. at 6d. each, 4s. per dozen, or 28s. per 100. Any new kinds in commerce supplied at current prices.

NEW AND CHOICE FUCHSIAS.

For New Sorts *vide* page 8.

Those marked (*) are double-flowered varieties.

***ADMIRAL RIEUNIER**, tubo and sepals bright red; enormous corolla, white, marked at base with roso. 1*s.*

***ADRIEN MARIE**, short and broad clear red sepals, completely recurved, very large and double; salmon-white corolla. 1*s.*

***ALBERT DELPIT**, very large scarlet recurved sepals; immense flesh-coloured double corolla. 2*s.* 6*d.*

ALEXANDER DUMAS FILS, terminal bunches of flowers, with large and long brilliant rose sepals prettily recurved; corolla plum coloured. 7*s.* 6*d.*

***ARAB**, short bright crimson tube and well-reflexed sepals; fine large deep bluish-purple double corolla. 1*s.* 6*d.*

***BEAUTY OF WEST KENT**, large flowers of great substance; corolla soft carmine, broad reddish-purple sepals. 1*s.*

***CAPITAINE BINGER**, largo recurved rose-carmine sepals; enormous double corolla, with large violet-blue petals. 3*s.* 6*d.*

***CHARLES SECRETAN**, rose sepals; enormous creamy-white double corolla. 2*s.* 6*d.*

***CHRISTOPHE COLOMB**, scarlet sepals; enormous rosy carmine double corolla. 1*s.*

COLONEL ARCHINARD, largo blue corolla, lighter at the base of petals. 1*s.*

***COMTE DE MUN**, enormous double violet, striated with rose at base. 1*s.*

***CORMORANT**, short tube and fine large rosy-crimson sepals; long semi-double bluish-purple corolla. 1*s.* 6*d.*

COUNTESS OF ABERDEEN, the nearest approach to a totally white *Fuchsia* yet raised, the corolla and sepals being milk-white. 1*s.*

***DOROTHY FRY**, short crimson tube and sepals; large double white corolla. 1*s.*

DUKE OF CONNAUGHT, tube and sepals bright red; long deep purple corolla. 1*s.* 6*d.*

DUKE OF EDINBURGH, red tube and sepals, lovely dark plum corolla; good habit. 1/6.

DUKE OF FIFE, fiery red tube and sepals; corolla magenta-purple. 1*s.* 6*d.*

DUKE OF YORK, crimson-scarlet tube and sepals, well reflexed; purple corolla tinged violet. 1*s.* 6*d.*

***EMILE RICHEBOURG**, bright red sepals, short and broad; enormous double metallic violet corolla. 3*s.* 6*d.*

***EMILE SALLE**, large red sepals; long white corolla, veined violet carmine. 1*s.*

***FATMA**, bright crimson tubo and reflexed sepals; bluish-purple corolla. 1*s.* 6*d.*

***FELIX DUBOIS**, large recurved sepals, cerise-red; double rosy-mauve corolla. 3*s.* 6*d.*

***GAY-LUSSAC**, largo spreading double corolla, violet-purple, veined red. 1*s.*

***GENERAL DODDS**, rosy-red sepals, large bluish-lilac double corolla. 2*s.* 6*d.*

***GEORGES FEYDEAU**, largo vinous-red sepals; very double bluish-lilac corolla; a pretty variety. 3*s.* 6*d.*

GERTRUDE, bright rose-carmine tubo and sepals; largo white corolla, veined carmine from tho base. 1*s.* 6*d.*

***HARRY ALIS**, carmine sepals well recurved; corolla very double and compact, globular in form, clear rose edged with white. 3/6.

***HENRI DE LA POMMERAYE**, plant very floriferous and of pyramidal habit; sepals coral red, double rosy white corolla. 1*s.* 6*d.*

***JUMNA**, bright crimson tube and sepals; enormous rich purple double corolla. 1/6.

***LAMARTINE**, largo double corolla, round and of perfect form, bluish-violet. 1*s.*

***LIEUTENANT MARITZ**, very large reflexed scarlet sepals; enormous well-formed double blush-white corolla. 3*s.* 6*d.*

***LIEUTENANT MIZON**, brilliant carmine sepals; double corolla, with large clear violet petals. 3*s.* 6*d.*

***MADAME BRUANT**, sepals bright red; corolla lilac-mauve, veined with rose. 1*s.*

***MADAME CARNOT**, a splendid variety with very large double flowers, short tube and largo reddish-carmine sepals; enormous pale flesh-coloured corolla veined with carmine. 7*s.* 6*d.*

***MARCEL MONNIER**, very floriferous, recurved coral sepals; enormous double salmon-white corolla. 3*s.* 6*d.*

***MARCEL PRÉVOST**, bright red reflexed sepals; very double blush-white corolla, tho petals profusely flamed with scarlet. 1*s.*

MARQUESS OF LORNE, rose-red tube and sepals; large open mauve corolla; dwarf habit. 1*s.* 6*d.*

***M. GLADSTONE**, immense flowers, tube and sepals clear red, very double violet plum-coloured corolla. 7*s.* 6*d.*

***M. HERMITTE**, reddish-crimson sepals; large violet-blue double corolla. 1*s.*

***NANCY**, enormous flowers, very broad coral-red sepals, corolla very large and double, violet-purple with blue reflections. 1*s.* 6*d.*

***PASTEUR**, large well recurved dark red sepals; long double pure white corolla. 2*s.* 6*d.*

***PATTERN**, short tube and broad rosy-crimson sepals; enormous bluish-purple double corolla, shaded and flaked with roso. 1*s.*6*d.*

***P. RADAELLI**, bright red recurved sepals; enormous double corolla, bluish violet, striated with carmine rose. 1*s.*

PRINCESS MAY, tube and sepals blush white, corolla bright rosy-carmine; dwarf and free; extra. 1*s.* 6*d.*

***ROSE PHENOMENAL**, the counterpart of tho well-known double variety *Phenomenal* in everything but the colour of the immenso corolla, which is of a new shade of rose. 2*s.*

***SYLVANUS**, short tube and long rosy-crimson sepals; bluish-purple corolla. 1*s.* 6*d.*

***WASHINGTON**, large red sepals; large double rose corolla; a new colour. 2*s.* 6*d.*

***WHITE PHENOMENAL**, a sport from *Phenomenal*, having an immense pure white corolla; a most valuable acquisition. 2*s.*

Many other varieties can be supplied from Mr. W. B.'s General Collection at 9s. and 12s. per dozen.

NEW AND CHOICE BEDDING & SOFT-WOODED PLANTS.

ABUTILON, of sorts, *vide* page 33.
AGERATUM, of sorts, 6*s*. per dozen.
ALTERNANTHERA, of sorts, 6*s*. per dozen.
BOUVARDIAS, from 1*s*. 6*d*. to 3*s*. 6*d*.

CALADIUM ESCULENTUM.

An effective plant for sub-tropical gardening. 2*s*. 6*d*. and 3*s*. 6*d*.

CANNAS.

CANNAS.

These striking foliage plants are most effective for sub-tropical gardening and border grouping. They are extremely useful for summer decorative purposes. 9*s*., 12*s*., 18*s*., and 30*s*. per dozen.

CARNATIONS, Tree, of sorts, 18*s*., 30*s*. and 42*s*. per dozen. *See* page 36.

CINERARIA MARITIMA VARIEGATA, a charming bedding plant, the silvery leaves being edged with gold. 2*s*. 6*d*.

CHOICE COLEUS.

For New Varieties *vide* page 8.

AILSA, 2*s*. 6*d*.
ALPHONSE BERNOUD, 1*s*. 6*d*.
ANACREON, 1*s*. 6*d*.
AVENIR, 2*s*. 6*d*.
BEAUMARCHAIS, 1*s*. 6*d*.
CEDRUS, 1*s*. 6*d*.
EDITH, 1*s*. 6*d*.
ESPERANCE, 2*s*. 6*d*.
JAMES BARNSHAW, 1*s*.
LA ROQUE, 2*s*. 6*d*.

CHOICE COLEUS—continued.

LE REVEIL, 3*s*. 6*d*.
LOUIS CHRETIEN, 1*s*.
LOUIS PAILLET, 2*s*. 6*d*.
MADEMOISELLE DE LA ROCHETTERIE, 1*s*.
—— **AIMÉE MOTTIER**, 2*s*. 6*d*.
MAGGIE, 1*s*.
MONSIEUR MAYOR, 2*s*. 6*d*.
MISS LOVELL, 2*s*. 6*d*.
M. MASSON, 2*s*. 6*d*.
MOSAIQUE, 2*s*. 6*d*.
MRS. H. M. STANLEY, 2*s*. 6*d*.
M. THIBAUT, 1*s*.
PIERRE GUERRAUD, 2*s*. 6*d*.
PLATON, 1*s*. 6*d*.
POMPADOUR, 1*s*.
RECAMIER, 1*s*. 6*d*.
TINTORET, 1*s*. 6*d*.

DAHLIAS.

Bouquet or Pompon Varieties, 9*s*. & 12*s*. per doz.
Cactus-Flowered Varieties, 9*s*., 12*s*. & 18*s*. per doz.
Choice Exhibition Varieties, 9*s*., 12*s*. and 18*s*. per dozen.
Choice Exhibition Varieties, Fancy Flowers, 9*s*., 12*s*. and 18*s*. per dozen.
Dwarf Bedding Varieties, 9*s*. and 12*s*. per dozen.
Single-Flowered Dahlias, 6*s*., 9*s*. & 12*s*. per dozen

ECHEVERIAS.

ECHEVERIA ATROPURPUREA, 1*s*.
ORANDISEPALA, 2*s*. 6*d*.
PRUINOSA, 2*s*. 6*d*.
RETUSA GLAUCA, 1*s*. 6*d*. and 2*s*. 6*d*.

ECHEVERIA SCAPHYLLA, 2*s*. 6*d*.
SCHEIDECKERI, 1*s*. 6*d*.
SECUNDA, 9*d*. each; 6*s*. per dozen.
—— OLAUCA, 9*d*. each; 6*s*. per dozen.

IBERIS SEMPERVIRENS FLORE-PLENO.

This pretty double variety of the well-known perennial Candytuft will be found a most desirable and welcome addition. Its beautiful white flowers are borne in the greatest profusion, and being most persistent, will be found of the greatest value for cut purposes. 9*d*. each.

LANTANAS, of sorts, 18*s*. per dozen.

LOBELIA, BARNARD'S PERPETUAL.

This distinct novelty is no doubt one of the most useful and best of Lobelias. The flowers are of the most brilliant ultramarine blue, strikingly ornamented with a pure white marking at the base of each of the two lower petals. It is of compact habit, and alike useful for bedding or growing in pots, its brightness and perpetual blooming character making it exceptionally useful for parterres and ribbon borders. It was awarded a Certificate of Merit by the Royal Horticultural Society, when exhibited in May, 1892, at the Temple Show. 6*s*. per dozen. Seed 1*s*. 6*d*. per packet.

MIMULUS.

The new and improved varieties of this showy flower are very handsome, many of them blotched or freckled and spotted, on white, sulphur and yellow grounds; the lobes margined with crimson and maroon. Selections at 9*s*., 12*s*. and 18*s*. per dozen.

PENTSTEMONS.

The modern varieties of Pentstemons are exceedingly attractive as decorative plants, either for flower-beds or borders, their cultivation being of the easiest description, while they are suitable to almost any soil, and their large and showy flowers are given with a remarkable redundancy from June to September. Choice sorts, 12*s*. and 18*s*. per dozen.

PETUNIA SNOWDRIFT.

A very beautiful double variety, producing in the freest possible manner an abundance of pure snow-white flowers of medium size, most elegantly fringed and fimbriated. The blossoms are borne on unusually long stalks, thus making this variety of special value where cut flowers are in request. 3*s*. 6*d*.

PETUNIAS.

For Greenhouse and Conservatory decoration these lovely plants can hardly be surpassed, affording as they do, all through the summer and autumn, a wealth of bloom of the most diversified character, combined with a delicious fragrance. Both double and single varieties can be supplied as under.

Choice Selections of Double-flowered kinds, including blotched, fringed and variegated varieties, 12*s*. and 18*s*. per dozen.

Choice Selections of Single-flowered kinds, including striped and blotched varieties, 12*s*. & 18*s*. per doz.

PHLOXES (HERBACEOUS).

Selections of good and choice kinds at 12*s*. and 18*s*. per dozen.

PYRETHRUMS.—SINGLE AND DOUBLE-FLOWERING.

Selections of good kinds, 6*s*., 9*s*. and 12*s*. per dozen.

SALVIA BETHELII, 1*s*.
GESNERÆFLORA, 1*s*.
M. ISSANCHOU, 1*s*.
INOÉNIEUR CLAVENAD, 2*s*. 6*d*.

SALVIA PATENS, 9*d*.
PATENS ALBA, 1*s*.
PITCHERI, 1*s*.
RUTILANS, 1*s*.

SALVIA SPLENDENS, 1*s*.
SPLENDENS BRUANTII, 1*s*.
SEMPERVIVUM HAWORTHII, 1*s*.

PLANTS FOR SUB-TROPICAL GARDENS.

These have either ornamental and attractive foliage, or are of graceful habit and growth, such as Bamboos, Cannas, Musas, &c., and are very effective when planted in groups; many of them forming striking objects as single specimens. **Good Selections made at 30s. and 42s. per dozen.**

BULL'S FOOD FOR PLANTS.

Contains in a concentrated form all the essential elements of plant life. It is of immense benefit applied as a top-dressing to plants and bulbs of all sorts grown in pots, especially when pot-bound, completely restoring exhausted energy, a few applications ensuring vigorous healthy growth, the flowers being produced in a most luxurious manner, combined with great richness of colouring. It can also be mixed with ordinary soil in potting, or may be used with most beneficial effect for Chrysanthemums, Shrubs, Vines, and all kinds of Fruits, whether in pots or planted in the open air.

FOR TESTIMONIALS see next page.

ANALYSTS' REPORT.

The analysis shows this to be a complete Plant Food, and of the highest quality. The material not only contains an abundance of all the constituents necessary for plant growth, but the analysis shows also that the four chief constituents are each in that combination which renders them in the most beneficial and available form for the healthy development of plants.

For these reasons, users of this Plant Food in the proper quantities cannot fail to produce the very best results within the capability of their plants.

CANNON & NEWTON,
Analytical and Consulting Chemists, 39, Mincing Lane, London, E.C.

DIRECTIONS FOR USE.

For POT PLANTS AND BULBS.—Sprinkle on the surface of the soil, about every three weeks, at the rate of a small teaspoonful to a 5-inch pot, so that when the plants are watered, the Plant Food will be gradually absorbed into the soil.

For CHRYSANTHEMUMS.—At the time of potting, some of the Plant Food should be thoroughly mixed with the compost, and afterwards, when the buds begin to swell, frequent top-dressings should be given, the quantity used being estimated according to the size of the pots and vigour of the plants.

For ROSES, SHRUBS, VINES, &c., in Pots.—Use about a tablespoonful to a 12-inch pot several times during the season.

For PLANTS, FRUITS, ROSES, and all Plants in Borders and the Open Ground.—Apply about 2 ozs. to the square yard as often as occasion may require, raking and watering it in.

For LAWNS.—Scatter broadcast at the rate of 2 ozs. to the square yard, and well water.

Sold in Tins, containing about 1½ lbs., price 1s. each. Larger Size, containing about 5 lbs., 2s. 6d. each.

Also in Bags, 14 lbs., 4s. 6d.; 28 lbs., 7s. 6d.; 56 lbs., 12s. 6d.; 112 lbs., 20s.

MANUFACTURED SOLELY BY

WILLIAM BULL, F.L.S.,
ESTABLISHMENT FOR NEW & RARE PLANTS,
536, KING'S ROAD, CHELSEA, LONDON, S.W.

BULL'S FOOD FOR PLANTS.

TESTIMONIALS.

THE GARDENS, MOUNT MERRION, BOOTERSTOWN, DUBLIN, *4th December*, 1894.

Sir,—I am well pleased with your Plant Food. I grew my Chrysanthemums this year with it, and won four First Prizes, one £20 Cup, and one £10 Cup at the Dublin Show.

Yours truly, HUGH CRAWFORD, Gardener to the Rt. Hon. Earl of PEMBROKE.

CROFTON, AIGBURTH, LIVERPOOL, *20th February*, 1894.

Dear Sir,—After giving your Food for Plants a fair trial for over two years, I must say that I like it better than any Artificial Manure I have ever used. In 1892 I grew my Chrysanthemums with it, which won the 10-Guinea Cup at Grassendale and Aigburth Shows, also the First Prize at Liverpool. In 1893 I was again successful in carrying off like honours. I have used it on hard and soft wooded plants, and the results were everything that could be desired. It has no unpleasant odour, so that, unlike many Manures, is not offensive in the Conservatory.

Yours truly, DONALD FORBES.

HARKSTEAN RECTORY, near IPSWICH, *May 10th*, 1894.

Dear Sir,—Having used your Plant Food on Chrysanthemums with such good results, I have no hesitation in saying that it is the best Artificial Manure I have ever used, producing flowers of great size and depth, indeed, it is invaluable to those who have to exhibit blooms of the finest quality. One thing greatly in its favour is, that if applied in moderation, anyone may use it without running the risk of injuring the roots or the flowers damping, which is often the case with other Manures.

I am, Sir, yours respectfully, GEORGE JORDAN, Gardener to the Rev. HUGH BERNERS.

IMPNEY HALL, DROITWICH, *18th February*, 1893.

Dear Sir,—I am very pleased with the results from using your Plant Food. I grew my Chrysanthemums with it last season, which won the City of Edinburgh Silver Cup, also the three First Prizes for cut-blooms in the large Open Classes at Birmingham, and the First Prizes at Sheffield. I have also used it with excellent results for Strawberries, Melons, Pines, &c. I am now using it on Vine and Peach Borders with every confidence of its producing good results. I shall be glad if you will kindly forward another 5 cwt. and oblige,

Yours truly, RICHARD PARKER, Gardener to J. CORBETT, Esq.

CROSWOOD PARK, ABERYSTWITH, *17th March*, 1894.

Dear Sir,—I am delighted with your Food for Plants. I find it is excellent for Chrysanthemums, Pelargoniums, Fuchsias, Cinerarias, &c., in fact for all soft wooded plants. I also used it on my Vine borders and it enabled young Vines to carry remarkably heavy crops that ripened up well, while the flavour was everything that could be desired. A great advantage is that it has no unpleasant smell, so can be used in the Conservatory.

I am, yours faithfully, R. C. WILLIAMS, Gardener to Rt. Hon. Earl of LISBURNE.

OAKLANDS, AIGBURTH, LIVERPOOL, *12th March*, 1894.

Dear Sir,—I have much pleasure in stating that I have used your Food for Plants with great success on Vines, Peaches, Roses, &c., in fact I never had better results. For hard and soft wooded plants I can confidently recommend it as a safe and excellent Fertilizer. Yours truly, JOHN BOUNDS, Gardener to ALFRED L. JONES, Esq.

THE NURSERY, HAMMOND STREET, CHESHUNT, *July 18th*, 1894.

Dear Sir,—Will you send me 1 cwt. more of your Plant Food, and quote price for quarter ton, as I find my Tomatoes have greatly improved since using it on them, according to the directions. Yours truly, B. SEARING.

THE GARDENS, KEIR, DUNBLANE, BRIDGE OF ALLAN, N.B., *8th September*, 1893.

Dear Sir,—Your Plant Food is the best I have ever used. I have tried it on various plants with excellent effect, and for stimulating and imparting colour to Crotons and other foliage plants, it is all that can be desired. I tried it on Cyclamens, and the results were marvellous. I took First Prize with these at Edinburgh last year. Kindly send me double the quantity, obliging

Yours truly, THOMAS LUNT, Gardener to ARCHIBALD STIRLING, Esq.

MANOR HOUSE, STRATTON AUDLEY, BICESTER, *9th November*, 1893.

Dear Sir,—I have used your Food for Plants for nearly two years, and like it better than any artificial Manure I have ever had. I have used it on my Vines and never had such a good crop. It is excellent for Chrysanthemums, Primulas, Ferns, &c. Please forward me another cwt., and oblige,

Yours faithfully, W. PARKER, Gardener to the Right Hon. Lady ROSE LEIGH.

ST. ANNE'S, CLONTARF, DUBLIN, *2nd March*, 1893.

Dear Sir,—I have used many Artificial Manures for plants in the past 36 years, but none that I like so well as your "Plant Food." Not only is it a quick Fertilizer, but it has no unpleasant odour—a great desideratum.

Yours faithfully, CHARLES SMITH, Gardener to the Right Hon. Lord ARDILAUN.

THE DEN, BELFAST, *27th January*, 1893.

Dear Sir,—You will doubtless be interested to know that last season I won twenty-three First and ten Second Prizes for plants and fruit grown with your Food for Plants, which has proved a most excellent stimulant, and is certainly the best Manure I have ever used. It is cleanly to use, creates no fungus, and has no unpleasant odour; in fact, no gardener should be without it. Please send me another cwt. and oblige,

Yours truly, WM. McILROY, Gardener to G. W. WOLFF, Esq.

LEIGHTON GARDENS, WELSHPOOL, *7th January*, 1892.

Now that I have used Mr. William Bull's Food for Plants over twelve months, I have very great pleasure in stating that I believe it to be the best Plant Manure in the market. It produces fine foliage, large flowers, and gives a good healthy appearance to Stove and Greenhouse Plants in general. I have also used it on Melons, Cucumbers, Tomatoes and Vines with good results, and it is excellent for Chrysanthemums.

WILLIAM ROTHWELL, Gardener to Mrs. NAYLOR.

THE NURSERY, LOWTON, NEWTON-LE-WILLOWS, *15th December*, 1893.

Dear Sir,—Please send me 5 cwt. of your Plant Food at your earliest convenience. I must say it is the best Fertilizer I have tried on soft-wooded Plants, especially for Chrysanthemums and Pelargoniums.

Yours truly, JOSEPH LEIGH.

FORDE ABBEY, CHARD, *27th January*, 1894.

Dear Sir,—I think most highly of your Plant Food. It is splendid for all kinds of pot-stuff, and especially that which needs a strong Manure. It is grand for Chrysanthemums and all kinds of Winter-blooming plants.

Yours truly, JOHN CROOK, Gardener to W. H. EVANS, Esq.

For Full Particulars see preceding page.

Mr. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower and Vegetable Seeds, and included descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

SEEDS FROM PRIZE STRAINS.

	Per pkt.—s.	d.
ABUTILON, new varieties, extra choice ..	1	0
ASPARAGUS plumosus nanus	2	6
ASTER, Comet, pure white	0	9
Auricula, Alpine, very fine strain .. 1*s.* &	1	6
BEGONIA HYBRIDA GIGANTEA, flowers of gigantic size, measuring 4 to 5 inches, and of various and attractive colours..1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Begonia, Double, finest mixed	2	6
CALCEOLARIA, HERBACEOUS, Prize Strain .. .. 1*s.* 6*d.*, 2*s.* 6*d.* &	5	0
Candytuft, Tom Thumb, white	0	4
CARNATION, Bizarre .. 2*s.* 6*d.* &	3	6
—— Flaked .. .. .. 2*s.* 6*d.* &	3	6
—— —— Self .. .. 2*s.* 6*d.* &	3	6
—— —— yellow ground flowers, 2*s.* 6*d.* &	3	6
—— New Double Margaret	0	6
CHRYSANTHEMUM JAPONICUM ..	1	0
—— large flowering, extra choice ..	1	0
CINERARIA, extra choice mixed, 1*s.* 6*d.* &	2	6
—— **hybrida grandiflora nana** 1*s.* 6*d.* &	2	6
—— Double	2	6
Cocksoomb, Glasgow Prize	1	0
COLEUS, choice hybridised .. 1*s.* &	1	6
CYCLAMEN PERSICUM, finest, mixed colours .. .. .. 1*s.* 6*d.* &	2	6
—— —— **giganteum**, mixed.. 1*s.* 6*d.* &	2	6
—— —— **Baroness Burdett-Coutts**, superb pure white. F.C.C., R.H.S. ..	2	6
—— —— **Duke of Fife**, rich dark rose, Certificated, R.B.S.	2	6
—— —— **Mont Blanc**, a grand flower ..	2	6
—— —— **Duke of Connaught**, rich purplish-crimson .. .. 1*s.* 6*d.* &	2	6
—— —— **Prince of Wales**, large bright red	2	6
—— —— **Princess May**, a charming shade of pink	2	6
—— —— **Mauve Queen**, mauve coloured flowers	2	6
DAHLIA, Cactus, scarlet	1	0
DATURA Cornucopia	1	6
GLOXINIA, extra choice hybridised, 1*s.* 6*d.* &	2	6
—— Finest Spotted..	2	6
—— **grandiflora erecta** .. 1*s.* 6*d.* &	2	6
Godetia, Lady Albemarle..	0	4
Heuchera sanguinea	1	0
Hollyhock, extra choice mixed	1	0
Humulus Japonicus variegatus (The Variegated Hop)	0	6
Inula ensifolia (New)	1	0
Lobelia, Barnard's Perpetual	1	6
—— **Cardinalis** (The Cardinal Flower) ..	1	0
—— **erinus speciosa**	0	6
Mignonette, Golden Queen	0	4
—— **Mammoth**	0	6
Myosotis Alpestris, Victoria, very distinct	0	6
—— **dissitiflora**	0	9
Nasturtium, Empress of India	0	3

	Per pkt.—s.	d.
PANSY, ASHBURNHAM STRAIN ..	2	6
—— **Peacock** (Peacock Blue) .. 6*d.* &	1	0
Papaver glaucum (The Tulip Poppy) ..	0	6
—— **nudicaule coccineum fl. pl.**	1	0
PEAS, SWEET (New Varieties)—		
—— —— Blanche Burpee..	1	0
—— —— Captain of the Blues	0	4
—— —— Delight	0	4
—— —— Emily Henderson	0	4
—— —— Ignea	0	4
—— —— Mrs. Eckford	0	9
—— —— Mrs. Gladstone	0	4
—— —— Mrs. Sankey	0	4
—— —— Orange Prince	0	4
—— —— Princess May	0	4
—— —— Queen of England	0	4
—— —— Senator	0	4
—— —— Splendour	0	4
—— —— Waverley	0	9
—— —— Eckford's mixed	0	4
PELARGONIUM, Gold and Bronze, 1*s.* 6*d.* &	2	6
Ivy-leaved varieties	2	6
PETUNIA, choice hybridised	1	0
Phlox Drummondi cuspidata	0	6
—— —— **fimbriata**..	0	6
—— —— **purpuræ marmorata plena** (New)	1	0
Picotee, Prize Strain .. 2*s.* 6*d.* &	3	6
Polyanthus, choice mixed	0	6
—— **gold laced**	1	0
POPPY, The Shirley	0	4
—— "White Swan"	0	6
Primrose, Hardy Hybrids, choice mixed	1	0
Primula OBCONICA GRANDIFLORA (New) ..	2	6
—— SINENSIS FIMBRIATA, Brilliant (New)	2	6
—— —— "Comet" (New)	2	6
—— —— FULGENS	2	6
—— —— ALBA MAGNIFICA	2	6
—— —— Gipsy (New)	2	6
—— —— IMPERIAL BLUE	2	6
—— —— MONT BLANC	2	6
—— —— PINK BEAUTY	2	6
—— —— PURITY (New)	2	6
—— —— AVALANCHE	2	6
—— —— BULL'S PREMIER MIXTURE, 1*s.* 6*d.* &	2	6
—— —— ALBA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— RUBRA FLORE PLENO 2*s.* 6*d.* &	3	6
—— —— KERMESINA SPLENDENS FL. PL., 2/6 &	3	6
—— —— SIN. FIN. ROSEA FL. PL., charming blush rose .. .. 2*s.* 6*d.* &	3	6
—— —— SIN. FIN. FULGENS FL. PL. (New), 2*s.* 6*d.* &	3	6
PYRETHRUM AUREUM	0	6
Stock, East-Lothian, in 4 colours.. ..	1	6
Stock, Princess May	1	6
Streptocarpus, New Hybrids	2	6
Torenia, "White Wings" pure white ..	1	0
Verbena compacta coccinea oculata ..	1	0
Wallflower Harbinger, fine dark red ..	0	6
—— Double German, finest mixed ..	1	0

WILLIAM BULL, F.L.S.,

RESPECTFULLY INVITES THE NOBILITY AND GENTRY ABOUT TO FURNISH CONSERVATORIES TO AN INSPECTION OF THE

MAGNIFICENT SPECIMEN ORNAMENTAL PLANTS

IN HIS

WINTER GARDEN,

SOME OF WHICH ARE THE MOST HANDSOME IN EUROPE,

COMPRISING

PALMS, CYCADS, ENCEPHALARTOS,
DRACÆNAS, ARAUCARIAS, &c.,

AND

THE LARGEST AND BEST STOCK IN EUROPE

OF

TREE FERNS,

Well Established, with Handsome and Graceful Heads.

THE COLLECTION OF

CYCADACEOUS PLANTS

Is unequalled in extent, and in the Size and Beauty of the Specimens.

NEW PLANTS

Introduced and sent out for the first time in 1893.

Aglaonema versicolor
Anthurium Scherzerianum roseum
—— —— sanguineum
Cyrtanthus intermedium
Davallia concinna
Davallia lucida
—— epiphylla
Geonoma acaulis
Heliconia illustris
Hoplophytum lineatum
Hypolytrum Schraderianum
Lamprococcus speciosus
Oncosperma fasciculatum
Pteris tremula variegata
Selaginella usta
Vriesia purpurascens

NEW PLANTS

Introduced and sent out for the first time in 1894.

Dianella Tasmanica variegata
Gesnera, Calypso
Hæmanthus candidum
Phyllanthus elongatum
Ptychoscoccus paradoxus
Todea Moorei

NEW PLANTS

Introduced and sent out for the first time in 1895.

Anthurium Andreanum album
—— —— salmoneum
Crinum Moorei variegatum
Cypripedium Cicero
—— Empress
—— Placida
Cypripedium signatum
Graptophyllum picturatum
Pteris serrulata voluta

INDEX.

	PAGE
Abelia	33
Abroma	11
Abyssinian Banana	41 & 55
Abutilon	33
Acacia	33
Acalypha	11
Achimenes	88
Acineta	57
Acmena ovata	33
Acropera	57
Ada	57
Adansonia	11
Adiantum	96 & 101
—— assimile cristatum ..	101
Æchmea, ...	11
Aërides	57 & 58
Agapanthus	33
Agave	33
Aglaonema ..	10 & 11
—— versicolor	10
Alberta magna	33
Allamanda	11
Alocasia	11
—— Sanderiana . ..	12
Alpinia	11
Alsophila	96 & 101
Althæa, *vide* Hibiscus ..	48
Amaryllis ..	11, 13 & 46
Amasonia	13
Amomum	55
Amorphophallus ..	13 & 33
Ampelopsis	46
Ananassa	13
Anchomanes	13
Andromeda	46
Anemidictyon	96
Anemone	46
Anorækum	58
Anoulos	58
Anœctochilus	58
Ansellia humilis.. ..	58
Anthurium ..	13 to 16
—— Andreanum album ..	7
—— —— salmoneum ..	7
—— Chelsiense ..	14
—— Scherzerianum	13 & 15
—— —— roseum.. ..	13
—— —— sanguineum ..	13
Antioonon	16
Aphelandra	16
Aralia ..	16, 33 & 45
Araucaria	33
Ardisia	16
Areca	105
Arenoa	105
Arisæma	46
Aristolochia	16
—— eleoans	16
Arpophyllum	58
Artocarpus ..	16 & 55
Arums	46 & 47
Arundo	47
Asparagus	33
—— plumosus nanus ..	33
Aspidistra	47
Asplenium ..	96, 97 & 102
Astrocaryum	105
Aucuba	47
Azalea	34 & 47
—— balsaminæflora ..	34
—— Hybrid	34
Bambusa	34 & 47

	PAGE
Barkeria	58
Barleria	16
Batatas	16
Bauhinia	16
Beddino Plants ..	120 & 121
Begonia	115 & 116
—— Handsome-flowered	115
—— Variegated Foliaged	116
—— Winter-Blooming ..	116
Beloperone	16
Berberis	47
Bertolonia	16
Biononia ..	16, 34 & 47
Billberoia..	16
Blandfordia ..	34 & 35
Bletia	59
Bomarea	34
Boronia	35
Bougainvillea	17
—— refuloens	17
Bouvardia	120
Bowkeria	35
Brassavola..	59
Brassia	59
Bredia	35
Brougiitonia	59
Brownea	17
Bruomansia	34
Brunsvigia..	34
Bulbophyllum	59
Burchellia	17
Burlinotonia	59
Caladium ..	8, 110 to 114
—— New	8
Calamus	105
Calanthe	59
Calliphruria	17
Calodendron	34
Calpicarpum	17
Camellia	36
Camoënsia maxima ..	17
Canna	120
Capparis	17
Carludovica	105
Carnations	36
Carpenteria	47
Catasetum	59
Cattleya	60 to 63
Cavendishia	36
Ceratozamia	105
Cestrum	36
Chamæcladon	17
Chamædorea	107
Chamærops	107
Chevalliera	17
Chirita	17
Chrysanthemum, Chinese or Large-flowered ..	117
—— New	117 & 118
—— Japanese	117
—— Pompon	118
Chysis	63
Cibotium	99 & 102
Cinnamomum	17, 55 & 56
Cirrhopetalum	63
Cissus	17 & 36
Clematis	36 & 47
Clerodendron	17
—— macrosiphon	17
—— nutans	17
Cleyera	36
Climbing Plants for Stove	32

	PAGE
Cocos Weddelliana ..	107
Cœlooyne	64
—— cristata hololeuca (alba)	64
Coffea	17 & 55
Colax	64
Coleus	8 & 120
—— New Sorts	8
Comparettia	64
Cornus	47
Coryanthes	64
Corypha, *vide* Livistona ..	108
Costus	17
Cratæous	47
Crinum 6, 17, 18, 36 &	47
—— Moorei variegatum	6
Crocosmia	47
Croton	17 & 19
—— Flaminoo	19
—— insignis	19
—— Junius	19
—— Magnificent ..	19
—— Memphis	19
—— Nestor	19
—— ornatus	19
—— Prince of Orange ..	19
—— Reidii	19
—— Victory	19
Cryptanthus	20
Cryptochilus	64
Cupania	20
Curculigo	20
Curmeria	20
Cyanophyllum	20
Cyathea	102
—— dealbata	102
—— Dregei	102
Cycas	37 & 108
Cyclamen ..	37, 47 & 48
Cycnoches	64
Cymbidium	64
Cyperus	20
Cypripedium	65 to 67
—— New	6 & 7
—— Hardy Varieties ..	48
Cyrtanthus	37
Cyrtodeira	20
Cyrtopodium	68
Cytisus	48
Dæmonorops, *vide* Calamus	105
Dahlia	37 & 120
Dais..	37
Dalechampia	20
Davallia ..	97, 99 & 102
—— concinna	99
—— lucida	99
—— epiphylla	97
Dendrobium ..	68 to 70
Dendrochilum, *vide* Platyclinis	84
Deutzia	48
Deyeuxia	37
Diacrium	70
Dianella Tasmanica variegata	38
Dichæa	70
Dicksonia	96 & 102
—— antarctica ..	96 & 102
Dieffenbachia	20
—— triumphans	20
Dionæa muscipula ..	38
Dioon edule	107

INDEX—*continued.*

	PAGE
Dioscorea	20
Dipladenia	20
—— Brearleyana ..	20
Diplarrhena Moreæ ..	38
Dipterix .. .. 20 &	56
Disa	70
Doodia aspera multifida	102
Dorstenia .. .. 20 &	55
Doryanthes	38
Double-flowered Epacris	38
—— —— Ivy-leaved Pelargoniums ..	93
—— —— Zonal Pelargoniums ..	95
Draœna .. 20 to 22 &	38
—— argenteo-striata ..	20
—— fragrans variegata	20
—— Goldieana	20
—— Lindeni	21
Dracontium	22
Drosera	39
Drymonia	22
Echeveria	121
Echites	22
Elæocarpus	22
Elymus	48
Encephalartos	107
—— regalis	107
Encholirion	22
Epacris .. .. 38 &	39
—— double	38
Epidendrum	70
Epipremnum mirabile 22 &	56
Eranthemum	22
Eria	70
Erythrina .. .. 22 &	39
Erythroxylon Coca 22 &	55
Euadenia	22
Eucalyptus	39
Eucharis	22
Eucodonia	88
Eugenia .. 22, 39, 55 &	56
Eulalia	48
Eulophia	70
Eulophiella	70
Euonymus	48
Euphorbia	22
Eurycles	21
Exostemma	22
Ferns .. .. 96 to	104
Ficus .. 22, 39, 55 &	56
Fittonia	22
Flax, New Zealand ..	42
Food for Plants	122
Francisœa	22
Francoa	39
Fraxinus	48
Freesias	39
Fuchsia .. .. 8 &	119
—— New Sorts	8
Galeandra	70
Garoinia .. 22, 55 &	56
Gardenia	22
Geonoma .. .. 106 &	107
Geranium, *vide* Pelargoniums ..	90
Gerbera	39
Gesnera .. .. 22 &	88
—— Calypso	22
Gleichenia .. 99 &	100
Gloriosa	22
Gloxinia	89

	PAGE
Goniophlebium	99
Goodyera	70
Grammangis .. 70 &	71
Grammatophyllum ..	70
Graptophyllum picturatum	7
Greenhouse Plants 33 to	45
Grevillea	39
Griffinia	24
Gunnera	48
Gymnogramma .. 98 &	99
—— elegantissima ..	98
Habenaria	71
Habrothamnus	39
Hæmanthus .. 24 &	39
—— candidum	39
Hardy Plants .. 46 to	54
Hedera	48
Hedychium .. 24 &	39
Heliconia .. .. 23 &	24
—— illustris	23
Hemerocallis	48
Hemigraphis	24
Hibiscus .. 24, 39 &	48
—— Rosa Sinensis ..	24
—— syriacus	48
Hippeastrum, *vide* Amaryllis .. 11 &	13
Hoffmannia	24
Hoplophytum lineatum ..	24
Houlletia	71
Howea	103
Hoya	24
Huntleya	71
Hydrangea .. 39 &	48
Hymenocallis	24
Hymenophyllum	102
Hymenosporum	24
Hypericum	48
Hypolytrum Schraderianum	25
Imantophyllum .. 39 &	40
Impatiens	24
—— Hawkerii	24
Ipomœa	24
Ipsea	71
Iris .. .. .. 40 &	49
—— German	49
—— Kæmpferi	49
Ivy-leaved Pelargoniums	93
Ixora	24
—— Ardens	24
—— salmonea	24
Jacaranda	26
Jasminum .. .. 26 &	40
Jatropha	26
Juncus zebrinus, *vide* Scirpus	
Justicia	26
Kentia	108
Kæmpferia	26
Kniphofia	50
Lælia .. .. 71 &	72
Lamprococcus	26
—— speciosus	26
Landolphia	26
Lapageria	40
—— alba	40
—— rosea	40
Laportea	26
Lasiandra	40
Lastrea .. .. 101 &	102
Latania	108
Leptotes	72

	PAGE
Lespedeza	50
Libertia .. .. 40 &	50
Licuala grandis	9
Lilacs, new double 53 &	54
Lilium .. .. 50 &	51
—— auratum	50
—— longiflorum Harrisii	51
Limatodis	72
Liparis .. .. 72 &	73
Livistona	108
Lobelia, Barnard's Perpetual	121
Lomaria .. .. 101 &	103
Lycaste	73
—— Skinneri	73
Lycopodium, *vide* Selaginella ..	104
Mackaya bella	40
Macrozamia	108
Magnolia .. 26, 40 &	52
Malus	52
Manettia	26
Maranta	26
Marcgravia	26
Masdevallia .. 73 to	76
—— Harryana acanthifolia ..	74
—— —— conchiflora ..	74
—— —— regalis ..	75
Maxillaria	76
Medicinal and Officinal Plants .. 55 &	56
Medinilla	26
Mesospinidium	76
Microstylis	76
Miltonia	77
Monstera	26
Montbretias	52
Mormodes	77
Musa .. 26, 41 &	55
Mussænda	26
—— erythrophylla ..	26
Myrtus	41
Nœoelia, *vide* Gesnera ..	88
Napoleona	26
Nanodes	77
Nellia	52
Nepenthes	26
Nephrodium .. 102 &	104
Nephrolepis	101
Nephthytis .. 26 &	27
Nerine	41
Nerium	41
New Plants	125
—— —— announced for the first time .. 6 to	8
New Greenhouse Plants 33 to	45
—— Hardy Plants 46 to	54
—— Stove Plants 11 to	32
Nidularium .. 28 &	29
—— Innocentii striatum	28
Nosegay Pelargoniums ..	93
Odontoglossum .. 78 to	81
—— crispum (Alexandræ)	78
—— vexillarium, *vide* Miltonia	77
Officinal and Medicinal Plants .. 55 &	56
Onoidium .. .. 81 to	83
—— macranthum	82
Oncosperma fasciculatum	108

INDEX—*continued.*

	PAGE
Ophiopogon	41
Oplismenus	29
Opuntia	52
Orchids	57 to 87
Oxalis	29
Palisota	29
Palms, Cycads, &c.	105
Palumbina	83
Panax	29
Pancratium	29, 41 & 52
Pandanus	29
Panicum, *vide* Oplismenus	29
Paphinia	83
Passiflora	29, 41, 52, 55 & 56
Paullinia	29
Pavetta	29
Pavonia	29
Pæonia	52
Pelargonium Bronze and Gold	95
—— Chelsea Gem	95
—— Double-flowered Zonal	95
—— —— Ivy-leaved	93
—— Fancy	93
—— Ivy-leaved	8 & 93
—— —— with double flowers	93
—— Nosegay	93
—— Regal	90
—— Show	92
—— Spotted	8 & 91
—— Tricolor	95
—— Variegated	95
—— Zonal	94
Pellionia	29
Pentas	29
Pentstemon	
Peperomia	29
Peristeria elata	83
Pescatoria	83
Petunia	121
Phaius	83 & 84
Phalænopsis	84
Philadelphus	52
Philodendron	30
—— nobile	30
Phlox	52 & 121
Phœnix	108 & 109
—— rupicola	109
Pholidota	84
Phormium	42
Phyllanthus	30
—— elongatum	30
Phyllocactus	42
Phyllotænium	30
Pieris	52
Pilumna	84
Pinanoa	109
Piper	30, 55 & 56
Pitcairnia	31
Pittosporum	42
Plant Food	122
Platyclinis	84
Platyloma	101 & 103
Pleione	84
Pleopeltis	101
Pleurothallis	84
Plumbago	31 & 42
Pogostemon	30 & 56
Polygonum	52
Polystichum	101 & 103
Portlandia	30
Pothos	30
—— argenteus	30
—— flexuosus	30
—— nitens	30
Primula	42 & 52
Promenæa	84
Prunus	52
Psidium	30 & 56
Pteris	101 & 103
—— serrulata voluta	7
—— Victoriæ	101
Ptychococcus paradoxus	109
Ptychosperma	109
Punica	42
Puya	30
Ravenala	30 & 56
Regal Pelargoniums	90
Reidia	30
Reinwardtia	42
Renanthera	85
Restrepia	85
Rhapis	109
Rheum	52
Rhododendron	43 to 45 & 52
—— albescens	43
—— Pink Beauty	44
—— New Sorts	7
Rhopaloblaste	109
Rhopalostylis	109
Rhyncostylis	85
Rhus	52
Richardia	42
Rodriguezia	85
Rogeira	30 & 42
Rohdea	42
Rondeletia	30
Rosa	52
Rubus	53
Ruellia	30
Sabal	109
Saccharum	30 & 56
Saccolabium	85
Salvia	121
Sanchezia	30
Sanseveira	30
Sarcochilus	85
Sarcopodium	85
Sarracenia	42
Saxifraga	53
Schismatoglottis	30
Schomburgkia	85
Schubertia	30
Scindapsus	30
Scirpus	53
Scuticaria	85
Seaforthia	109
Sedum	53
Selaginella	104
Selliguea	101
Sempervivum	121
Senecio	42 & 53
Show Pelargoniums	92
Shrubs, *vide* Hardy Plants	46
Smilax	30 & 56
Sobralia	85
Solanum	30
Sonerila	30
Sophronitis	85
Sparmannia	42
Spathiphyllum	30
Spathoglottis	85
Specimen Plants	125
Spiræa	53
—— astilboides	53
Stadmannia	30
Stangeria	109
Stanhopea	85 & 86
Stephanotis	30
Stevensonia	109
Stove Plants	11 to 32
Strelitzia	32
Streptocarpus	32
Strobilanthus	32
Styrax	53
Synoonium	32
Syringa	53 & 54
Tabernæmontana	32
Tacca	32
Tacsonia	32 & 42
Tainia	86
Tapeinotis	32
Tecoma	43
—— Smithii	43
Terminalia	32
The Dove Flower	83
—— Irish Fern	104
Theobroma	32 & 55
Thrinax	109
Thrixspermum	86
Thunbergia	31 & 32
Thunia	86
Thyrsacanthus	32
Tillandsia	32
—— Lindeniana vera	32
Todea	103 & 104
—— Moorei	103
Tonga	22 & 56
Toxicophlæa	32
Trachycarpus	109
Tradescantia decora	32
Tree Ferns	96
Trichopilia	86
Trichosma	86
Trioonidium	86
Tritoma, *see* Kniphofia	50
Tritonia, *vide* Crocosmia	47
Tropæolum	54
Tropical Fruits	55 & 56
Tuberoses	43
Tydæa	89
Urceocharis	32
Urceolina	32
Uropedium	86
Utricularia	32
Vallota	43
Vanda	86 & 87
Vanilla	32, 56 & 87
Veronica	54
Vinca	32
Vitis	43 & 54
Vriesia	32
—— purpurascens	32
Wallichia	109
Warrea	87
Warscewiczella	87
Weigela	54
Wistaria	54
Xanthoceras	54
Xylobium	87
Xylophylla	32
Yucca	43 & 54
Zamia	109
Zingiber	32 & 56
Zygopetalum	87

MR. WILLIAM BULL'S SEED CATALOGUE,

Published in January, contains descriptions and prices of all the most desirable novelties in Flower Seeds, saved from extra fine carefully selected stocks. Also Ornamental-foliaged Plants, so much used for sub-tropical gardening.

Descriptions and prices of the best and most popular seeds that can be offered for the Kitchen Garden, Flower Garden, Conservatory, &c., &c.

MR. WILLIAM BULL'S BULB CATALOGUE,

Published in September, contains Priced Lists of all the finest Dutch and other Flower Roots, selected from the Stocks of the best Continental Bulb Growers, including Hyacinths, Tulips, Crocus, Narcissi, Liliums, &c., with a choice selection of other Bulbous and Tuberous-rooted Plants.



FOREIGN ORDERS.

Plants, seeds, &c., for transmission abroad, selected and packed with the greatest possible care in Bull's Patent Plant Cases or closed boxes, according to the nature of the goods, and despatched by the best Routes, Mail Steamers, Clipper Ships and Railways to any part of the world.

Owing to the great difficulty of collecting accounts abroad, Mr. W. B. respectfully intimates that

A REMITTANCE MUST ACCOMPANY ALL FOREIGN ORDERS,

sufficient in amount to cover cost of order and of packing, or an order must be sent for payment in London.

EXPORTING.

Mr. W. B. is continually receiving the most gratifying accounts of the excellent condition in which both the plant and seed orders entrusted to him reach their destinations, and the satisfaction given by tho selections made.

Post-office Orders to be made payable at 510, KING'S ROAD, CHELSEA, S.W.
Cheques to be crossed "LONDON JOINT STOCK BANK."

Nearly 100,000 Superficial Feet of Glass at Mr. WILLIAM BULL'S Establishment filled with New and Rare Plants.

1895-6

A Catalogue of

NEW, RARE & BEAUTIFUL PLANTS AND ORCHIDS

OFFERED BY

WILLIAM BULL, F.L.S.

F.R.G.S. F.Z.S. F.R.H.S. M.A.I. F.R.B.S. & M.S.A.
Socc. Hort. Berol. Bruxell. St Petersburgh et Par.
et Soc. Agric. et Bot. Gandav. Socius.

NEW PLANT MERCHANT

536, KING'S ROAD.
(and Ashburnham Park)
CHELSEA,
LONDON.
S.W.